

SECTION F: OPERATIONAL REGULATIONS

Version:	Issue 11
Status:	PUBLISHED
Date:	01/10/2026
WMSC approval date:	30/09/2026

CONVENTION:

Black Text:	Text unchanged from 2026 FIA F1 Regulations - Section F [Operational] – Iss 10
Pink Text:	Changes relative to 2026 FIA F1 Regulations - Section F [Operational] – Iss 10, approved by the WMSC on 30/09/26
[Red Text]:	Information on applicable Governance and relevant Advisory Committee
[Orange Text]:	Reference information on relevant FIA F1 Document(s)
[Green Text]:	Comments / explanations / indication of further work: non-binding and non-regulatory

ARTICLE F1: VOID	3
ARTICLE F2: ENVIRONMENTAL STANDARDS	4
F2.1 Environmental Accreditation	4
ARTICLE F3: COMPETITORS' SHUTDOWN PERIOD	5
F3.1 F1 Team Factory Shutdown Periods	5
F3.2 Power Unit Manufacturer Factory Shutdown Periods	6
ARTICLE F4: AERODYNAMIC TESTING RESTRICTIONS (ATR)	8
F4.1 General conditions	8
F4.2 Restricted Wind Tunnel Testing (RWTT)	9
F4.3 RWTT Permitted technology	10
F4.4 Restricted CFD (RCFD) simulations	12
F4.5 Exceptions to the Aerodynamic Testing Restrictions (ATR)	15
F4.6 Limits, Reporting, Inspection and Audit	16
ARTICLE F5: POWER UNIT TEST BENCH RESTRICTIONS	19
F5.1 Power Units Test Benches	19
F5.2 Power Unit Test Benches Operational Restrictions	23
F5.3 Power Unit Test Bench activities affecting PU Manufacturers and F1 Teams	26
ARTICLE F6: VOID	30
APPENDIX F1: DEFINITIONS	31
PART A: GENERAL DEFINITIONS	31

PART B: DEFINITIONS APPROVED UNDER THE PROVISIONS OF THE PU GOVERNANCE AGREEMENT	31
APPENDIX F2: APPROVED CHANGES TO SECTION F FOR SUBSEQUENT YEARS	32
Changes for 2027	32
Changes for 2028	49
Changes for 2029	49

ARTICLE F1: VOID

ARTICLE F2: ENVIRONMENTAL STANDARDS

Advisory Committee: TAC

Governance: F1 Commission / WMSC

F2.1 Environmental Accreditation

F2.1.1 Each Competitor must hold the minimum of 3 Star FIA Environmental Accreditation.

ARTICLE F3: COMPETITORS' SHUTDOWN PERIOD**F3.1 F1 Team Factory Shutdown Periods***Advisory Committee: TAC**Governance: F1 Commission / WMSC***F3.1.1** All F1 Teams must observe two shutdown periods:

- a. The first period of fourteen (14) consecutive calendar days during the months of July and/or August. If two consecutive Competitions during this period are separated by only seventeen (17) days a shutdown period of thirteen (13) consecutive calendar days must be observed. In either case F1 Teams should notify the FIA of their intended shutdown period within thirty (30) days of the start of the Championship.
- b. The second period of nine (9) consecutive calendar days starting on the 24 December.

F3.1.2 During the shutdown periods no F1 Team or affiliate to a F1 Team may carry out or instruct a third-party supplier to carry out any of the following activities for or on behalf of the F1 Team:

- a. Operation or use of any wind tunnel, except as specifically permitted by Article F3.1.4.
- b. Operation or use of any computer resource for CFD Simulations, except as specifically permitted by Article F3.1.4.
- c. Production or development of wind tunnel parts, car parts, test parts or tooling.
- d. Sub-assembly of car parts or assembly of cars.
- e. Any work activity by any employee, consultant or sub-contractor engaged in design, development or production (excluding any work activity to be undertaken at the circuit in preparation for the Competition immediately following the shutdown periods).

F3.1.3 Each F1 Team must notify its suppliers of the dates of its shutdown periods and must not enter into any agreement or arrangement with the intention of circumventing the prohibition on the above activities.**F3.1.4** During the shutdown periods the following activities will not be considered a breach of the above:

- a. Repairs carried out with the agreement of the FIA to a car seriously damaged during the Competition preceding the shutdown period.
- b. The assembly and servicing of running or static show cars, none of which may entail the production, assembly or servicing of any current car parts.
- c. The operation and use of any wind tunnel provided this is being carried out for projects with no direct relation to Formula One or for or on behalf of a F1 Team that is not at that time within its own shutdown period or for the purposes of maintenance or modifications to the facility (at the exclusion of any activity defined as Restricted Wind Tunnel Testing in Appendix 7 of the Sporting Regulations).
- d. The operation and use of any computer for CFD simulations provided this is being carried out for projects with no direct relation to Formula One, or for or on behalf of a F1 Team that is not at that time within its own shutdown period or for the purposes of system or software upgrade or maintenance (but not for activities which may be deemed as methodological development or are defined as Restricted CFD Simulations in Article F4 of these Operational Regulations).

- e. Any activity the sole purpose of which is supporting projects unconnected to Formula One, subject to the prior written approval of the FIA.
- f. Any activity the sole purpose of which is the maintenance of factory facilities.
- g. Any activity the sole purpose of which is the maintenance of factory IT networks and associated systems.
- h. Any activity relating to the loading, unloading, and preparation of sea freight, with the exception of car components or assemblies.
- i. Any activity the sole purpose of which is staff wellbeing or entertainment.
- j. During the shutdown period described by F3.1.1.b. only, any activity the sole purpose of which is to obtain accurate inventory quantities for financial purposes through a process of counting items of inventory and where such items return to the same physical location after the process as they were in prior to the start of the shutdown.

F3.2 Power Unit Manufacturer Factory Shutdown Periods

Advisory Committee: PUAC

Governance: PU Manufacturers' Governance Agreement / WMSC

F3.2.1 All PU Manufacturers must observe two shutdown periods:

- a. The first period of fourteen (14) consecutive calendar days during the months of July and/or August. If two consecutive Events during this period are separated by only seventeen (17) days a shutdown period of thirteen (13) consecutive calendar days must be observed.
- b. The second period, only from 2023, of nine (9) consecutive calendar days starting on the 24 December.

F3.2.2 For the period 2022-2025, the shutdown periods for PU Manufacturers who have homologated Power Units for the 2022-2025 Championships must be concurrent between the two Power Unit programmes (2022-2025, and 2026-2030).

F3.2.3 If a PU Manufacturer or affiliate to a PU Manufacturer has factories based in countries where law and/or unions impose a different closing week, these factories may replace one week out of two weeks of the shutdown period specified in Article F3.1.1a. by the locally imposed week and have their second shutdown period specified in Article F3.1.1b. starting no later than 31 December. PU Manufacturers affected by this must make a declaration to the FIA that the staff concerned will not be permitted to transfer to work in the country that isn't shutdown during these periods.

F3.2.4 For each year, PU Manufacturers must notify the FIA of their intended shutdown periods within thirty (30) days of the start of the Championship of that year.

F3.2.5 During the shutdown periods no PU Manufacturer or affiliate to a PU Manufacturer may carry out or instruct a third-party supplier to carry out any of the following activities for or on behalf of the PU Manufacturer:

- a. Any work activity by any employee, consultant or sub-contractor engaged in design, development or production (excluding any work activity to be undertaken at the circuit in preparation for the Event immediately following the shutdown periods).

- b. Operation or use of any test bench except as specifically permitted by Article F3.2.6. During the shutdown periods no occupancy hours nor operation hours may be incremented neither unrestricted test bench hours for projects connected to Formula One.
- c. Operation or use of any computer resource for simulations except as specifically permitted by Article F3.2.6.
- d. Production or development of Power Unit parts, test parts, car parts, or tooling.
- e. Sub-assembly of Power Unit parts or assembly of Power Units.

F3.2.6 During the shutdown periods the following activities will not be considered a breach of the above:

- a. The assembly or servicing (but not manufacture) of Power Units for running show cars.
- b. Work on any test bench or computer resource for the purposes of maintenance or modifications to the facility (at the exclusion of any activity defined as Restricted Power Unit Testing in Article F5 of these Operational Regulations).
- c. Any activity the sole purpose of which is supporting projects unconnected to Formula One, subject to the written approval of the FIA.
- d. Any activity the sole purpose of which is the maintenance of factory facilities.
- e. Any activity the sole purpose of which is the maintenance of factory IT networks and associated systems.
- f. Any activity relating to the loading, unloading, and preparation of sea freight, with the exception of power unit components or assemblies.
- g. Any activity the sole purpose of which is staff wellbeing or entertainment.
- h. ES Charging and/or balancing of an Energy Store containing ES cell(s) may be carried out with the agreement of the FIA. The DC current involved in these operations is limited to 5A while charging the ES cells and to a maximum rate of 0.1C during the balancing. This activity must not take place in any nominated test bench and must involve a maximum of two personnel.
- i. During the shutdown period described by F3.2.1.b. only, any activity the sole purpose of which is to obtain accurate inventory quantities for financial purposes through a process of counting items of inventory and where such items return to the same physical location after the process as they were in prior to the start of the shutdown.

F3.2.7 Each Power Unit Manufacturer must notify its suppliers of the dates of its shutdown periods and must not enter into any agreement or arrangement with the intention of circumventing the prohibition on the above activities.

F3.2.8 For the period until twelve months after confirmation of entry by the FIA, the provisions of this Article 2 will not apply to New PU Manufacturers, as defined in Appendix A7 of the Regulations.

ARTICLE F4: AERODYNAMIC TESTING RESTRICTIONS (ATR)*Advisory Committee: TAC**Governance: F1 Commission / WMSC***F4.1 General conditions**

F4.1.1 The ATR, and the definitions and rules which will apply to aerodynamic testing, are as follows:

F4.1.2 Restricted Aerodynamic testing is the testing by a F1 Team or any Associate of a F1 Team and/or by any contracted party of a F1 Team or of any Associate of a F1 Team or any external entity working on behalf of a F1 Team or for its own purposes and subsequently providing the results of its work to a F1 Team in a test environment or numerical simulation of a representation of an F1 car or sub-component in order to measure, observe or infer any forces, displacements, pressures or air flow direction resulting directly or indirectly from the incident air flow.

F4.1.3 A three-dimensional representation of an F1 car or sub-component subject to Restricted Aerodynamic testing, defined either physically or digitally, will be considered for the purposes of this Article as a Restricted Aerodynamic Test Geometry (RATG) and save for where specifically permitted by this Article may not be added to, removed from, morphed or modified. In order to prevent Restricted Aerodynamic testing methodologies intended to subvert any limits on the number or nature of RATGs permitted under the ATR the following will apply:

- a. The purpose of a RATG is to allow aerodynamic assessment of a single new geometry, with aerodynamic dependency maintained throughout the simulated flow field. Any attempt to derive aerodynamically independent results for subcomponents of a RATG, either in the initial simulation or test, or by subsequent modification to the simulation or test conditions, is not permitted. Any attempt to use boundary conditions or similar to infer the effect of combining RATGs, without accruing a further RATG, is also not permitted. The use of boundary conditions cannot be exploited to simulate the effect on the fluid of a geometry which is different from the RATG in use.
- b. If the representation contains external bodywork surfaces on both sides of the centre plane of the car these must be symmetrical about this plane with the exception of the wheel bodywork defined by Article C3.15 of the Technical Regulations. Minimal exceptions for parts directly associated with the cooling of the power unit, or changes of car attitude allowed under sections F4.3.4 (roll and steer) and F4.4 will be permitted.
- c. Excluding permitted degrees of freedom for RWTT and changes in RCFDs, the substitution or replacement of any part of a RATG with a non-F1 car geometry, or the placement of any physical or computational boundary condition or solver setting, that simulates or attempts to simulate a modification to this RATG will be considered as a new RATG.
- d. Sections (or sub-models) of a RATG which is used for RCFDs may be created by removing geometry from the parent RATG and placing boundary conditions of velocity or pressure profiles generated entirely from the same RATG to replicate the flow field resulting from the geometry that has been removed. This will not be considered as a new RATG provided any geometry within the section is identical to the parent RATG. Exceptionally where downstream portions of the RATG are removed these may be replaced with a single geometry approved for this purpose by the FIA.

- e. Sections (or sub-models) of a RATG used for RCFDs and created by removing geometry from a parent RATG may not be subsequently geometrically modified without being considered as a new RATG. Any boundary conditions of velocity or pressure profiles added in the process of creating the section (or sub-model) and used to replicate the flow field resulting from the geometry that has been removed may not be changed to boundary condition or profiles other than those generated from the parent RATG without being considered a new RATG.
- f. If the representation contains surfaces that represent components of more than one F1 car then it shall be construed as the equivalent number of RATGs. Excluding permitted degrees of freedom for RWTT and changes in RCFDs, any subsequent modification of the relative position of the representations of F1 cars will be considered as new RATGs equivalent to the number of F1 car representations.
- g. A baseline RATG is defined as a reference chosen from time to time that serves for comparison purposes.

F4.1.4 An Aerodynamic Testing Period (ATP) is a period of consecutive calendar weeks for the purposes of evaluation of the limits within this Article. As soon as one ATP ends a new one begins, with no gaps between them.

There will be 6 ATPs in any year. The dates of these periods will be as follows:

- a. Period 1 will start on 1 January and finish at the end of week 9.
- b. Periods 2, 3 and 5 will run for exactly 8 weeks each.
- c. Period 4 will run for 10 weeks, comprising the Summer Factory Shutdown described in Article F3.1.1.
- d. Period 6 will end on the 31 December.

For the above definition, weeks are assumed to start on a Monday and week 1 is the first week of four days or more in the calendar year.

In exceptional circumstances the FIA may revise these ATP at its absolute discretion in accordance with changes or events likely to affect these restrictions.

F4.1.5 In the context of this Article the words bodywork and sprung suspension will have the same definition as those provided by Article C3 and Article C10 of the Technical Regulations.

Any data acquired during Restricted Aerodynamic testing may only be available to the F1 Team that acquired it through use of the restricted aerodynamic testing available to it in accordance with the limits in this Article.

F4.2 Restricted Wind Tunnel Testing (RWTT)

F4.2.1 RWTT may only be carried out in wind tunnels which have been nominated by the F1 Team to the FIA. Each F1 Team may nominate only one wind tunnel for use in any one twelve-month period and declare it in writing to the FIA. For a new entrant, the nomination must be made no later than 7 days after the date on which it officially becomes a F1 Team. No re-nominations may be made for at least 12 months. Nominations should include the facility location, unique identification of the wind tunnel and the scale of model and RATG to be used. The FIA will consider, at its absolute discretion, earlier or temporary nominations if a wind tunnel already nominated by a F1 Team suffers a long

term failure or for the purpose of evaluating alternative wind tunnels. If a different facility is to be used or if the existing facility is changed or upgraded, other than for routine maintenance or replacement, then a new declaration must be submitted to the FIA within one month of the change or at the time of submission of a testing period report whichever is earlier.

For the avoidance of doubt, any RWTT carried out on behalf of or for the benefit of the F1 Team by an Associate, a contracted party of the F1 Team or of any Associate of the F1 Team or any external entity working on behalf of the F1 Team or for its own purposes and subsequently providing the results of its work to a F1 Team must take place in the wind tunnel nominated by the F1 Team.

F4.2.2 The limits for RWTT will be the number of runs of RWTT, the amount of wind tunnel occupancy time and wind tunnel wind-on time.

- a. During RWTT a single run will be deemed to commence each time the wind tunnel air speed rises above 5m/s and will end the first time thereafter it falls below 5m/s.
- b. During RWTT, once the wind tunnel air speed rises above 5m/s the RATG must remain fixed and unmodified until the wind tunnel air speed returns below 1m/s.
- c. Between runs of RWTT detail changes to the RATG and model are permitted.

F4.2.3 Wind on time is defined as the amount of time in hours summed over the ATP, where the wind tunnel air speed exceeds 15m/s for RWTT.

F4.2.4 During RWTT, the first shift of occupancy will be deemed to commence the first time the wind tunnel air speed is above 5m/s on a given calendar day, and will end at a time, declared by the F1 Team, when the wind tunnel air speed falls below 5m/s on the same calendar day. A second shift of occupancy will be deemed to commence the first time the wind tunnel air speed is above 5m/s following the end of the first shift of occupancy (on the same calendar day) and will end, either when the wind tunnel air speed falls below 5m/s for the last time on the same calendar day or, at the end of the calendar day in the event a run is still in progress. Only two shifts of occupancy may be carried out in any one calendar day.

F4.2.5 In the event of a demonstrated wind tunnel failure or other Force Majeure the FIA will consider, at its absolute discretion, permitting additional occupancy to be used to compensate for that which is lost as a result.

F4.2.6 For the avoidance of doubt any RWTT performed for the F1 Team by any Associate of the F1 Team and/or by any contracted party of the F1 Team or of any Associate of the F1 Team or any external entity working on behalf of the F1 Team or for its own purposes and subsequently providing the results of its work to the F1 Team during an ATP will be subject to these same limits as if the tests were performed by the F1 Team.

F4.3 RWTT Permitted technology

The following restrictions apply during RWTT:

F4.3.1 Only wind tunnels that use air at atmospheric pressure as the test fluid are permitted. Other than rotations of the RATG and model or ground plane about the yaw axis, designs which attempt to create curved flow conditions relative to the RATG are not permitted. For closed section wind tunnels adaption of vertical walls and the ceiling to improve air flow uniformity is permitted. Particle

image velocimetry systems where the wind tunnel air transports a flow visualisation medium are permitted.

F4.3.2 No RWTT may be carried out using a scale model and RATG which is greater than 60% of full size neither may it be carried out at a wind tunnel air speed exceeding 50m/s measured relative to the scale model and RATG. Furthermore, during restricted wind tunnel testing the magnitude of the rate of change of the wind tunnel air speed measured relative to the scale model and RATG must be less than 4.5m/s^2 . The rate of change of the wind tunnel air speed will be defined as the derivative of wind tunnel air speed and smoothed using a moving average filter, centred on each sample, of period 0.5 seconds during each wind tunnel air speed ramp up and ramp down phase. These phases are defined as the periods when the wind tunnel air speed is varying between 15m/s and 95% of the maximum wind tunnel air speed during a run.

F4.3.3 Only one model and RATG may be used per run. A maximum of two models may be used and a single model change made per F1 Team per 24 hour period. For the avoidance of doubt, a model in this context is defined by its underlying spine, motors and sensors.

F4.3.4 The only permitted degrees of freedom of the model and RATG during a run of RWTT are:

- a. Wheel rotation about the wheel axis
- b. Changes of ride height and roll angle relative to the ground plane and associated articulation of the elements representing the RATG suspension
- c. Changes of load applied to wheels through the elements representing the RATG suspension
- d. Steering of the front wheels
- e. Changes of yaw angle relative to the incident air flow and/or ground plane
- f. Simulation of differing exhaust flow
- g. Adjustment of the flap angles of the adjustable regions of the Front Wing Profiles (as defined by C3.10.10 of the 2026 Technical Regulations)
- h. Adjustment of the incidence of the RW Flap (as defined by C3.11.6 of the 2026 Technical Regulations)
- i. Adjustment or operation of sensors
- j. Application of flow visualisation liquids

F4.3.5 Changes of attitude of the model and RATG may not occur at a rate that requires changes of ride height at the front or rear axle centreline greater than the scale equivalent of 0.033 m/s on the full size F1 car and/or rotation about the yaw or roll axes at a rate greater than 1.0 deg./s.

F4.3.6 Where non-rigid wind tunnel tyres are used for RWTT these may only be produced by the appointed tyre supplier. Furthermore, devices that actively modify the shape of the tyre during RWTT other than as a result of vertical and lateral loads reacted at the contact patch are not permitted. Tyre pressure control is permitted but the complete wheel must contain only a single fixed internal gas volume. Systems which apply lubricant directly or indirectly to the wind tunnel tyres in order to reduce friction at the contact patches are permitted.

F4.4 Restricted CFD (RCFD) simulations

RCFDs are Computational Fluid Dynamics (CFD) simulations by a F1 Team or any Associate of a F1 Team and/or by any contracted party of a F1 Team or of any Associate of a F1 Team or any external entity working on behalf of a F1 Team or for its own purposes and subsequently providing the results of its work to a F1 Team of flows that are gaseous in the case of a F1 car and are not classified as power unit simulations. Any simulation of flows contained within the power unit cooling or lubrication systems, air, air/fuel mixtures, combustion process or products of combustion from a boundary commencing at the power unit's atmospheric air intake ducts, passing through the power unit and finishing at the exit of the exhaust tailpipe will be classified as a power unit simulation.

For the avoidance of doubt, if any CFD simulation (other than the power unit simulation defined above) reveals information to a F1 Team or to an Associate of the F1 Team whether directly, via a contracted party or via an external entity working on behalf of a F1 Team or for its own purposes and subsequently providing the results of its work to a F1 Team, about flows that are gaseous on a F1 car then it is a RCFD simulation. For example, any CFD simulations conducted at scales other than 1:1 or using non-gaseous fluids are still RCFDs as they reveal information about flows that are gaseous on the full size F1 car.

F4.4.1 A RCFDs refers to the pre-processing, the solver part or parts of the simulation process, and the post processing of the results of the simulation.

- a. Pre-processing refers to the meshing, decomposition and setup of the simulation.
- b. Solver refers to the program or programs that compute the solution of the equations describing the flow including any extension of the simulation or simulations involving additional numerical computation (for example but not limited, to adjoint computation).
- c. Post processing refers to the generation of representations of the flow solution that require numerical processing, for example but not limited to the computation of pressure coefficients, velocity, shear stress, flow streamlines or vorticity. Generation of videos or images displaying this information and any form or application of machine learning, deep learning or artificial intelligence (AI) based on simulation results is included in this definition.

During or prior to RCFDs the only permitted changes to the RATG are its attitude (ride height, roll, yaw, steer and associated tyre shape or contact patch), flap angles of the adjustable regions of the Front Wing Profiles (as defined by C3.10.10 of the 2026 Technical Regulations) and incidence of the RW Flap (as defined by C3.11.6 of the 2026 Technical Regulations). Furthermore, if a change in attitude causes an intersection between the Floor Bodywork and/or plank assembly and simulated ground plane, a local trim will be permitted to the Floor Bodywork and/or plank assembly only. Any trim must be the minimum required to remove the intersection, must be visible from below and must lie between $X_F=400$ and $X_R=0$. For avoidance of doubt, should any other changes be made to the RATG during any stage or pause in process b. above (such as a morphing, or the addition or substitution of any boundary condition with the intent to replicate an alternative geometry) a new RATG must be counted each time a change occurs.

Changes to parts classified as LTC, TRC or OSC and contained entirely within the drum volume defined by article C3.14.2 and the scoop defined by article C3.14.4 of the Technical Regulations and outboard of $Y_W=0$ and only for the purpose of developing cooling are permitted.

Modifications to surface and volume mesh resolution and type provided they have the purpose of resolving and solving exactly the same geometry to a tolerance of 0.5mm scaled to a 1:1 car, as well as the extent of the far field domain, changing the simulation between a wind tunnel or track environment, initialisation, boundary conditions, solver settings and methodology are allowed. None of these modifications may be exploited to circumvent the requirements of the ATR by otherwise creating the effect of a change to the RATG. For the purposes of the ATR “far field” will be considered to be greater than 1m from any part of the F1 car or sub-component scaled to a 1:1 car.

A RATG may be used in RCFDs with geometry on only one side of the car centre plane, using a symmetric boundary condition on that plane, or with geometry on both sides of the car centre plane, subject to the geometric symmetry requirements of Article F4.1.3. Changing between these two representations will not be considered a new RATG.

The addition of non-gaseous computational regions (including but not limited to coupled structural solver elements and conjugate heat transfer solid models) are not considered changes to the RATG provided that no geometric changes to the RATG itself take place during or prior to RCFDs.

The solver part or parts of all RCFDs must only be carried out using a compute resource that contains a set of homogeneous processing units and that has been nominated by the F1 Team to the FIA. Each F1 Team must declare to the FIA in writing the compute resources that are employed for the purpose of the solver part or parts of RCFD simulations. Floating, fixed point and integer operations from the solver part or parts of RCFD simulations must only run on and may not be offloaded from these CPU cores. From 1 January 2028 onwards, regulation will be introduced that will allow the use of GPU cores.

F4.4.2 The declaration of a compute resource by the F1 Team to the FIA must include:

- a. The computer or cluster identification, manufacturer, model and location and the manufacturer, name and full unique model number of the Processing Units.
- b. Number of processing unit cores in the compute resource.
- c. Processor speed at which each Processing Unit is configured to run at 100% CPU load (CCF). In order to prevent deliberate underclocking this value may not be lower than the standard or base clock frequency given by the Manufacturer’s specification.

Any specification of compute resource declared must be available on a non-exclusive basis to all F1 Teams.

F4.4.3 If the compute resource is changed or upgraded then a new declaration must be submitted to the FIA within one month of the change or at the time of submission of a testing period report whichever is earlier. Such changes might include, but are not limited to, a change of the hardware specification, addition or removal of processing units or change of location of any part of the compute resource.

F4.4.4 The amount of compute resource used for the solve part or parts of all RCFDs shall be measured in Mega Allocation Unit hours (MAUh) and will be calculated as follows.

$$\text{AUh} = (\text{NCU} * \text{NSS} * \text{CCF}) / 3600$$

Where:

Auh = The total number of Unit hours allocated to a CFD solver run. An Allocation Unit hour represents the use of a unit of resource allocation for one hour (and $1 \times \text{MAUh} = 1,000,000 \times \text{AUh}$). An Allocation Unit hour is equivalent to a core hour on a physical CPU core.

CCF = Peak Processing Unit clock frequency in GigaHertz achieved during the CFD solver run. This will be the peak frequency theoretically achievable during the run based on one of the following:

- a. The standard or base clock frequency value from the Processing Unit Manufacturer's specification (if overclocking or enhanced modes are not used in the run).
- b. The maximum "turbo", "HPC" or other enhanced mode frequency value.
- c. The maximum overclocked frequency value.

NCU = Number of Processing Unit cores used for the solver run. The effects of multi-threading, where simultaneous threads run on the same physical core will be ignored.

NSS = Number of solver wall clock seconds elapsed during the run. Message passing time during calculation must also be included.

All information required for auditing of this calculation must be present in the output from the run including the CCF value.

F4.4.5 Non-RCFDs can be made by a F1 Team provided that:

- a. They have been requested by the FIA and use a previously simulated RATG, and that these simulations are run as specified by the FIA and the results made available to the FIA; or
- b. They use a unique RATG which has been simulated in CFD more than 30 months ago and are for the purpose of optimising CFD methodology; or
- c. They use an FIA approved CAD geometry provided to all F1 Teams on an equitable and transparent basis and are for the purpose of optimising CFD methodology; or
- d. Subject to e. and for the sole purpose of contributing toward the development of future regulations only, they use an FIA approved geometry provided for this purpose or as a basis for modification a unique RATG which has been simulated in CFD less than 30 months ago.
- e. Non-RCFDs for future regulations are conditional on the full list and details of all such Non-RCFDs (including but not limited to geometries, attitudes, flow conditions) being approved by the FIA in advance of any work being carried out and full reports of the results being made available to all F1 Teams, via the FIA, with no team-specific Intellectual Property shared.
- f. They are carried out using only the nominated compute resources described above or, for the purpose of a. only, using alternative compute resources temporarily nominated to the FIA.
- g. The unique RATG or FIA approved geometry is not changed, added to, removed from, morphed or modified. Exceptions to this are permitted for the replacement of elements of the RATG or FIA approved geometry, with boundary conditions for the purposes of developing CFD sub-modelling methodology provided it does not attempt to simulate a modification to this RATG or FIA approved geometry, or where geometry changes are explicitly permitted and pre-approved by the FIA for the development of future regulations.

For the avoidance of doubt, any Non-RCFDs carried out on behalf of or for the benefit of the F1 Team by an Associate, a contracted party of the F1 Team or of any Associate of the F1 Team or any external

entity working on behalf of the F1 Team or for its own purposes and subsequently providing the results of its work to a F1 Team must also meet all the requirements set out in F4.4.5 above.

F4.4.6 In the case of Non-RCFDs using a unique RATG which has been simulated in CFD more than 30 months ago or Non-RCFDs using an FIA approved geometry, geometry manipulations (e.g. in CAD clean-up or meshing software) having the sole purpose of reproducing exactly the same geometry previously solved in CFD or represented in the FIA approved CAD model or list (to a tolerance of 1.5mm scaled to a 1:1 car) are allowed. This tolerance is introduced only to allow for unintentional and incidental changes in geometry detail caused by the revisions in software and process. For the avoidance of doubt, static changes to car attitude (ride height, roll, yaw, steer and associated tyre shape or contact patch) and flap angles of the adjustable regions of the Front Wing Profiles (as defined by C3.10.10 of the Technical Regulations) or incidence of the RW Flap (as defined by C3.11.6 of the Technical Regulations) are permitted. Furthermore, when using an FIA approved geometry the FIA may approve additional incidence changes to bodywork (“active aerodynamics”) which will be clearly identified within the FIA approved CAD files and associated documentation.

F4.4.7 Modifications to surface and volume mesh resolution and type as well as the extent of the far field domain including changing the simulation between a wind tunnel or track environment, are allowed.

F4.4.8 The limits for RCFDs will be revised periodically, to take account of advances in CFD simulations.

F4.5 Exceptions to the Aerodynamic Testing Restrictions (ATR)

F4.5.1 Any aerodynamic test conducted by an F1 car at any Competition or any aerodynamic test conducted by an F1 car during and at track testing as defined by Article B11 of the Sporting Regulations will not be considered as Restricted Aerodynamic testing.

F4.5.2 Wind tunnel testing solely for the development of power unit heat exchangers that reject heat to air, or the running of the power unit from a boundary commencing at the power unit air intake ducts, passing through the power unit and finishing at the exit of the exhaust tailpipe will not be considered as Restricted Aerodynamic testing, provided that there is no direct or indirect measurement of aerodynamic force during the test. In this context, pressure and flow measurements within a duct shall not be considered to be measurements of aerodynamic force.

F4.5.3 Steady state and dynamic engine dynamometer work with an F1 car or subcomponent will not be considered as Restricted Aerodynamic testing provided that:

- a. The bodywork used in the test has no front wing assembly as described in Article C3.10 of the Technical Regulations) or rear wing assembly (described in Article C3.11 of the Technical Regulations) present.
- b. No devices designed to measure directly, or indirectly aerodynamic forces or flow field characteristics are installed in the facility used.
- c. No sensor installed on the car or subcomponent which are capable of measuring displacements, pressures or air flow direction of the external airstream resulting directly or indirectly from the incident air flow may be logged. Logging files have to be available, if required, during the independent audit inspection.

- d. The gas flow exiting from the exhaust system is ducted away from the testing area before impacting on any bodywork component (other than the exhaust itself).

F4.5.4 Wind tunnel testing solely for the development of brake systems (Article C11 of the Technical Regulations), wheels and tyres (Article C10 of the Technical Regulations), and for development and calibration of pressure sensing instrumentation (such as pitot tubes, multi-directional probes and Kiel tubes), provided such tests do not concurrently test, or in any way provide incidental data or knowledge on, the performance or endurance of parts or systems classified as bodywork will not be considered as Restricted Aerodynamic testing. Parts classified as wheel bodywork may be fitted for Wind tunnel testing solely for the development of brake systems, wheels and tyres.

F4.5.5 Wind tunnel testing that uses a RATG for the sole purpose of the conditioning of wind tunnel infrastructure or the development of wind tunnel infrastructure (including all of its sub-systems such as rolling road, model motion system, force balance, wind tunnel model spine, sensors etc.) and methodology may be performed and will not count towards the accumulation of runs, wind-on time, and occupancy subject to the testing complying with either of the following restrictions:

- The front wing group and the rear wing group of the RATG must be removed from the wind tunnel for the duration of the testing. Alternatively, either one of or both the wing groups may be retained on the model, but each that remains must be fitted with a bluff cover that has been approved for this purpose by the FIA. The front and rear wing groups will be considered to be bodywork described by Articles C3.10 and C3.11 of the Technical Regulations respectively.
- A RATG is used which is more than 12 months old, or represents an FIA approved CAD geometry provided for this purpose and that no modification is made to this previously tested RATG or FIA approved geometry.

During audit F1 Teams may be requested to demonstrate compliance of any such testing through the production of supporting data.

For the avoidance of doubt, any wind tunnel testing to develop bodywork parts other than as referred to above even without aerodynamic force measurement is within the definition of Restricted Aerodynamic testing.

F4.6 Limits, Reporting, Inspection and Audit

F4.6.1 The limits for RWTT and RCFDs are as set out in the tables below where:

- P is the F1 Team's final position in the Constructors' Championship of the previous year for the first 3 Aerodynamic Testing Periods, or the position in the current Constructors' Championship at the end of the last day of the third Aerodynamic Testing Period, for the last 3 Aerodynamic Testing Periods.
- C is the coefficient (expressed in percentage form) by which the various parameters need to be multiplied in order to obtain the individual RWTT and RCFD limits for each F1 Team. For RWTT Runs and RATGs the result of the multiplication will be rounded up to the nearest integer.

Wind tunnel limits for C=100%:		
RWTT Runs	#	320

CFD limits for C=100%:		
3D new RATGs used for solve or solve part of all RCFDs	#	2000

RWTT Wind On Time	hours	80
RWTT Occupancy	hours	400

Compute used for solve part or parts of all RCFDs	MAUh	6
---	------	---

Coefficient C as a function of Championship position, P											
Championship Classification	P	1	2	3	4	5	6	7	8	9	10+ or New Team
Value of C	%	70	75	80	85	90	95	100	105	110	115

F4.6.2 In the event that a change in ATR limits is applicable to a F1 Team after the start of an ATP, the change will be applied pro-rata according to the time remaining in the ATP during which the change occurs. At its absolute discretion and following a request from the F1 Team the FIA may permit over or under use of available Restricted Aerodynamic testing in the ATP during which the change occurred to be amortised or absorbed over the subsequent ATP.

F4.6.3 In the event that the Championship order established at the end of the last day of the 3rd Aerodynamic Testing Period is subsequently changed following revisions to the results of a Competition or Competitions and therefore the limits applicable to certain F1 Teams change, the FIA will require F1 Teams to adjust Restricted Aerodynamic testing in order to comply with the revised limits from the start of the next ATP. At its absolute discretion the FIA may require or permit over or under use of available Restricted Aerodynamic testing in the ATP during which the change occurred to be amortised or absorbed before the end of the year.

F4.6.4 Each F1 Team shall report to the FIA details of its RWTT and RCFDs for the preceding ATP within 14 days of the end of that ATP. The data must be provided in the exact format specified by the FIA, details of which may be found in the Guidance Documents (GD's).

F4.6.5 Digital wind tunnel image files in colour and with sufficient unobstructed field of view of the wind tunnel working section to include the entire model must be recorded, referenced to other data collected and a copy saved including a unique time stamp to at least one second accuracy for the start of each individual run.

Should the FIA wish to access the images for inspection at any time they must be of adequate quality such that it is possible to use them to verify, for example, whether the Front Wing (as described in Article C3.10 of the Technical Regulations) and Rear Wing (as described in Article C3.11 of the Technical Regulations) are fitted. In the case of other runs deemed to be non-RWTT in the context of this Article, for example using a RATG greater than 12 months old, or using the approved wing covers, the images must also provide a clear visual reference to assist in verifying this aspect of the test.

- F4.6.6** In order to permit RCFDs to continue across the end of an ATP an RATG that is used for solve or solve parts of RCFDs in an ATP may be used in any subsequent ATP subject to the requirements of Articles F4.1 and F4.4 above, without being counted again.
- F4.6.7** The complete surface mesh subject to the solver part or parts of each RCFD and any non-RCFD that includes a representation of an F1 car must be recorded and stored for a period of at least 24 months or until an earlier deletion is agreed by the FIA. It must be referenced to all data relating to the RCFDs or non-RCFDs including but not limited to solution monitoring data and any boundary condition of velocity and pressure profiles applied to the far field or domain boundaries and clearly and uniquely identifiable. It must be possible from these data to verify any changes made to the RATG and identify each individual flow solution generated using it. It must be possible to trace RCFDs used to generate velocity or pressure profiles applied as boundary conditions in subsequent sections or sub-models of the RATG that have not been counted as new RATGs.
- F4.6.8** A description correct at the start of the simulation or test of each RATG that is subject to RWTT or that is counted against the maximum permitted new RATGs for RCFDs in any ATP must be recorded with a clear description such that it is possible to easily identify the nature of the changes under evaluation. These descriptions will form part of the report required by Article F4.6.4 above.
- F4.6.9** In order to verify the Restricted Aerodynamic testing facilities employed by the F1 Teams and as a means of assuring common application of the restrictions set out in this Article, the FIA will arrange for independent benchmarking inspections of both wind tunnel and CFD activities to be carried out from time to time. Recommendations arising from these inspections will be incorporated into this Article.
- F4.6.10** Failure to comply with the limits of the ATR by a F1 Team will result in a reduction of the limits that will apply to subsequent ATP or ATPs for that F1 Team at the FIA's absolute discretion but by a minimum reduction equivalent to 10 multiples of the amount by which the relevant limit or limits were exceeded without prejudice to further appropriate action. (For example, if a F1 Team carries out 325 restricted wind tunnel runs against a maximum of 320 in an ATP, that F1 Team shall only be permitted to make 270 restricted wind tunnel runs during the next ATP).

ARTICLE F5: POWER UNIT TEST BENCH RESTRICTIONS

*Advisory Committee: PUAC**Governance: PU Manufacturers' Governance Agreement / WMSC***F5.1 Power Units Test Benches**

F5.1.1 Restricted Power Unit Testing of Power Unit elements may only be carried out using Test Benches as defined in Articles F5.1.2, F5.1.3, F5.1.4, F5.1.5, F5.1.6 and F5.1.7, collectively referred to as **“Power Unit Test Benches (PUTBs)”**.

F5.1.2 Single-Cylinder Dynamometer

A **“Single-Cylinder Dynamometer”** is a test bench facility cell where a fired engine with only one cylinder, representative of a Formula 1 engine can be tested. In addition to test bench components, this bench may include and is limited to the following Power Unit and car components:

- a. Items listed as “ICE” in column “PU ELEMENT” the table 1 of Appendix C4 of the Technical Regulations
- b. The clutch, flywheel and clutch actuation system.
- c. Fuel, engine oil and PU related liquids other than fuel and engine oil.
- d. The FIA Standard ECU
- e. The Lambda sensors as required by the Technical Regulations.

A Single-Cylinder Dynamometer must consist of a single mechanical input motor/absorber connected either directly, or through a test bench gearbox, to the single cylinder ICE output shaft.

F5.1.3 Power Unit Dynamometer

A **“Power Unit Dynamometer”** is a test bench facility cell where a fired engine, with more than one cylinder with or without all or part of the ERS system, representative of a Formula 1 Power Unit can be tested. In addition to test bench components, it may include and is limited to the following Power Unit and car components:

- a. Items listed as one of “ICE”, “EXH”, “TC”, “MGUK”, “ES” or “PU-CE” in column “PU ELEMENT” of table 1 of Appendix C4 of the Technical Regulations.
- b. The clutch, flywheel and clutch actuation system.
- c. Fuel, engine oil and PU related liquids other than fuel and engine oil.
- d. Secondary charge air coolers.
- e. The PU intake upstream of compressor inlet up to and including the air filter.
- f. The FIA Standard ECU.
- g. low pressure system downstream of and including the breakaway valve specified in Article C6.2.3 of the Technical Regulations.
- h. The regulatory fuel flow meter (FFM).
- i. Boost pressure measurement devices.
- j. The Lambda sensors as required by the Technical Regulations.

- k. the ICE-mounted hydraulic pump connected solely to a test bench circuit for emulation of hydraulic load.
- l. Up to twelve M12 studs used to connect the ICE to the survival cell or gearbox case.
- m. Additional items required for this test bench at the sole discretion of the FIA.

A Power Unit Dynamometer must consist of a single mechanical input motor/absorber connected either directly, or through a test bench gearbox, to the ICE output shaft. A pair of identical single mechanical input motors/absorbers coupled by means of a test bench splitter gearbox having a single connection to the single ICE output shaft will be considered compliant with this requirement.

F5.1.4 Power Train Dynamometer

A **“Power Train Dynamometer”** is a test bench facility cell where a Power Unit, a Formula One car gearbox and certain car components can be tested together. In addition to test bench components, it may include and is limited to the following Power Unit and car components:

- a. All Items listed in Article F5.1.3 of this Appendix.
- b. A Formula One car gearbox.
- c. Driveshafts and any components associated with their operation (such as joints, grease and housings).
- d. Heat exchangers for gearbox oil and accessories associated with their operation (including but not limited to housings, tubes, pipes, hoses, supports, brackets and fasteners).
- e. Heat exchangers and their associated accessories (including but not limited to housings, tubes, pipes, hoses, supports, brackets and fasteners).
- f. A representation of the surfaces of the chassis rearward of $X_{pu} = -900$.
- g. Bodywork or close representations of bodywork associated with the air intake and exit of heat exchangers and compressor inlet provided that this is for the sole purpose of representing air flow into or out of heat exchangers or the compressor inlet.
- h. Bodywork or close representation of bodywork and heatshields rearward of $X_{pu} = -760$ or the rearmost surface of the seatback bulkhead, and for the sole purpose of representing the Power Unit thermal environment.
- i. Fuel system excluding the fuel tank which must be of a specification which cannot be used on a Current Car.
- j. Exhaust tailpipe.
- k. Hydraulic components listed in items 63 (ICE-mounted hydraulic pump) and 66 (Hydraulic system other than servo valve(s) and actuator(s)) of table 1 of Appendix C4 of the Technical Regulations.
- l. Additional items required for this test bench at the sole discretion of the FIA.
- m. Item 75 (car looms) of table 1 of Appendix C4 of the Technical Regulations.

A Power Train Dynamometer must consist of a pair of identical single mechanical input motors/absorbers. A test bench splitter gearbox that connects two dyno motors/absorbers with a single ICE output shaft may be used in place of item b. above.

A Power Train Dynamometer may also be owned by the “Works” F1 Team supplied with the Power Units by the PU Manufacturer.

F5.1.5 Full Car Dynamometer

A Full Car Dynamometer is a test bench facility cell where a complete Power Unit and car are tested together, except under the provisions of F5.1.9.d below, in order to test the Power Unit and the car systems. Selected components may be removed or replaced only to permit the mounting of the car on the dynamometer and reliable operation, subject to the prior approval of the FIA.

A Full Car Dynamometer must consist of a minimum of two single mechanical input motors/absorbers and may have up to one for each wheel of the car.

A Full Car Dynamometer may also be owned by the “Works” F1 Team supplied with the Power Units by the PU Manufacturer.

In the event that a Full Car Dynamometer facility is rented or owned by a non-works customer F1 Team and they elect to use this facility solely for the purposes permitted by Article F5.3.1.a, subject to the prior approval of the FIA, such facility may be used temporarily during maximum four separate periods of up to three weeks each per calendar year in addition to the Full Car Dynamometer already declared by the respective PU Manufacturer under Article F5.1.9.d.

F5.1.6 ES Test Bench

An ES Test bench is a test facility cell which can electrically test only the ES or an assembly of ES cells capable of storing a total amount of energy higher than 4MJ or supplying a DC voltage greater than 100V, in isolation. The unit under test must be connected to a dyno battery tester capable of dynamically discharging and charging the ES or the ES cells assembly and may be contained inside of the ESME or a dyno environmental or safety enclosure.

F5.1.7 ERS Test Benches

An ERS Test bench is a test facility that can test with an electrical DC current higher than 10A:

- a. The Energy Store (ES) and the MGU-K simultaneously or
- b. The MGU-K and the MGU-K control unit (CU-K) simultaneously or
- c. The MGU-K control unit (CU-K) and the Energy Store (ES) simultaneously or
- d. The MGU-K and the MGU-K control unit (CU-K) and the Energy Store (ES) simultaneously

No more than one of each element (MGU-K, CU-K, ES) can be installed and/or operated for testing within the test facility at any one time.

Any testing of the above components as part of a Power Unit Dynamometer, a Power Train Dynamometer or a Full Car Dynamometer is not considered an ERS Test Bench.

A PU Manufacturer may also have one additional Test Bench to test the Energy Store in isolation (An ES Test Bench).

F5.1.8 Requirements for all PUTBs

The following additional requirements apply to all PUTBs:

- a. Each PUTB must operate at a test cell pressure within +/-10mBar of ambient. However, methods to mimic a reduced ambient pressure at the air inlet or exhaust exits are permitted.

- b. Each PUTB must be stationary in space. Furthermore, engine or MGU-K output shafts must be horizontal
- c. There must not be any force actuators or suspension displacement actuators acting on the PUTB and any of the PU elements or car components under test.

Any Test Bench facility designed to emulate one of the PUTBs listed in this Article in such way as to circumvent the restrictions of this Article will not be allowed. Any functionality or additional test items required by a PU Manufacturer for one of the PUTBs must be authorised by the FIA at its absolute discretion, and (if accepted) will be communicated to all PU Manufacturers.

F5.1.9 Limits on the number of Power Unit Test Benches and Declaration

Before they can be used for Restricted Power Unit Testing each PU Manufacturer must submit, by 1 December of the preceding year, a declaration to the FIA of each PUTB that will be used for the development of the PU.

These PUTBs must comprise of up to a maximum of:

- a. Three Single-Cylinder Dynamometers
- b. Three Power Unit Dynamometers
- c. One Power Train Dynamometer
- d. One Full Car Dynamometer

If a PU Manufacturer does not declare another test bench facility cell as a Power Train Dynamometer according to (c) above this Full Car Dynamometer may also be used as a Power Train Dynamometer as described in Article F5.1.4.

- e. Two ERS Test Benches
- f. One ES Test Bench

This declaration must contain the following information:

- PUTB Name and ID
- Location & ownership
- Usage plan
- Description of its functionality

PU Manufacturers who also have a 2022 PU program, must provide details of the PUTBs used for the 2022 PU, even if they are not intended for 2026 PU development.

For the avoidance of doubt, the above submission must be made for any PUTB, including ones owned by a supplier or another legal entity.

A PU Manufacturer's Existing or Prospective Fuel/Oil Supplier is not permitted to operate a Power Unit Test Bench for the purposes of 2026 PU development or development of fuel and/or oil for the 2026 PU, with the exception of one Single-Cylinder Dynamometer exclusively for the development of fuel and/or oil, provided that it is one of the Single Cylinder Dynamometers declared by the Power Unit Manufacturer to FIA, pursuant to F5.1.9.a above.

For the avoidance of doubt, if the PU Manufacturer nominates an Existing or Prospective Fuel/Oil Supplier's Single-Cylinder Dynamometer as one of its allowance of three, it can be used with any type of engine. That engine can only be produced using information from published regulations and Existing or Prospective Fuel/Oil Supplier's Intellectual Property and it may not include any Intellectual Property IP from the PU Manufacturer except as permitted by the Regulations Appendix A7 Article 2.2.1b.

In addition, The PU Manufacturer must procure that their Existing or Prospective Fuel/Oil Supplier shall provide full access to engine data, engine design, engine Intellectual Property IP and inspection when requested by the FIA.

Any other Test Benches, which may be deemed to offer similar benefits, must also be declared.

During a calendar year, the PU Manufacturer may change the PUTBs in use at any time (as limited for each PUTB type by Articles F5.1.2, F5.1.3, F5.1.4, F5.1.5, F5.1.6 and F5.1.7) in order to allow for any commissioning or decommissioning of PUTBs, a facility relocation or because of any force majeure reasons. Such changes of declared PUTBs must be first agreed with the FIA and an updated declaration submitted in order to ensure that no competitive advantage is obtained, and that the intention of the limits imposed in Articles F5.1.2, F5.1.3, F5.1.4, F5.1.5, F5.1.6 and F5.1.7 are not circumvented.

Details of the process for Declaration of PUTBs may be found in the relevant [FIA-F1-DOC](#).

F5.2 Power Unit Test Benches Operational Restrictions

F5.2.1 Testing Periods and Performance Assessment Periods

The usage of PUTBs has an annual limit (defined in Article F5.2.7) and is furthermore controlled by five Testing Periods of ten working weeks each. The calendar will be shared by the FIA at the end of the previous year.

The performance of each PU Manufacturer's ICE will be measured during Competitions, over defined periods during each year. These periods of measurement are described in Article 4 of Appendix C5 of the Technical Regulations. These measurements being used to determine whether the PU Manufacturer meets the criteria for "Additional Development and Upgrade Opportunities" (ADUO) the results will then modify the PUTB limits and be applied according to Articles F5.2.3 and F5.2.7.

F5.2.2 PUTB usage monitoring

PU Manufacturers are required to carry out a detailed monitoring and recording of the activity of their PUTBs by using FIA-approved hardware and software. Details of this software and hardware may be found in the relevant [FIA-F1-DOC](#).

Any work carried out for the 2022 PU (defined in Appendix F1B) will be considered as work for the 2026 PU, and hence bound by the provisions of Article F5, unless the PU Manufacturer can demonstrate to the FIA that the work was carried out solely for the development of the 2022 PU. The FIA will issue guidance about the criteria that need to be satisfied and the information that needs to be provided in order to prove this. Such information may include Power Unit parameters (e.g., fuel flow, rpm, power) and a detailed description of the complete BOM of the 2022 PU elements that are being tested. This guidance may be found in the Guidance Documents (GD's).

In all cases, and for each PUTB, photographs clearly showing the contents of the PUTB must be captured every 10 minutes on a continuous basis and retained for a minimum of 2 years, and component identification records must be retained to enable the FIA to confirm the Power Unit Test Bench definition and the purpose of testing.

In order to check on the hardware employed by the PU manufacturers and as a means of assuring common application of the restrictions set out in this Article F5, the FIA will arrange for benchmarking inspections of Power Unit Test Benches activities to be carried out from time to time.

PUTB activity records for year N must be retained until the end of year N+2.

F5.2.3 PUTB usage declarations

No later than 16 calendar days after the end of each Testing Period, each PU Manufacturer must submit a declaration for the testing that took place in the period just ended.

No later than 2 calendar months following the FIA's confirmation of the grant of ADUO following each ADUO performance assessment period, PU Manufacturers granted additional PUTB Operation Hours under ADUO according to F5.2.1, must submit a declaration for the apportionment of these Operation Hours between the current calendar year N and the calendar year N+1. This declaration will be binding. The FIA may consider at its absolute discretion requests to modify this apportionment for reasons of Force Majeure such as if a PU Manufacturer suffers a serious and demonstrated PUTB failure.

Details about these declaration formats, and any information that needs to be supplied, can be found in the relevant [FIA-F1-DOC](#).

F5.2.4 Restricted PUTB testing

Restricted PUTB Testing is any testing by a PU manufacturer, or any Related Party of that PU manufacturer, or any agent or sub-contractor of the PU manufacturer or any of its Related Parties, in a test environment of a complete or incomplete PU, but always including the engine or the ERS, in order to measure the torque produced by this assembly or any parameters related to the function of this assembly.

Restricted PUTB Testing is limited by PUTB Operation Hours and PUTB Occupancy Hours, defined below.

F5.2.5 PUTB Operation Hours

For each Power Unit Dynamometer, Power Train Dynamometer and Full Car Dynamometer, the Test Bench Operation hours will be the time when the Engine speed exceeds 7500rpm.

In any Testing Period, the total sum of the Operation Hours of all such PUTBs will be considered as the **“ICE Operation Hours”** for this period.

For the avoidance of doubt, the following will not count towards the ICE Operation Hours defined above:

- ICE motoring, i.e., any activity done on a PUTB with no ignition and not showing any positive torque for the whole recorded activity.
- Single-Cylinder Dynamometer testing.

F5.2.6 PUTB Occupancy Hours

The Test Bench Occupancy hours are counted separately for each PUTB, and the cumulative total is considered for the limits defined in Article F5.2.7.

For each Power Unit Dynamometer, Power Train Dynamometer or Full Car Dynamometer, its Occupancy hours start being incremented when, for the first time in a calendar day it exceeds 1000rpm, and stop being incremented when it drops below 1000rpm for the last time in the same calendar day.

ICE motoring i.e., any activity done on a PUTB with no ignition and not showing any positive torque for the whole recorded activity, carried out within the same calendar day, but outside the time interval indicated above, will not be counted towards the Occupancy hours of these PUTBs.

In any Testing Period, the total sum of the Occupancy Hours of each such PUTB will be considered as the **“ICE Occupancy Hours”** for this period.

If a PUTB test crosses midnight Test Bench Occupancy hours will both stop and start being incremented again from midnight.

F5.2.7 Limitations in Restricted PUTB testing

In each year, the limits of PUTB testing for the 2026 PU are summarised in the following tables:

Table 1. Base limits

Operation Hrs (year/N)	(2022)	(2023)	(2024)	(2025)	2026	2027	2028	2029	2030
	N-4	N-3	N-2	N-1	N	N+1	N+2	N+3	N+4
2026 PU limit - ICE	300	5430 *			860	785	710	485	410

* These limits are cumulative over the three years, N-3, N-2, N-1. For the period N-3, N-2, N-1, each year will have individual ICE Operation hours and ICE Occupancy hours limits equal to 40% of the total cumulative allowance for these three years.

Table 2. ADUO Operation Hours

Delta Performance Index vs best performer over an ADUO period	<2%	2% ≤ X < 4%	4% ≤ X < 6%	6% ≤ X < 8%	≥ 8% ≤ X < 10 %	≥ 10%
Extra Operation Hours granted per ADUO period (hours)	0	70	110	150	190	230

The following provisions and explanatory notes also apply:

- For ICE testing, the following formula defines the limit in ICE Occupancy Hours:
- [ICE Occupancy Hours] = [ICE Operation Hours] x 8
- For the ERS Test Benches and the ES Test Bench there are no occupancy or operational hour limits.
- PU Manufacturers meeting the “Additional Development and Upgrade Opportunities” (ADUO) criteria defined in Article 4 of Appendix C5 of the Technical Regulations will be granted the number of additional Operation Hours according to Table 2 for each of the three ADUO performance assessment periods. These hours are cumulative and when apportioned between years N and N+1 according to the declaration submitted under F5.2.3 and added to the hours given in Table 1 as the Base limits will comprise the total available Operation Hours for the year.

- i. Additional Operation Hours granted under ADUO cannot be used until the declaration required by F5.2.3 has been approved by the FIA.
 - ii. Any additional Operation Hours apportioned to year N that are not used during that year cannot be carried forward to year N+1.
- e. For a PU manufacturer homologating Power Units in 2026, N = 2026 and so on. New PU Manufacturers, intending to homologate Power Units for the first time in year N, but in any case, after 2026, will be granted the Operation hours indicated respectively in the N-4, N-3, N-2, N-1 and N columns for each of these years before the year of first homologation of a PU in the Formula 1 Championship.
 - f. From the beginning of year N onwards, each Reporting Period, as defined in Article F5.2.1, will have individual ICE Operation hours and ICE Occupancy limits equal to 24% of the annual limit that was applicable to the PUM at the start date of that Reporting Period.
 - g. PU Manufacturers supplying one or more Customer F1 Team(s) (as described in F5.3.3) will be granted 5 additional Operation Hours per year per Customer F1 Team supplied during that year. These hours shall be added to the limits defined in Table 1.

F5.2.8 Unrestricted PUTB testing

The following activity may be partially or fully excluded from the restricted PUTB testing outlined above:

FIA project: Activity on a Power Unit Dynamometer or a Power Train Dynamometer specifically authorised as part of an approved FIA Project as defined in the Power Unit Financial Regulations and at the sole discretion of the FIA, provided any such testing is not contrived to provide any benefit for power unit development save only for minimal and incidental information collected during the test through the operation of the PU according to the FIA Project approval.

F5.2.9 2022 PU Testing

Further to the provisions of Article F5.2.2, and for the avoidance of doubt, PUTB testing restrictions for the 2022 PU are provided by the 2022-2025 Sporting Regulations, and any definitions, criteria and guidance given in those Sporting Regulations do not apply to the 2026 PU if they contradict definitions given herein.

However, it remains the responsibility of the PU Manufacturer to satisfy the FIA that any 2022 PU work does not in any way contribute to the 2026 PU program.

F5.3 Power Unit Test Bench activities affecting PU Manufacturers and F1 Teams

General Principles

- F5.3.1** The objective of any provisions affecting PUTB activity is to ensure that no F1 Team or PU Manufacturer is at a competitive advantage or disadvantage with respect to other F1 Teams or PU Manufacturers, with respect to their treatment by the Sporting Regulations, Technical Regulations, Financial Regulations-F1Teams, Financial Regulations-PU Manufacturers, and Operational Regulations.

More specifically:

- a. Works F1 Teams and Customer F1 Teams shall have equal or very similar testing opportunities, with respect to the development of chassis components that need to be tested on a PUTB.
- b. PU Manufacturers with a higher number of Customer F1 Teams to whom they supply PUs shall have no advantage with respect to the dyno hour limits outlined in Article F5.2.7, when compared to PU Manufacturers with a lower number of Customer F1 Teams to whom they supply PUs.
- c. Customer F1 Teams shall have the opportunity to use a fuel that is supplied by a different fuel supplier to that of the Works F1 Team using the same Power Units. The testing required for such fuel shall give no advantage or disadvantage to the PU Manufacturer in question.

The above principles concern solely the competitive advantage or disadvantage that could be obtained by a PU Manufacturer or F1 Team engaged in PUTB activities, and not any commercial arrangements made between PU Manufacturers and F1 Teams to carry out PUTB activities.

It is acknowledged that perfect achievement of the above objectives may not be possible at all times. The FIA, the PU Manufacturers and the F1 Teams will engage in good faith discussions to make amendments to these Regulations should it emerge that these objectives are not met.

F5.3.2 In respect of activities undertaken to test and develop a PU the following PUTB activities will be considered as being for the “Sole Purpose of Testing Power Units for Performance and Reliability”:

- a. The undertaking of any tests on a Single-Cylinder Dynamometer;
- b. The undertaking of any tests on a Power Unit Dynamometer, Power Train Dynamometer or ERS Test Bench, provided that the specification of the car components used for the operation of the test is:
 - i. of the same specification last used in the previous calendar year or
 - ii. of a specification used prior to that last used in the previous calendar year or
- iii. of either of a maximum of two additional specifications that are permitted during the calendar year only following the express permission of the FIA;
- c. The undertaking of any tests on a Power Unit Dynamometer, Power Train Dynamometer or ERS Test Bench where:
 - i. the specification of any of the chassis components used for the operation of the test has been changed beyond what is permitted within subclauses (b)(i), (ii) and (iii) of this definition; and
 - ii. the specification of any of the Power Unit components used for the operation of the test is not of the same specification last used in the previous calendar year nor of a specification used prior to that last used in the previous calendar year nor a specification that is homologated or can be satisfactorily demonstrated to the FIA to be intended for homologation.

for the purpose of this subclause (c) only, the criterion of “Sole Purpose of Testing Power Units for Performance and Reliability” will be considered met only and exclusively in respect of the bill of materials cost of the Power Unit components installed and being tested.

F5.3.3 Additional PUTB testing opportunities for Customer F1 Teams

For the avoidance of doubt, the provisions of this Article F5.3.3 regard Competitors using a particular Power Unit but not nominated as a “works/factory” F1 Team under the provisions of Article 1.2.1 of Appendix A7 of the Regulations.

F5.3.3.1 Should a PU Manufacturer provide PU’s for use during the 2026-2030 Championships to customer Competitors who design any of their own car components, a quota of 45 additional Operation Hours and proportional Occupancy Hours will be allocated per calendar year and per additional customer Competitor. This quota to be used only during a maximum of six separate periods of up to three weeks each for PUTB testing in combination with a PU on a Power Unit Dynamometer, Power Train Dynamometer or a Full Car Dynamometer under the provisions of Articles F5.1.3, F5.1.4 and F5.1.5 subject to agreement with the PU supplier and the FIA.

Additional PUTB Testing granted under the provisions of this Article is the only PUTB Testing that a PUM is permitted using any proprietary car components, software or settings from any Customer F1 Team. Car components, software or settings used for any other PUTB Testing that does not fall within these permitted additional Operation Hours must be those of the Works F1 Team.

Exceptionally, in case of serious and demonstrated safety or reliability issues with or directly attributed to the effects of a Customer F1 Team’s car components software or settings on the PU, the FIA may, at its sole discretion, authorise a PUM to conduct further PUTB Testing using car components, software or settings from a Customer F1 Team by increasing the quota of hours permitted by this Article.

Such tests will only be performed for one or more of the following reasons:

- a. For the Power Unit and Power Train Dynamometer: approval (sign-off) of the F1 Team’s components tested
- b. For the Full Car Dynamometer: confirmation and setup of the overall car systems
- c. For the three types of PUTB: evaluation of the effects of the F1 Team’s components on the PU’s performance and reliability

For any PUTB testing performed under the provisions of this Article to not count towards the limits defined in Article F5.2.7 for the PU Manufacturer, the PU Manufacturer must be able to demonstrate to the FIA’s satisfaction that no PU development activity is undertaken in conjunction with these tests.

F5.3.3.2 Should a PU Manufacturer provide PU’s for use during the 2026-2030 Championships to a customer F1 Team who wishes to enter into a supply agreement with an alternative fuel supplier to whom supplies the Works F1 Team of the PU Manufacturer, the following additional PUTB testing will be permitted, outside the PU Manufacturers available PUTB hours defined in Article F5.2.7:

- a. Up to 120 additional Operational Hours per year on a Power Unit Dynamometer
- b. Up to 50 Operational Hours per year on a Single-Cylinder Dynamometer will be accepted for the purposes of this work. An FIA-approved monitoring system, as defined in Article F5.2.2 must be fitted to monitor this activity.

The following additional provisions apply to this Article:

- c. The provisions of this Article are solely intended to allow customer F1 Teams to seek alternative fuel suppliers. Under no circumstances will it be accepted that such an alternative fuel supply

is organised in such way as to directly or indirectly increase the PUTB testing opportunities for the PU Manufacturer or its main fuel supplier. For any PUTB testing performed under the provisions of this Article to not count towards the limits defined in Article F5.2.7 for the PU Manufacturer, the PU Manufacturer must be able to demonstrate to the FIA's satisfaction that no PU development activity is undertaken in conjunction with these tests, other than what is strictly necessary for the tuning of the PU to the characteristics of the fuel used.

- d. No additional PUTB hours will be granted if the alternative fuel supplier also supplies engine oil to the F1 Team in question.
- e. If more than one customer F1 Teams using the same PU enter into an agreement with the same alternative fuel supplier, the additional PUTB hours stipulated in this Article will be shared between those customer F1 Teams.
- f. For the avoidance of doubt, should the “works/factory” F1 Team of the PU Manufacturer change fuel supplier, no additional PUTB hours will be allocated.

ARTICLE F6: VOID

APPENDIX F1: DEFINITIONS

PART A: GENERAL DEFINITIONS

Advisory Committee: TAC

Governance: F1 Commission / WMSC

“Aerodynamic Testing Restrictions (ATR)” refers to the measures in force that limit the aerodynamic development activities of the *F1 Teams*, in respect of Wind Tunnel testing and of CFD. Such measures are in force to control the costs and limit the escalation of activities that *F1 Teams* engage in to develop the aerodynamics of their *F1 Car*.

Advisory Committee: FAC

Governance: F1 Commission / WMSC

PART B: DEFINITIONS APPROVED UNDER THE PROVISIONS OF THE PU GOVERNANCE AGREEMENT

Advisory Committee: PUAC

Governance: PU Manufacturers’ Governance Agreement / WMSC

“Power Unit” has the meaning set out in the Technical Regulations in force during the applicable Reporting Period.

“Power Train Dynamometer” has the meaning set out in the Operational Regulations in force during the applicable Reporting Period.

“Power Unit Supply Perimeter” has the meaning set out in the Operational Regulations in force during the applicable Reporting Period.

“Power Unit Dynamometer” has the meaning set out in the Operational Regulations in force during the applicable Reporting Period.

“Single Cylinder Dynamometer” has the meaning set out in the Operational Regulations in force during the applicable Reporting Period.

“2022 PU”: Power Unit designed to comply with the 2022-2025 Technical Regulations

“2026 PU”: Power Unit under development, intended to comply with the 2026-2030 Technical Regulations, including any preliminary components or work leading to that ultimate goal.

APPENDIX F2: APPROVED CHANGES TO SECTION F FOR SUBSEQUENT YEARS

Changes for 2027

F4.2 Restricted Wind Tunnel Testing (RWTT)

F4.2.2 The limits for RWTT will be the number of runs of RWTT, the amount of wind tunnel occupancy time and wind tunnel wind-on time.

- a. During RWTT a single run will be deemed to ~~commence each time the wind tunnel air speed rises above 5m/s and will end the first time thereafter it falls below 5m/s~~ be either:
 - i. a unique continuous period of time during which the wind tunnel air speed exceeds 5m/s; or
 - ii. multiple consecutive periods of time during which the wind tunnel air speed exceeds 5m/s, provided that only the permitted degrees of freedom of the model and RATG specified in Article F4.3.4 are applied whilst the nominal wind tunnel air speed is <2m/s.
- b. During RWTT, ~~once the wind tunnel air speed rises above 5m/s the RATG must remain fixed and unmodified until the wind tunnel air speed returns below 1m/s.~~ a run will be deemed to commence each time the wind tunnel air speed rises above 5m/s, unless the conditions of Article F4.2.2(a)(ii) are satisfied.
- c. During RWTT, a run will end at the first time after commencing in accordance with F4.2.2 b. that the wind tunnel air speed falls below 5m/s, prior to or at the earliest of, either:
 - i. a change to the RATG or model not permitted under Article F4.3.4; or
 - ii. midnight
- d. Between runs of RWTT detail changes to the RATG and model are permitted.

ARTICLE F6:	PHYSICAL AND IT SEGREGATION BETWEEN F1 ACTIVITIES AND NON-F1 ACTIVITIES	33
F6.1	General Principles	33
F6.2	Physical segregation requirements	34
F6.3	IT segregation requirements	37
F6.4	Permitted Transfers	42
F6.5	Redeployment of Workforce	42

ARTICLE F6: PHYSICAL AND IT SEGREGATION BETWEEN F1 ACTIVITIES AND NON-F1 ACTIVITIES

[Advisory Committee: FAC Governance: F1 Commission/ WMSC]

F6.1 General Principles

F6.1.1 Subject to the provision of this Article F6:

- a. Restricted F1 Workforce are not permitted to access at any point in time the Restricted Non-F1 Area or to access IT Outputs generated by Restricted Non-F1 Workforce
- b. Restricted Non-F1 Workforce are not permitted to access at any point in time the Restricted F1 Area or to access IT Outputs generated by Restricted F1 Workforce.

In order to ensure the segregation between Restricted F1 Workforce and Restricted Non-F1 Workforce is effected and maintained, all Entities Subject To Segregation Requirements must comply with the requirements set out in this Article F6 throughout the entirety of each Financial Regulations Reporting Period.

F6.1.2 The FIA is entitled to verify from time to time that each Entity Subject to Segregation Requirements complies with the requirements set out in this Article F6, including through (i) physical inspections of facilities where F1 Activities and/or Non-F1 Activities are undertaken and/or (ii) IT forensic audit procedures and controls. F1 Teams must cooperate (and must procure that the other Entities Subject to Segregation Requirements within their respective Legal Group cooperate), with the FIA during such inspections and controls.

F6.1.3 The F1 Teams must comply (and must procure that the other Entities Subject To Segregation Requirements within their respective Legal Group comply) with the provisions of Article F6 in Good Faith, acting at all times with honesty and integrity, and in a spirit of transparency and cooperation.

F6.1.4 The F1 Teams must not take any steps to circumvent the requirements set out in this Article F6 and/or the IT Segregation Objective. In particular, Entities Subject to Segregation Requirements shall not (and shall ensure that members of its Workforce do not):

- 1) use communication or messaging systems, whether internal or external; or
 - 2) access IT Output and/or copy or download IT Output to any external drive; or
 - 3) use any Permitted Transfer; or
 - 4) use movement and/or redeployment of members of the Workforce ; or
 - 5) enter into contractual arrangement with services providers; or
 - 6) exchange, disclose, solicit or receive any information, data, know-how or IT Output relating to F1 Activities or Non-F1 Activities; or
 - 7) use any member of the Non-Restricted Workforce or any third party as an intermediary or conduit
- in such a way that has the object or the effect of circumventing the requirements set out in Article 0 and Article 0 and/or the IT Segregation Objective and/or the Physical Segregation Objective.

F6.2 Physical segregation requirements

F6.2.1 The objective of this Article 0 is to prevent members of the Restricted F1 Workforce and Restricted Non-F1 Workforce from sharing any physical working space in the facilities used by the Entities Subject to Segregation Requirements (“**Physical Segregation Objective**”).

F6.2.1 Subject to Article 0 and Article F6.2.7, members of the Restricted Non-F1 Workforce shall render their services from a location (“**Restricted Non-F1 Area**”) that is physically segregated from the location used by Restricted F1 Workforce (“**Restricted F1 Area**”). Members of the Restricted F1 Workforce are prevented from accessing at any point in time during the Financial Regulations Reporting Period the Restricted Non-F1 Area.

F6.2.3 Subject to Article 0 and Article F6.2.7, members of the Restricted F1 Workforce shall render their services from the Restricted F1 Area that is physically segregated from the Restricted Non-F1 Area. Members of the Restricted Non-F1 Workforce are prevented from accessing at any point in time during the Financial Regulations Reporting Period the Restricted F1 Area.

F6.2.4 Members of the Non-Restricted Workforce may render their services from either the Restricted F1 Area or Restricted Non-F1 Area (or a combination of the two).

F6.2.5 Provided they are used exclusively for their primary purpose throughout the Financial Regulations Reporting Period, the following areas within facilities used by Entities Subject To Segregation Requirements, may be accessed and used by members of the Restricted Non-F1 Workforce and the Restricted F1 Workforce although never at the same time:

- a. area hosting Wind Tunnel;
- b. area hosting Driver-in-the-loop simulators;
- c. area hosting Dynamometers;
- d. area hosting Test Benches and rigs;
- e. “**Data Centres**”;
- f. meeting rooms and conference rooms; and
- g. any other area as may be determined and communicated by the Cost Cap Administration via a Determination from time to time.

The areas that satisfy the requirements set out in this Article 0 are collectively defined as the “**Restricted Shared Area**”.

F6.2.6 When used by members of the Restricted F1 Workforce the Restricted Shared Area shall be considered to be Restricted F1 Areas and until such time as the members of the Restricted F1 Workforce have ceased to use and occupy such Restricted Shared Areas, such Restricted Shared Areas shall not be accessible to members of the Restricted Non-F1 Workforce. When used by members of the Restricted Non-F1 Workforce the Restricted Shared Area shall be considered to be Restricted Non-F1 Areas and until such time as the member of the Restricted Non-F1 Workforce have ceased to use and occupy such Restricted Shared Areas, such Restricted Shared Areas shall not be accessible to members of the Restricted F1 Workforce.

F6.2.7 Notwithstanding Articles 0, 0 and 0, an Entity Subject to Segregation Requirements may designate members of Restricted F1 Workforce as **“Approved Operational Support Personnel”**. The Approved Operational Support Personnel:

- a. may access the Restricted Shared Area whilst it is used by members of the Restricted Non-F1 Workforce solely and exclusively for the purpose of Non-F1 Activities operational support, safety supervision, compliance verification or facility management of the equipment and/or infrastructure normally hosted within that Restricted Shared Area. This access is permitted only for activities that cannot be performed by the Restricted Non-F1 Workforce themselves and that cannot be delayed until a time when the Restricted Non-F1 Workforce have vacated the Restricted Shared Area. The access shall last for the minimum time necessary to undertake the support task.
- b. must not undertake any F1 Activities whilst the Restricted Shared Area is being used by members of the Restricted Non-F1 Workforce;
- c. must not cause, whether directly or indirectly, IT Output, any kind of data, information, know-how, technical configuration or test methodology generated by the Restricted Non-F1 Workforce to be transferred to, used in, influence, inform or contribute to any F1 Activities, except to the extent strictly necessary to ensure the safe, reliable and compliant operation, of the Restricted Shared Area facilities;
- d. must not observe, access, query or participate in Non-F1 Activities, its work product, data, configurations or methodologies beyond what is strictly necessary to carry out those activities allowed under a.

Nothing in this Article F6.2.7 shall prevent an Approved Operational Support Personnel from undertaking a Permitted Transfer in accordance with Article 0.

F6.2.8 Declaration of Approved Operational Support Personnel

Each Entity Subject to Segregation Requirements designating Approved Operational Support Personnel pursuant to Article 0 must maintain and make available to the FIA on request, at minimum, the following information and documentation duly updated:

- a. a declaration of all currently Approved Operational Support Personnel and previously Approved Operational Support Personnel over a rolling period of 3 years; and
- b. the identification of the Restricted Shared Area(s) in which each Approved Operational Support Personnel is authorised to operate; and
- c. a written justification describing:
 - i. the operational tasks to be undertaken; and
 - ii. why such tasks are necessary to support the Restricted Non-F1 Workforce’s use of the Restricted Shared Area and cannot reasonably be performed by members of the Restricted Non-F1 Workforce or Non-Restricted Workforce; and
- d. signed copies of the relevant contractual agreements covering the treatment of sensitive information encountered during the undertaking of duties as an Approved Operational Support Personnel.

F6.2.9 Provided they are used throughout the Financial Regulations Reporting Period exclusively for their primary purpose throughout the Financial Regulations Reporting Period, the following areas within the facilities used by Entities Subject To Segregation Requirements, may be accessed and used by all of the Workforce at the same time:

- a. entrance halls, connecting hallways, corridors, stairs and lifts;
- b. gathering halls and auditoriums;
- c. canteens and cafeterias;
- d. Wellbeing Area;
- e. Manufacturing and Assembly Area;
- f. Storage and Logistic Area;
- g. parking lots, gardens, parks and external recreation area and circulation spaces; and
- h. any other area as may be determined and communicated by the Cost Cap Administration via a Determination from time to time.

The areas that satisfy the requirements set out in this Article 0 are collectively defined as the “**Non-Restricted Shared Area**”.

F6.2.10 Entities Subject To Segregation Requirements shall host their Restricted Non-F1 Area in:

- a. dedicated separate premises for the exclusive use of members of the Restricted Non-F1 Workforce and/or Non-Restricted Workforce; and/or
- b. dedicated area of a building for the exclusive use of members of the Restricted Non-F1 Workforce and/or Non-Restricted Workforce.

Entities Subject To Segregation Requirements shall host their Restricted F1 Area in:

- c. dedicated separate premises for the exclusive use of members of the Restricted F1 Workforce and/or Non-Restricted Workforce; and/or
- d. dedicated area of a building for the exclusive use of members of the Restricted F1 Workforce and/or Non-Restricted Workforce

No member of the Restricted Non-F1 Workforce or Restricted F1 Workforce may render their services in or from any Non-Restricted Shared Area.

F6.2.11 The Entities Subject To Segregation Requirements shall implement all necessary measures to achieve the Physical Segregation Objective and prevent unauthorized accesses to the Restricted Non-F1 Area, Restricted F1 Area and Restricted Shared Area. Such measures must include the implementation of an electronic access system, to restrict, control and monitor access to Restricted Non-F1 Area, Restricted F1 Area and Restricted Shared Area.

F6.2.12 Starting from 1 January 2027, Entities Subject To Segregation Requirements shall:

- a. keep and maintain a log of all access rights, of the Workforce to the Restricted Non-F1 Area and Restricted F1 Area that have been granted, modified and/or removed, for a rolling period of three years and shall make an up to date copy of such log available to the FIA on request. The log of

all accesses shall provide a clear indication of the identity of each Restricted F1 Workforce, Restricted Non-F1 Workforce and Non-Restricted Workforce having accessed any area, the date and time of access;

- b. keep and maintain a log of all persons accessing Restricted Shared Area for a rolling period of three years and shall make an up to date copy of such log available to the FIA on request. The log of all accesses should provide a clear indication of the identity of each Restricted F1 Workforce, Restricted Non-F1 Workforce and Non-Restricted Workforce having accessed the Restricted Shared Area, the date of access and the duration of the stay; and
- c. maintain an updated site map of its facilities clearly demarking each of the Restricted Non-F1 Area, the Restricted F1 Area, Restricted Shared Area and the Non-Restricted Shared Area, to be made available to FIA on request; and
- d. cooperate with and support (and ensure that all members of its Workforce cooperate with and support) the FIA in the undertaking of any physical inspection of its facilities where Restricted F1 Activities and Restricted Non-F1 Activities are undertaken to verify the Entity Subject to Segregation Requirements achievement of the Physical Segregation Objective.

F6.3 IT segregation requirements

F6.3.1 The objective of the IT segregation set out within this Article 0 is to prevent that any member of the Restricted F1 Workforce can access, modify, download or utilise any IT Outputs generated by Restricted Non-F1 Workforce (“**IT Segregation Objective**”).

F6.3.2 Each Entity Subject To Segregation Requirements shall define, implement, update and maintain an information technology management system, including the processes needed, the software utilised and their respective interactions, that is suitable to achieve the IT Segregation Objective. As a consequence, each Entity Subject To Segregation Requirements is responsible to utilise exclusively IT Solutions that achieve the IT Segregation Objective, adhering to the requirements set out in Article 0 and Article 0.

F6.3.3 Each Entity Subject To Segregation Requirements shall achieve the IT Segregation Objective utilising exclusively Restricted IT Solutions that allow a virtual segregation of access, activities and outputs originated. In cases where one or more Restricted IT Solutions do not achieve the IT Segregation Objective by means of virtual segregation, then the Entity Subject To Segregation Requirements must achieve the IT Segregation Objective by utilising duplicates of the relevant Restricted IT Solutions. In such circumstances, one of the two duplicated Restricted IT Solutions must be used solely and exclusively by members of the Restricted F1 Workforce, and Non-Restricted Workforce and one of the two duplicated Restricted IT Solutions must be used solely and exclusively by members of Restricted Non-F1 Workforce and Non-Restricted Workforce.

F6.3.4 Restricted IT Solutions are considered to be virtually segregated when, at the minimum, all the following requirements and conditions are met:

- a. IT permissions and access controls:

- i. For IT Solutions that involve human interaction in their operation or supervision, by default, only Workforce requiring access to perform their duties shall be granted access, which will be achieved by the assignment of a unique identifier and password, which shall not under any circumstances be shared with any other Workforce;
- ii. Exceptionally, Entities Subject To Segregation Requirements may authorise the use of shared identifiers and passwords on specific IT Solutions where no reasonable alternative exists and where these identifiers and passwords are only made available to Workforce requiring access to render their services. Where an IT Solution:
 - A. does not involve human interaction and is neither; physically located within a Non-Restricted Shared Area or Restricted Shared Area, nor capable of enabling data exchange between Restricted F1 Workforces and Restricted Non-F1 Workforces or IT Solutions, the control measures specified in Article a.iii are not required; or
 - B. does not involve human interaction and is physically located within a Non-Restricted Shared Area or Restricted Shared Area, and/or is capable of enabling data exchange between Restricted F1 Workforces and Restricted Non-F1 Workforces or IT Solutions, the F1 Team must ensure that the control measures specified in Article a.iii.A are implemented; or
 - C. involves human interaction and is neither; physically located within a Non-Restricted Shared Area or Restricted Shared Area, nor capable of enabling data exchange between Restricted F1 Workforces and Restricted Non-F1 Workforces or IT Solutions, the F1 Team must ensure that the control measures specified in Article a.iii.A and Article a.iii.B are implemented; or
 - D. involves human interaction and is physically located within a Non-Restricted Shared Area or Restricted Shared Area, and/or capable of enabling data exchange between Restricted F1 Workforces and Restricted Non-F1 Workforces or IT Solutions, the F1 Team must ensure that the control measures specified in Article a.iii are implemented.
- iii. The F1 Team must ensure that the following control measures are implemented, as required under Article a.ii:
 - A. A list of shared identifiers, together with the justification why a unique identifier and password cannot be used, must be maintained for a rolling period of three years (such documentation to be provided to the FIA on request). Audit and monitoring measures must be in place to ensure that the use of shared identifiers and passwords remains compliant with the IT Segregation Objective.
 - B. The affected IT Solutions(s) must be restricted through technical or administrative controls, so that it can only access the IT Solutions

strictly necessary to perform its operational function. Such IT Solutions shall not be configured or permitted to access unrelated IT Solution(s);

C. Firewall and networking segregation controls shall be implemented to prevent connectivity between Restricted F1 and Restricted Non-F1 IT Solutions.

- iv. Whenever shared identifiers and passwords are used, under no circumstances shall identifiers or passwords be shared between members of the Restricted F1 Workforce and the Restricted Non-F1 Workforce;
- v. IT permissions assigned to members of the Restricted Non-F1 Workforce do not allow them to access, other than for Permitted Transfers, any part of a Restricted IT Solution where any IT Outputs generated by members (current or previous) of the Restricted F1 Workforce is or may be created, modified and/or stored;
- vi. IT permissions assigned to members of the Restricted F1 Workforce do not allow them to access any part of a Restricted IT Solution where an IT Outputs generated by members (current or previous) of the Restricted Non-F1 Workforce is or may be created, modified and/or stored;
- vii. Supporting evidence is maintained, kept updated and all superseded versions retained for a rolling period of three years to demonstrate to the FIA's satisfaction assignment, modification and removal of IT permissions in respect of each user of Restricted IT Solution (such evidence to be provided to the FIA on request).

b. Storage of and access to IT Output

- i. IT Outputs generated by members of the Restricted F1 Workforce, must be stored in a virtually segregated area in the Restricted IT Solutions that is not visible and not accessible to the members of the Restricted Non-F1 Workforce;
- ii. IT Outputs generated by members of the Restricted Non-F1 Workforce must be stored in a virtually segregated area in the Restricted IT Solutions that is not visible and not accessible to the members of the Restricted F1 Workforce;
- iii. IT Outputs generated by members of the Restricted F1 Workforce, once subject to Permitted Transfer pursuant to Article 0, must be copied into (and that copy subsequently stored in) a virtually segregated area in the Restricted IT Solutions not accessible to the Restricted F1 Workforce.
- iv. Supporting evidence is maintained for a rolling period of three years to demonstrate users access for the entire relevant Financial Regulations Reporting Period to virtually segregate area where IT Output generated using Restricted IT Solutions are stored.

F6.3.5 From 1 January 2027 onwards, each Entity Subject To Segregation Requirements shall:

- a. ensure that it achieves the IT Segregation Objective;

- b. ensure that any Restricted IT Solution it utilises integrate an audit trail to evidence the achievement of the IT Segregation Objective (such evidence to be provided to FIA on request)
- c. implement a written IT segregation policy that achieves the IT Segregation Objective (the **“IT Segregation Document”**), signed by the F1 Team’s CIO, CFO and by the Team Principal, available to the FIA, to be updated for every relevant Financial Regulations Reporting Period, and that includes at minimum:
 - i. a list of all the Restricted IT Solutions utilised by the Entity Subject To Segregation Requirements, the purpose for which such Restricted IT Solutions are utilised and how the respective Restricted IT Solutions interact with one another;
 - ii. a list of all the Non-Restricted IT Solutions utilised by the Entity Subject To Segregation Requirements, the purpose for which such Non-Restricted IT Solutions are utilised. If a Non-Restricted IT Solution Interacts with a Restricted IT solution, details of how they interact with one another must be included.
 - iii. a clear description on how the IT Segregation Objective is achieved by Entities Subject to Segregation Requirements, including details of its process and procedures in respect of:
 - A. the granting, modification and removal of permissions to members of the Restricted F1 Workforce and Restricted Non-F1 Workforce;
 - B. access restrictions in relation to (i) each of its Restricted IT Solutions and (ii) IT Outputs generated by members of the Restricted F1 Workforce and Restricted Non-F1 Workforce within those Restricted IT Solutions;
 - C. controls placed on the activities that users can undertake (i) within each of its Restricted IT Solutions and (ii) in respect of IT Outputs generated within those Restricted IT Solutions; and
 - D. how the storage of IT Outputs is managed.
 - iv. a description of how the Entity Subject to Segregation Requirements will verify and audit its achievement of the IT Segregation Objective on a regular and ongoing basis and how the results of the verification and audit are documented and stored;
 - v. a description of the documentation that will be made available to FIA on request, to demonstrate the Entity Subject to Segregation Requirements compliance with, and achievement of, the IT Segregation Objective;
 - vi. a description of how the IT Segregation Objective and the related process and procedures to achieve it are communicated within the Entity Subject to Segregation Requirements and how the Restricted F1 Workforce and the Restricted Non-F1 Workforce are trained in this respect;
 - vii. a description of the processes and procedures that must be undertaken to achieve any Permitted Transfer, defining the workflow between the **“Non-F1**

Transfer Delegate” and the **“F1 Transfer Delegate”**, together with the names of these delegates;

- viii. a list of any members of the Non-Restricted Workforce with names and job titles;
- ix. a list of any members of the Restricted F1 Workforce that in any part of the previous Financial Regulations Reporting Period were members of the Restricted Non-F1 Workforce or were members of the Non-Restricted Workforce and have been redeployed from the Restricted Non-F1 Workforce in the current Financial Regulations Reporting Period in accordance with Article 0; and
- x. a list of any members of the Restricted Non-F1 Workforce that in the previous Financial Regulations Reporting Period were members of the Restricted F1 Workforce or were members of the Non-Restricted Workforce and have been redeployed from the Restricted F1 Workforce in the current Financial Regulations Reporting Period in accordance with Article 0;
- xi. a log of all members of the Restricted Non-F1 Workforce that accessed the Restricted IT Solution that is accessible only to members of the Restricted F1 Workforce in accordance with Article 0, for a rolling period of three years. The log of all accesses shall provide a clear indication of the identity of each member of the Restricted Non-F1 Workforce having accessed any part of the Restricted IT Solution, the date, time and duration of access and actions performed;
- xii. any other specific requirements as may be determined and communicated by the Cost Cap Administration via a Determination from time to time.

F1 Teams may elect to have a single IT Segregation Document inclusive of information in respect of all Entities Subject To Segregation Requirements within its Legal Group.

- d. maintain supporting evidence in respect of the content of, and Workforce involved in, each Permitted Transfer
- e. inform all members of the Workforce of the IT Segregation Objective and of the process and procedure implemented by the Entity Subject to Segregation Requirements to achieve it;
- f. make the IT Segregation Document available to FIA on request;
- g. ensure that sufficient resources are in place to allow the Entity Subject to Segregation Requirements to achieve the IT Segregation Objective; and
- h. cooperate with and support (and ensure that all members of its Workforce cooperate with and support) the FIA in the undertaking of its control to verify its achievement of the IT Segregation Objective.

F6.4 Permitted Transfers

F6.4.1 Permitted Transfers shall be limited to IT Outputs, generated, developed or modified by members of the Restricted F1 Workforce, that are considered strictly necessary for the undertaking of Non-F1 Activities other than Activities to Enable the Supply of Power Units, Customer Teams Support Activities and participation in FIA Projects. A Permitted Transfer must only comprise of the unidirectional movement of IT Output(s) from F1 Restricted Workforce to Restricted Non F1 Workforce.

F6.4.2 Before they may take place, Permitted Transfers must be requested by the Non-F1 Transfer Delegate from the F1 Transfer Delegate, approved and recorded by the F1 Transfer Delegate such that a written audit trail exists.

F6.4.3 For the sole purpose of undertaking the Permitted Transfer, members of the Restricted Non-F1 Workforce may access the relevant Restricted IT Solution that is accessible only to members of the Restricted F1 Workforce.

F6.4.1 Members of the Restricted Non-F1 Workforce and Restricted F1 Workforce may engage in discussion in respect of the IT Outputs that is the subject of the Permitted Transfer provided that all of the following criteria are met:

- a. the discussion should be limited to the provision of the initial explanation and demonstration of the IT Outputs in respect of the envisaged deployment in respect of Non-F1 Activities other than Activities to Enable the Supply of Power Units, Customer Teams Support Activities and participation in FIA Projects;
- b. in no instances may uses or applications of the IT Outputs in F1 Activities be discussed;
- c. the discussion must be held virtually using an appropriate video-conferencing system;
- d. the discussion must be video recorded and transcribed (it is acceptable to use such functions included in the video-conferencing system); and
- e. the recording shall be made available to FIA on request.

F6.4.5 Each Entity Subject to Segregation Requirements shall maintain evidence of the Permitted Transfer and make this evidence available to FIA on request.

F6.4.6 In no circumstances may IT Outputs generated by members of the Restricted Non-F1 Workforce be shared with members of the Restricted F1 Workforce.

F6.5 Redeployment of Workforce

F6.5.1 Members of Restricted F1 Workforce may be redeployed into the Restricted Non-F1 Workforce at any time during the Financial Regulations Reporting Period provided all the following conditions are met:

- a. the redeployed individual must enter a new contractual arrangement with the Entity Subject to Segregation Requirements clearly stating their new job title, responsibilities, and position in the organizational hierarchy;
- b. the redeployed individual must be granted new IT permissions (including a new email account) cancelling and replacing any previously in existence and that do not allow

access to any virtual environment where IT Outputs generated by members of the Restricted F1 Workforce is created, modified and/or stored;

- c. all IT permissions (including the new email account) allowing the redeployed individual to access virtual environments where IT Outputs that are or may be created, modified and/or stored by members of the Restricted Non-F1 Workforce must not be granted prior to the date of their redeployment;
- d. all IT permissions (including the email account) previously assigned to the redeployed individual must be withdrawn by no later than the end of the working day prior to their redeployment into the Restricted Non-F1 Workforce;
- e. subject to Article D5.1.1.h.c, the Consideration for the redeployed individual for the entirety of the Financial Regulations Reporting Period in which the redeployment occurs must be included in the F1 Team's Relevant Costs;
- f. the redeployed individual must undertake solely and exclusively Non-F1 Activities, other than Activities to Enable the Supply of Power Unit, Customer Teams Support Activities and FIA Projects, for a period of time not less than 12 consecutive months following their redeployment into the Restricted Non-F1 Workforce; and
- g. Each Entity Subject to Segregation Requirements must keep and maintain the logs of the withdrawal of IT permissions and of the creation of new IT permissions to the redeployed individuals for a rolling period of three years and shall make such logs available to the FIA on request.

F6.5.2 Members of the Restricted Non-F1 Workforce may be redeployed into the Restricted F1 Workforce at any point in time during the Financial Regulations Reporting Period provided all the following conditions are met:

- a. the redeployed individual must enter a new contractual arrangement with the Entity Subject to Segregation Requirements clearly stating new job title, responsibilities, and position in the organizational hierarchy;
- b. for a period of time not less than three consecutive months prior the date of the redeployment into the Restricted F1 Workforce, the redeployed individual must not:
 - i. undertake any Non-F1 Activities nor any F1 Activities,
 - ii. access any Restricted IT Solution; or
 - iii. access any IT Outputs generated by members of the Restricted F1 Workforce or Restricted Non-F1 Workforce
- c. at least three months prior of the date of their redeployment into the Restricted F1 Workforce, all IT permissions (including the email account) previously assigned to the redeployed individual must be withdrawn, following which the redeployed individual may be granted new IT permissions (including a new email account) cancelling and replacing any previously in existence and that do not allow access to any virtual environment where IT Output generated by members of the Restricted Non-F1 Workforce is created, modified and stored;
- d. IT permissions (including the new email account) allowing the redeployed individual to access virtual environments where IT Outputs that are or may be created, modified and/or stored by

members of the Restricted F1 Workforce must not be granted prior to the date of their redeployment;

- e. subject to Article D5.1.1.h.iii, the Consideration for the redeployed individual for the entire Financial Regulations Reporting Period in which the redeployment occurs must be included in the F1 Team's Relevant Costs;
- f. the redeployed individual must undertake solely and exclusively F1 Activities, Activities to Enable the Supply of Power Unit, Customer Teams Support Activities and FIA Projects, or a combination of those activities, for a period of time not less than 12 consecutive months after the redeployment; and
- g. Each Entity Subject to Segregation Requirements must keep and maintain logs of the withdrawal of IT permissions and of the creation of new IT permissions to the redeployed individuals for a rolling period of three years and shall make such logs available to the FIA on request.

APPENDIX F1: DEFINITIONS

PART A: GENERAL DEFINITIONS

Advisory Committee: TAC

Governance: F1 Commission / WMSC

“Aerodynamic Testing Restrictions (ATR)” refers to the measures in force that limit the aerodynamic development activities of the *F1 Teams*, in respect of Wind Tunnel testing and of CFD. Such measures are in force to control the costs and limit the escalation of activities that *F1 Teams* engage in to develop the aerodynamics of their *F1 Car*.

Advisory Committee: FAC

Governance: F1 Commission / WMSC

“Approved Operational Support Personnel” means members of the Restricted F1 Workforce of proportionate number authorised to conduct specific activities to assist Restricted Non-F1 Workforces during the use of specific Restricted Shared Areas.

“Board Members” means any individual appointed in the Board of Directors of any Entity Subject To Segregation Requirements

“CEO” has the meaning set out in Financial Regulations (F1 Teams)

“CFO” has the meaning set out in Financial Regulations (F1 Teams)

“CIO” means the F1 Team’s Chief Information Officer

“Cybersecurity” means a solution used solely and exclusively to maintain the confidentiality, integrity and availability of IT Output to protect from digital attacks, unauthorized access, and theft.

“Data Centre” means a dedicated facility or room, physically separated from other technical resources and activities, utilised for housing centralised computer systems, servers, and associated IT infrastructure components (for example, networking, telecommunications, data storage systems, and environmental controls) necessary for the Entity Subject To Segregation Requirements' IT infrastructure operation.

“Directly Attributable” has the meaning set out in Financial Regulations (F1 Teams)

“Entities Subject To Segregation Requirements” means all entities within an F1 Team’s Legal Group except those that throughout the entirety of the relevant Financial Regulations Reporting Period:

a. undertake only and exclusively F1 Activities, Customer Teams Support Activities, Activities to Enable the Supply of Power Unit, FIA Project (or a combination of those) and do not share facilities and/or Restricted IT Solutions with any entities in F1 Team’s Legal Group that undertake Non-F1 Activities other than Activities to Enable the Supply of Power Unit, Customer Teams Support Activities and FIA Projects.

b. undertake only and exclusively Non-F1 Activities other than Activities to Enable the Supply of Power Unit, Customer Teams Support Activities and FIA Project and do not share facilities and/or Restricted IT Solutions with any other entities within the F1 Team’s Legal Group that undertakes F1 Activities, Customer Teams Support Activities, Activities to Enable the Supply of Power Unit, FIA Project or a combination of those.

c. undertake only and exclusively:

i. Marketing Activities;

ii. Human Resources Activities;

- iii. Finance Activities;
- iv. Legal Activities;
- v. Sustainability Initiative Costs;
- vi. Health and Safety Costs;
- vii. provision of catering services;
- viii. provision of facility services (maintenance of buildings, cleaning, security, first aid);
- ix. procurement activities;
- x. manufacturing, assembly and build activities;
- xi. warehousing activities;
- xii. planning and provision of travel and logistics services;
- xiii. provision of car fleet services or lease of vehicles;
- xiv. provision of insurance services;
- xv. Cybersecurity
- xvi. any combination of the above; and
- xvii. any other activity as may be determined and communicated by the Cost Cap Administration via a Determination from time to time.

If an entity meets the definition of Entities Subject To Segregation Requirements of more than one F1 Team, then that entity shall only be considered Entities Subject To Segregation Requirements in respect of the F1 Team for which it incurs the greatest amount of costs of F1 Team's F1 Activities.

“ERP System” means a business management software that integrates and automates core processes into a single system and that comprises and is limited to one or more of the following modules:

- a. Finance Activities
- b. procurement
- c. sales
- d. inventory management
- e. Human Resources Activities
- f. manufacturing and production
- g. Legal Activities; and

h. any other module or activity as may be determined and communicated by the Cost Cap Administration via a Determination from time to time.

For the avoidance of doubt, the ERP System must not allow the sharing of Intellectual Property, knowledge or know-how between Restricted F1 Workforce and Restricted Non-F1 Workforce.

“F1 Transfer Delegate” means a senior member of the Restricted F1 Workforce that are nominated by the Technical Director or equivalent as responsible parties for approving, recording and facilitating all Permitted Transfers.

“Finance Activities” has the meaning set out in Financial Regulations (F1 Teams)

“Financial Regulations Reporting Period” has the meaning set out in the Financial Regulations

“Legal Activities” has the meaning set out in Financial Regulations (F1 Teams)

“Human Resources Activities” has the meaning set out in Financial Regulations (F1 Teams)

“IT Segregation Objective” has the meaning set out in Article 0 of the Operational Regulations

“IT Solutions” means any IT software, IT tools, IT programme, IT systems and IT infrastructure used by an Entity Subject To Segregation Requirements.

“IT Support” means only the activities that the Entities Subject to Segregation Requirements can prove to the satisfaction of the Cost Cap Administration to be to Directly Attributable to:

- a. set-up, monitoring and updating IT Solutions to prevent failures and ensure that all components function as intended, and/or
- b. logging, managing and troubleshooting incidents with the objective of restoring normal functionalities of the IT Solutions, and
- c. any other activity as may be determined and communicated as such by the Cost Cap Administration via a Determination from time to time.

“IT Output” means calculations, study, simulation, data, analysis, know-how, knowledge, intellectual property or information and any other outputs as may be determined and communicated as such by the Cost Cap Administration via a Determination from time to time.

“Manufacturing and Assembly Area” means area for the manufacture, assembly, build and inspection of metal parts and prototypes, composite materials parts and prototypes, additive manufacturing parts and prototypes and 3D printing parts and prototypes.

“Marketing Activities” has the meaning set out in Financial Regulations (F1 Teams)

“Non-F1 Transfer Delegate” means a senior member of the Non-Restricted Workforce that are nominated by the Technical Director or equivalent as responsible parties for requesting and receiving all Permitted Transfers.

“Non-Restricted IT Solutions” means:

- a. ERP Systems;
- b. IT Solutions used only and exclusively to undertake
 - i. Human Resources Activities;
 - ii. Finance Activities;
 - iii. Legal Activities;
 - iv. Marketing Activities;
 - v. Sustainability Initiative Costs;
 - vi. Health and Safety Costs;
 - vii. provision of catering services;

- viii. provision of facility services (maintenance of buildings, cleaning, security, first aid);
- ix. procurement activities;
- x. manufacturing, assembly and build activities;
- xi. warehousing activities;
- xii. planning and provision of travel and logistics services
- xiii. Cybersecurity

or a combination of those; and

any other IT Solutions as may be determined and communicated as such by the Cost Cap Administration via a Determination from time to time.

“Non-Restricted Workforce” means CEO, Team Principal, CIO, Board Members and all Workforce who in the Financial Regulations Reporting Period wholly and exclusively undertake any (or a combination) of the following:

- a. Marketing Activities;
- b. Human Resources Activities;
- c. Finance Activities;
- d. Legal Activities;
- e. Sustainability Initiative Costs;
- f. Health and Safety Costs;
- g. provision of catering services;
- h. provision of facility services (maintenance of buildings, cleaning, security, first aid);
- i. procurement activities;
- j. planning and undertaking of manufacturing, assembly and build activities;
- k. warehousing activities;
- l. planning and provision of travel and logistics services
- m. IT Support; and
- n. any other activity as may be determined and communicated as such by the Cost Cap Administration via a Determination from time to time

“Non-Restricted Shared Area” has the meaning set out in Article 0 of the Operational Regulations.

“Permitted Transfer” means any sharing of any IT Output originated by Restricted F1 Workforce with Restricted Non-F1 Workforce.

“Physical Segregation Objective” has the meaning set out in Article 0 of the Operational Regulations

“Restricted F1 Area” has the meaning set out in Article 0 of the Operational Regulations.

“Restricted F1 Workforce” means all Workforce who in the Financial Regulations Reporting Period is not a Restricted Non-F1 Workforce and/or is not a Non-Restricted Workforce.

“Restricted IT Solutions” means any other IT Solutions not specifically defined as Non-Restricted IT Solutions.

“Restricted Non-F1 Area” has the meaning set out in Article 0 of the Operational Regulations.

“Restricted Non-F1 Workforce” means all Workforce who in the Financial Regulations Reporting Period wholly and exclusively undertake Non-F1 Activities other than Activities to Enable the Supply of Power Units, Customer Teams Support Activities and/or participation in FIA Projects.

“Restricted Shared Area” has the meaning set out in Article 0 of the Operational Regulations

“Storage and Logistic Area” means area dedicated to the reception, storage and shipment of components, goods and materials

“Sustainability Initiative Costs” have the meaning set out in Financial Regulations (F1 Teams)

“Team Principal” has the meaning set out in Financial Regulations (F1 Teams)

“Wellbeing Area” means gym, changing rooms and related services, recreational internal area, breastfeeding rooms, prayer rooms, restrooms and first-aid rooms

“Workforce” means employee, contractors, consultant and any other individual engaged by an Entity Subject to Segregation Requirement in the Financial Regulations Reporting Period.

PART B: DEFINITIONS APPROVED UNDER THE PROVISIONS OF THE PU GOVERNANCE AGREEMENT

Advisory Committee: PUAC

Governance: PU Manufacturers' Governance Agreement / WMSC

“Power Unit” [...]

Changes for 2028

- None

Changes for 2029

- None