
TrackDX — Physician Summary

Condition: Migraine · Generated Nov 7, 2026 · Data since Oct 10, 2022

LAST 90 DAYS VS. PREVIOUS 90 DAYS

	Episodes	Avg severity	Avg duration	Time in episode
Last 90 days	8	4.6	2.8 h	22 h
Previous 90 days	13	6.0	4.0 h	52 h
Change	-38%	-23%	-31%	-58%

EPISODES PER 90-DAY PERIOD



Preventatives during each period: 1 = Erenumab + Magnesium · 2 = Erenumab

PREVENTATIVE MEDICATIONS — ODDS OF AN EPISODE WHILE ON (ADJUSTED FOR TRIGGERS AND TIME)

Erenumab: ×0.7 odds of an episode while on it (662 days on)

Propranolol: ×1.1 odds of an episode while on it (432 days on)

Magnesium: ×1.1 odds of an episode while on it (796 days on)

Topiramate: ×1.3 odds of an episode while on it (284 days on)

Ridge-penalized logistic regression across 1378 days, adjusting for 4 triggers and for changes in episode frequency over time; odds < 1 = fewer episodes while on the medication. First 28 days of each medication period excluded (ramp-up) once it has run longer than that. Observational data — association, not causation.

RELIEF MEDICATION EFFICACY (ALL DATA)

Sumatriptan: 80% (242 uses; average of the patient's 0–10 relief ratings)

Ibuprofen: 41% (105 uses; average of the patient's 0–10 relief ratings)

** Limited data — low confidence. Estimates marked with an asterisk are based on few recorded days or uses and should be interpreted cautiously.*

TRIGGERS MOST ASSOCIATED WITH EPISODES

Alcohol: ×3.6 odds of an episode on days it occurred (466 days)

Stress: ×2.1 odds of an episode on days it occurred (305 days)

Sound: ×1.2 odds of an episode on days it occurred (296 days)

Bright lights: ×0.9 odds of an episode on days it occurred (273 days)

Ridge-penalized logistic regression over 1490 days (347 episode days); each trigger adjusted for the others and for changes over time.

PREVENTATIVE MEDICATIONS – SEVERITY OF AN EPISODE WHILE ON (ADJUSTED FOR TRIGGERS AND TIME)

Erenumab: -0.3 points on the 1–10 scale while on it [5% decrease] (85 episodes)

Magnesium: -0.2 points on the 1–10 scale while on it [3% decrease] (250 episodes)

Propranolol: +0.0 points on the 1–10 scale while on it [no change] (133 episodes)

Topiramate: +0.3 points on the 1–10 scale while on it [5% increase] (129 episodes)

Linear regression on 347 episodes, adjusted for triggers and changes over time; negative = milder episodes while on the medication. Association, not causation.

TRIGGERS – SEVERITY OF AN EPISODE (ADJUSTED FOR PREVENTATIVES)

Alcohol: +1.2 points on the 1–10 scale when present [20% increase] (186 episodes)

Stress: +1.2 points on the 1–10 scale when present [19% increase] (103 episodes)

Bright lights: -0.0 points on the 1–10 scale when present [no change] (61 episodes)

Sound: -0.1 points on the 1–10 scale when present [2% decrease] (80 episodes)

Linear regression on 347 episodes, adjusted for preventatives and changes over time; positive = worse episodes when the trigger is present. Association, not causation.

WHEN EPISODES START

12am–5:59am: 6% · 6am–11:59am: 41% · 12pm–5:59pm: 34% · 6pm–11:59pm: 18%

Episodes without a start time are left out.

TrackDX is a personal tracking tool, not a medical device. The insights are statistics based on what you log — they are not medical advice, a diagnosis, or a treatment recommendation. Always consult a qualified healthcare professional about your condition.