# TrackDX — Physician Summary

Condition: Sciatica · Daily severity tracking · Generated Nov 7, 2026
Oct 10, 2022 – Oct 9, 2026

**Logged 1304 of 1461 days (89%). Blank days are days the patient did not record, not symptom-free days.**

## CURRENT TREATMENT

**Medications**


None current.

**Procedures — last 9 months**

None in the last 9 months.

## SEVERITY TREND (30-DAY AVERAGE, SMOOTHED)

*Axis zoomed: full scale is 0–10*




1. L4-L5 epidural steroid injection — Sep 15, 2023
2. Repeat epidural steroid injection — Jul 31, 2024
3. Microdiscectomy — Jul 6, 2025

*Note: each patient varies in their perception of symptoms. Mild, moderate and severe vary per person. Recommend focusing on changes from baseline.*

## SEVERITY BY SYMPTOM ACROSS THE TREATMENT COURSE

| | Before L4-L5 epidural steroid injection (340d) | After L4-L5 epidural steroid injection (320d) | After Repeat epidural steroid injection (340d) | After Microdiscectomy (460d) |
|---|---|---|---|---|
| Lower back | 6.7 | 4.9 (-27%) | 3.7 (-25%) | 4.4 (+17%) |
| Buttock/piriformis | 6.0 | 4.3 (-28%) | 3.2 (-27%) | 3.5 (+10%) |
| Thigh | 5.4 | 5.3 (-2%) | 5.2 (-2%) | 0.6 (-89%) |
| Calf | 4.9 | 4.8 (-3%) | 4.7 (-1%) | 0.4 (-91%) |
| Foot | 3.6 | 3.7 (+2%) | 3.5 (-4%) | 0.2 (-93%) |
| **Average** | **5.3** | **4.6 (-14%)** | **4.1 (-12%)** | **1.8 (-55%)** |

Each column is the interval following that procedure; in parentheses, the change from the column to its left. Green indicates at least a 20% reduction in severity, and red at least a 20% worsening in severity.

### L4-L5 epidural steroid injection — Sep 15, 2023

The L4-L5 epidural steroid injection's target (Lower back) improved (-27%).

Severity ≥20% below the pre-procedure average on 74 of 295 logged days; longest unbroken stretch 13 days.

### Repeat epidural steroid injection — Jul 31, 2024

The Repeat epidural steroid injection's target (Lower back) improved (-25%).

Severity ≥20% below the pre-procedure average on 82 of 302 logged days; longest unbroken stretch 18 days.

### Microdiscectomy — Jul 6, 2025

The Microdiscectomy's target (Calf) improved (-91%).

Severity ≥20% below the pre-procedure average on 398 of 418 logged days; longest unbroken stretch 391 days.

## TRIGGER EFFECT BY SYMPTOM — SEVERITY ADDED

How much the following triggers increase severity of symptoms

| Trigger | Severity |
|---|---|
| **Heavy lifting** | **+1.3 (+36%) avg** |
| Buttock/piriformis | +1.6 (+39%) |
| Lower back | +1.6 (+33%) |
| Foot | +1.2 (+47%) |
| Thigh | +1.2 (+31%) |
| Calf | +1.1 (+33%) |
| **Sitting** | **+0.7 (+19%) avg** |
| Lower back | +1.0 (+20%) |
| Buttock/piriformis | +0.9 (+22%) |
| Calf | +0.6 (+19%) |
| Foot | +0.6 (+23%) |
| Thigh | +0.5 (+14%) |

| Trigger | Severity |
|---|---|
| **Repetitive bending** | **+0.0 (-1%) avg** |
| Calf | +0.0 (+1%) |
| Buttock/piriformis | +0.0 (+1%) |
| Thigh | +0.0 (-1%) |
| Lower back | -0.1 (-2%) |
| Foot | -0.1 (-4%) |
| **Exercise** | **+0.0 (-1%) avg** |
| Foot | +0.1 (+2%) |
| Thigh | +0.0 (+1%) |
| Calf | +0.0 (+0%) |
| Lower back | -0.1 (-3%) |
| Buttock/piriformis | -0.2 (-4%) |
| **Driving** | **-0.2 (-5%) avg** |
| Lower back | +0.0 (+0%) |
| Buttock/piriformis | -0.1 (-3%) |
| Foot | -0.2 (-8%) |
| Thigh | -0.2 (-7%) |
| Calf | -0.3 (-10%) |

Severity points added on days the trigger was logged, adjusted for the other triggers, and in parentheses as a % of that symptom's average severity. Green = at least 20% milder symptoms, red = at least 20% worse. * = logged on fewer than 5 days; read with caution.

**TrackDX**
www.trackdx.net TrackDX is available on the Apple App Store and the Google Play Store.

*TrackDX is a personal tracking tool, not a medical device. The insights are statistics based on what you log — they are not medical advice, a diagnosis, or a treatment recommendation. Always consult a qualified healthcare professional about your condition.*