***Tables for MIL-STD-105E*** [*)] ***Page***


- *Table I. Sample-Size Code Letters.* *1*
- *Table II-A. Single Sampling Plans for Normal Inspection (Master Table).* *2*
- *Table II-B. Single Sampling Plans for Tightened Inspection (Master Table).* *3*
- *Table II-C. Single Sampling Plans for Reduced Inspection (Master Table).* *4*
- *Table III-A. Double Sampling Plans for Normal Inspection (Master Table).* *5*
- *Table III-B. Double Sampling Plans for Tightened Inspection (Master Table).* *6*
- *Table III-C. Double Sampling Plans for Reduced Inspection (Master Table).* *7*
- *Table IV-A. Multiple Sampling Plans for Normal Inspection (Master Table).* *8*
- *Table IV-A.(continued)* *9*
- *Table IV-B. Multiple Sampling Plans for Tightened Inspection (Master Table).* *10*
- *Table IV-B.(continued).* *11*
- *Table IV-C. Multiple Sampling Plans for Reduced Inspection (Master Table).* *12*
- *Table IV-C.(continued).* *13*
- *Table V-A. Average Outgoing Quality Limit Factors for Normal Inspection (Single Sampling).* *14*
- *Table V-A. Average Outgoing Quality Limit Factors for Tightened Inspection (Single Sampling).* *15*
- *Table VIII. Limit Numbers for Reduced Inspection.* *16*


****) Farnum, Nicholas R. 1994. Modern Statistical Quality Control and Improvement. Wadsworth, Inc., California.***

**Table I. Sample-Size Code Letters.**

| Lot or batch size | | | Special Inspection Levels | | | | General Inspection Levels | | |
|---|---|---|---|---|---|---|---|---|---|
| | | | S-1 | S-2 | S-3 | S-4 | I | II | III |
| 2 | to | 8 | A | A | A | A | A | A | B |
| 9 | to | 15 | A | A | A | A | A | B | C |
| 16 | to | 25 | A | A | B | B | B | C | D |
| 26 | to | 50 | A | B | B | C | C | D | E |
| 51 | to | 90 | B | B | C | C | C | E | F |
| 91 | to | 150 | B | B | C | D | D | F | G |
| 151 | to | 280 | B | C | D | E | E | G | H |
| 281 | to | 500 | B | C | D | E | F | H | J |
| 501 | to | 1,200 | C | C | E | F | G | J | K |
| 1,201 | to | 3,200 | C | D | E | G | H | K | L |
| 3,201 | to | 10,000 | C | D | F | G | J | L | M |
| 10,001 | to | 35,000 | C | D | F | H | K | M | N |
| 35,001 | to | 150,000 | D | E | G | J | L | N | P |
| 150,001 | to | 500,000 | D | E | G | J | M | P | Q |
| 500,001 | and | over | D | E | H | K | N | Q | R |

**Table II - A. Single Sampling Plans for Normal Inspection (Master Table).**

| Sample size code letter | Sample size | Acceptable Quality Levels (normal inspection) | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | 0.010 | | 0.015 | | 0.025 | | 0.040 | | 0.065 | | 0.10 | | 0.15 | | 0.25 | | 0.40 | | 0.65 | | 1.0 | | 1.5 | | 2.5 | | 4.0 | | 6.5 | | 10 | | 15 | | 25 | | 40 | | 65 | | 100 | |
| | | Ac | Re | Ac | Re | Ac | Re | Ac | Re | Ac | Re | Ac | Re | Ac | Re | Ac | Re | Ac | Re | Ac | Re | Ac | Re | Ac | Re | Ac | Re | Ac | Re | Ac | Re | Ac | Re | Ac | Re | Ac | Re | Ac | Re | Ac | Re |
| A | 2 | ⇓ | | ⇓ | | ⇓ | | ⇓ | | ⇓ | | ⇓ | | ⇓ | | ⇓ | | ⇓ | | ⇓ | | ⇓ | | ⇓ | | ⇓ | | ⇓ | | 0 | 1 | ⇓ | | 1 | 2 | 2 | 3 | 3 | 4 | 5 | 6 |
| B | 3 | | | | | | | | | | | | | | | | | | | | | | | | | | | 0 | 1 | ⇕ | | 1 | 2 | 2 | 3 | 3 | 4 | 5 | 6 | 7 | 8 |
| C | 5 | | | | | | | | | | | | | | | | | | | | | | | 0 | 1 | ⇑ | | ⇕ | | 1 | 2 | 2 | 3 | 3 | 4 | 5 | 6 | 7 | 8 | 10 | 11 |
| D | 8 | | | | | | | | | | | | | | | | | | | | | | | 0 | 1 | ⇓ | | 1 | 2 | 2 | 3 | 3 | 4 | 5 | 6 | 7 | 8 | 10 | 11 | 14 | 15 |
| E | 13 | | | | | | | | | | | | | | | | | | | | | 0 | 1 | ⇕ | | ⇓ | | 2 | 3 | 3 | 4 | 5 | 6 | 7 | 8 | 10 | 11 | 14 | 15 | 21 | 22 |
| F | 20 | | | | | | | | | | | | | | | | | | | 0 | 1 | ⇑ | | ⇕ | | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 10 | 11 | 14 | 15 | 21 | 22 | | |
| G | 32 | | | | | | | | | | | | | | | | | 0 | 1 | ⇕ | | 1 | 2 | 2 | 3 | 3 | 4 | 5 | 6 | 7 | 8 | 10 | 11 | 14 | 15 | 21 | 22 | | | | |
| H | 50 | | | | | | | | | | | | | | | 0 | 1 | ⇕ | | 1 | 2 | ⇓ | | 2 | 3 | 3 | 4 | 5 | 6 | 7 | 8 | 10 | 11 | 14 | 15 | 21 | 22 | | | | |
| J | 80 | | | | | | | | | | | | | 0 | 1 | ⇑ | | ⇕ | | 1 | 2 | 2 | 3 | 3 | 4 | 5 | 6 | 7 | 8 | 10 | 11 | 14 | 15 | 21 | 22 | | | | | | |
| K | 125 | | | | | | | | | | | 0 | 1 | ⇓ | | 1 | 2 | 2 | 3 | 3 | 4 | 3 | 4 | 5 | 6 | 7 | 8 | 10 | 11 | 14 | 15 | 21 | 22 | | | | | | | | |
| L | 200 | | | | | | | | | 0 | 1 | ⇕ | | ⇕ | | ⇓ | | 3 | 4 | 5 | 6 | 5 | 6 | 7 | 8 | 10 | 11 | 14 | 15 | 21 | 22 | | | | | | | | | | |
| M | 315 | | | | | | | 0 | 1 | ⇑ | | 1 | 2 | 2 | 3 | 3 | 4 | 5 | 6 | 7 | 8 | 7 | 8 | 10 | 11 | 14 | 15 | 21 | 22 | | | | | | | | | | | | |
| N | 500 | | | | | 0 | 1 | ⇕ | | 1 | 2 | 2 | 3 | 3 | 4 | 4 | 5 | 6 | 7 | 8 | 10 | 11 | 14 | 15 | 21 | 22 | | | | | | | | | | | | | | | |
| P | 800 | | | 0 | 1 | ⇕ | | 1 | 2 | ⇓ | | 2 | 3 | 3 | 4 | 5 | 6 | 7 | 8 | 10 | 11 | 14 | 15 | 21 | 22 | | | | | | | | | | | | | | | | |
| Q | 1250 | 0 | 1 | ⇑ | | 1 | 2 | 2 | 3 | 3 | 4 | 3 | 4 | 5 | 6 | 7 | 8 | 10 | 11 | 14 | 15 | 21 | 22 | | | | | | | | | | | | | | | | | | |
| R | 2000 | ⇑ | | | | 1 | 2 | 2 | 3 | 3 | 4 | 5 | 6 | 7 | 8 | 10 | 11 | 14 | 15 | 21 | 22 | | | | | | | | | | | | | | | | | | | | |

⇓ = Use first sampling plan below arrow. If sample size equals or exceeds lot or batch size, do 100 percent inspection.

⇑ = Use first sampling plan above arrow.

Ac = Acceptance number.

Re = Rejection number.

**Table II - B. Single Sampling Plans for Tightened Inspection (Master Table).**

| Sample size code letter | Sample size | Acceptable Quality Levels (tightened inspection) | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | 0.010 | | 0.015 | | 0.025 | | 0.040 | | 0.065 | | 0.10 | | 0.15 | | 0.25 | | 0.40 | | 0.65 | | 1.0 | | 1.5 | | 2.5 | | 4.0 | | 6.5 | | 10 | | 15 | | 25 | | 40 | | 65 | | 100 | | 150 | | 250 | | 400 | | 650 | | 1000 | |
| | | Ac | Re | Ac | Re | Ac | Re | Ac | Re | Ac | Re | Ac | Re | Ac | Re | Ac | Re | Ac | Re | Ac | Re | Ac | Re | Ac | Re | Ac | Re | Ac | Re | Ac | Re | Ac | Re | Ac | Re | Ac | Re | Ac | Re | Ac | Re | Ac | Re | Ac | Re | Ac | Re | Ac | Re | Ac | Re |
| A | 2 | ⇓ | | ⇓ | | ⇓ | | ⇓ | | ⇓ | | ⇓ | | ⇓ | | ⇓ | | ⇓ | | ⇓ | | ⇓ | | ⇓ | | ⇓ | | ⇓ | | ⇓ | | ⇓ | | ⇓ | | 1 | 2 | 2 | 3 | 3 | 4 | 5 | 6 | 8 | 9 | 12 | 13 | 18 | 19 | 27 | 28 |
| B | 3 | | | | | | | | | | | | | | | | | | | | | | | | | | | 0 | 1 | | | | | 1 | 2 | 2 | 3 | 3 | 4 | 5 | 6 | 8 | 9 | 12 | 13 | 18 | 19 | 27 | 28 | 41 | 42 |
| C | 5 | | | | | | | | | | | | | | | | | | | | | | | | | 0 | 1 | | | | | 1 | 2 | 2 | 3 | 3 | 4 | 5 | 6 | 8 | 9 | 12 | 13 | 18 | 19 | 27 | 28 | 41 | 42 | | |
| D | 8 | | | | | | | | | | | | | | | | | | | | | | | 0 | 1 | | | | | 1 | 2 | 2 | 3 | 3 | 4 | 5 | 6 | 8 | 9 | 12 | 13 | 18 | 19 | 27 | 28 | 41 | 42 | | | | |
| E | 13 | | | | | | | | | | | | | | | | | | | | | 0 | 1 | | | | | 1 | 2 | 2 | 3 | 3 | 4 | 5 | 6 | 8 | 9 | 12 | 13 | 18 | 19 | 27 | 28 | 41 | 42 | | | | | | |
| F | 20 | | | | | | | | | | | | | | | | | | | | | 0 | 1 | | | | | 1 | 2 | 2 | 3 | 3 | 4 | 5 | 6 | 8 | 9 | 12 | 13 | 18 | 19 | | | | | | | | | | |
| G | 32 | | | | | | | | | | | | | | | | | | | 0 | 1 | | | | | 1 | 2 | 2 | 3 | 3 | 4 | 5 | 6 | 8 | 9 | 12 | 13 | 18 | 19 | | | | | | | | | | |
| H | 50 | | | | | | | | | | | | | | | | | 0 | 1 | | | 1 | 2 | | | 2 | 3 | 3 | 4 | 5 | 6 | 8 | 9 | 12 | 13 | 18 | 19 | | | | | | | | | | |
| J | 80 | | | | | | | | | | | | | | | 0 | 1 | | | | | 1 | 2 | 2 | 3 | 3 | 4 | 5 | 6 | 8 | 9 | 12 | 13 | 18 | 19 | | | | | | | | | | | | |
| K | 125 | | | | | | | | | | | | | 0 | 1 | | | 1 | 2 | 2 | 3 | 3 | 4 | 5 | 6 | 8 | 9 | 12 | 13 | 18 | 19 | | | | | | | | | | | | | | | | |
| L | 200 | | | | | | | | | | | 0 | 1 | | | 1 | 2 | 2 | 3 | 3 | 4 | 5 | 6 | 8 | 9 | 12 | 13 | 18 | 19 | | | | | | | | | | | | | | | | | | |
| M | 315 | | | | | | | | | 0 | 1 | | | 1 | 2 | 2 | 3 | 3 | 4 | 5 | 6 | 8 | 9 | 12 | 13 | 18 | 19 | | | | | | | | | | | | | | | | | | | | |
| N | 500 | | | | | | | 0 | 1 | | | 1 | 2 | 2 | 3 | 3 | 4 | 5 | 6 | 8 | 9 | 12 | 13 | 18 | 19 | | | | | | | | | | | | | | | | | | | | | | |
| P | 800 | | | | | 0 | 1 | | | 1 | 2 | 2 | 3 | 3 | 4 | 5 | 6 | 8 | 9 | 12 | 13 | 18 | 19 | | | | | | | | | | | | | | | | | | | | | | | | |
| Q | 1250 | | | 0 | 1 | | | 1 | 2 | 2 | 3 | 3 | 4 | 5 | 6 | 8 | 9 | 12 | 13 | 18 | 19 | | | | | | | | | | | | | | | | | | | | | | | | |
| R | 2000 | 0 | 1 | ⇑ | | 1 | 2 | 2 | 3 | 3 | 4 | 5 | 6 | 8 | 9 | 12 | 13 | 18 | 19 | ⇑ | | | | | | | | | | | | | | | | | | | | | | | | |
| S | 3150 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |

⇓ = Use first sampling plan below arrow. If sample size equals or exceeds lot or batch size, do 100 percent inspection.

⇑ = Use first sampling plan above arrow.

Ac = Acceptance number.

Re = Rejection number.

**Table II - C. Single Sampling Plans for Reduced Inspection (Master Table).**

| Sample size code letter | Sample size | Acceptable Quality Levels (reduced inspection)† | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | 0.010 | | 0.015 | | 0.025 | | 0.040 | | 0.065 | | 0.10 | | 0.15 | | 0.25 | | 0.40 | | 0.65 | | 1.0 | | 1.5 | | 2.5 | | 4.0 | | 6.5 | | 10 | | 15 | | 25 | | 40 | | 65 | |
| | | Ac | Re | Ac | Re | Ac | Re | Ac | Re | Ac | Re | Ac | Re | Ac | Re | Ac | Re | Ac | Re | Ac | Re | Ac | Re | Ac | Re | Ac | Re | Ac | Re | Ac | Re | Ac | Re | Ac | Re | Ac | Re | Ac | Re |
| A | 2 | ⇓ | | ⇓ | | ⇓ | | ⇓ | | ⇓ | | ⇓ | | ⇓ | | ⇓ | | ⇓ | | ⇓ | | ⇓ | | ⇓ | | ⇓ | | ⇓ | | 0 | 1 | ⇓ | | 1 | 2 | 2 | 3 | 3 | 4 |
| B | 2 | | | | | | | | | | | | | | | | | | | | | | | | | | | ⇓ | | ⇑ | | 0 | 2 | 1 | 3 | 2 | 4 | 3 | 5 |
| C | 2 | | | | | | | | | | | | | | | | | | | | | | | | | ⇓ | | ⇑ | | ⇓ | | 1 | 3 | 1 | 4 | 2 | 5 | 3 | 6 |
| D | 3 | | | | | | | | | | | | | | | | | | | | | | | ⇓ | | ⇕ | | ⇓ | | 0 | 2 | 1 | 3 | 2 | 5 | 3 | 6 | 5 | 8 |
| E | 5 | | | | | | | | | | | | | | | | | | | | | ⇓ | | ⇕ | | ⇓ | | 0 | 2 | 1 | 3 | 1 | 4 | 2 | 5 | 3 | 6 | 5 | 8 |
| F | 8 | | | | | | | | | | | | | | | | | | | ⇓ | | ⇑ | | ⇕ | | ⇓ | | 0 | 2 | 1 | 4 | 2 | 5 | 3 | 6 | 5 | 8 | 7 | 10 |
| G | 13 | | | | | | | | | | | | | | | ⇓ | | 0 | 1 | ⇕ | | ⇓ | | 0 | 2 | 1 | 3 | 1 | 4 | 2 | 5 | 3 | 6 | 5 | 8 | 7 | 10 | 10 | 13 |
| H | 20 | | | | | | | | | | | | | | | 0 | 1 | ⇕ | | ⇕ | | 0 | 2 | 1 | 3 | 1 | 4 | 2 | 5 | 3 | 6 | 5 | 8 | 7 | 10 | 10 | 13 | ⇑ | |
| J | 32 | | | | | | | | | | | | | 0 | 1 | ⇑ | | ⇕ | | 0 | 2 | 1 | 3 | 1 | 4 | 2 | 5 | 3 | 6 | 5 | 8 | 7 | 10 | 10 | 13 | ⇑ | | ⇑ | |
| K | 50 | | | | | | | | | | | 0 | 1 | ⇕ | | ⇓ | | 0 | 2 | 1 | 3 | 1 | 4 | 2 | 5 | 3 | 6 | 5 | 8 | 7 | 10 | 10 | 13 | ⇑ | | ⇑ | | ⇑ | |
| L | 80 | | | | | | | | | 0 | 1 | ⇕ | | ⇕ | | 0 | 2 | 1 | 3 | 1 | 4 | 2 | 5 | 3 | 6 | 5 | 8 | 7 | 10 | 10 | 13 | ⇑ | | ⇑ | | ⇑ | | ⇑ | |
| M | 125 | | | | | | | 0 | 1 | ⇑ | | ⇕ | | 0 | 2 | 1 | 3 | 1 | 4 | 2 | 5 | 3 | 6 | 5 | 8 | 7 | 10 | 10 | 13 | ⇑ | | ⇑ | | ⇑ | | ⇑ | | ⇑ | |
| N | 200 | | | 0 | 1 | ⇓ | | ⇓ | | ⇓ | | 0 | 2 | 1 | 3 | 1 | 4 | 2 | 5 | 3 | 6 | 5 | 8 | 7 | 10 | 10 | 13 | ⇑ | | ⇑ | | ⇑ | | ⇑ | | ⇑ | | ⇑ | |
| P | 315 | 0 | 1 | ⇕ | | ⇕ | | 0 | 2 | 1 | 3 | 1 | 4 | 2 | 5 | 3 | 6 | 5 | 8 | 7 | 10 | 10 | 13 | ⇑ | | ⇑ | | ⇑ | | ⇑ | | ⇑ | | ⇑ | | ⇑ | | ⇑ | |
| Q | 500 | ⇑ | | ⇑ | | 0 | 2 | 1 | 3 | 1 | 4 | 2 | 5 | 3 | 6 | 5 | 8 | 7 | 10 | 10 | 13 | ⇑ | | ⇑ | | ⇑ | | ⇑ | | ⇑ | | ⇑ | | ⇑ | | ⇑ | | ⇑ | |
| R | 800 | ⇑ | | ⇑ | | ⇑ | | ⇑ | | ⇑ | | ⇑ | | ⇑ | | ⇑ | | ⇑ | | ⇑ | | ⇑ | | ⇑ | | ⇑ | | ⇑ | | ⇑ | | ⇑ | | ⇑ | | ⇑ | | ⇑ | |

| Sample size code letter | Sample size | Acceptable Quality Levels (reduced inspection)† | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | 100 | | 150 | | 250 | | 400 | | 650 | | 1000 | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | Ac | Re | Ac | Re | Ac | Re | Ac | Re | Ac | Re | Ac | Re | | | | | | | | | | | | | | | | | | | | | | | | | | |
| A | 2 | 5 | 6 | 7 | 8 | 10 | 11 | 14 | 15 | 21 | 22 | 30 | 31 | | | | | | | | | | | | | | | | | | | | | | | | | | |
| B | 2 | 5 | 6 | 7 | 8 | 10 | 11 | 14 | 15 | 21 | 22 | 30 | 31 | | | | | | | | | | | | | | | | | | | | | | | | | | |
| C | 2 | 5 | 8 | 7 | 10 | 10 | 13 | 14 | 17 | 21 | 24 | ⇑ | | | | | | | | | | | | | | | | | | | | | | | | | | |
| D | 3 | 7 | 10 | 10 | 13 | 14 | 17 | 21 | 24 | ⇑ | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| E | 5 | 10 | 13 | 14 | 17 | 21 | 24 | ⇑ | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| F | 8 | ⇑ | | ⇑ | | ⇑ | | ⇑ | | ⇑ | | ⇑ | | | | | | | | | | | | | | | | | | | | | | | | | | |
| G | 13 | ⇑ | | ⇑ | | ⇑ | | ⇑ | | ⇑ | | ⇑ | | | | | | | | | | | | | | | | | | | | | | | | | | |
| H | 20 | ⇑ | | ⇑ | | ⇑ | | ⇑ | | ⇑ | | ⇑ | | | | | | | | | | | | | | | | | | | | | | | | | | |
| J | 32 | ⇑ | | ⇑ | | ⇑ | | ⇑ | | ⇑ | | ⇑ | | | | | | | | | | | | | | | | | | | | | | | | | | |
| K | 50 | ⇑ | | ⇑ | | ⇑ | | ⇑ | | ⇑ | | ⇑ | | | | | | | | | | | | | | | | | | | | | | | | | | |
| L | 80 | ⇑ | | ⇑ | | ⇑ | | ⇑ | | ⇑ | | ⇑ | | | | | | | | | | | | | | | | | | | | | | | | | | |
| M | 125 | ⇑ | | ⇑ | | ⇑ | | ⇑ | | ⇑ | | ⇑ | | | | | | | | | | | | | | | | | | | | | | | | | | |
| N | 200 | ⇑ | | ⇑ | | ⇑ | | ⇑ | | ⇑ | | ⇑ | | | | | | | | | | | | | | | | | | | | | | | | | | |
| P | 315 | ⇑ | | ⇑ | | ⇑ | | ⇑ | | ⇑ | | ⇑ | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Q | 500 | ⇑ | | ⇑ | | ⇑ | | ⇑ | | ⇑ | | ⇑ | | | | | | | | | | | | | | | | | | | | | | | | | | |
| R | 800 | ⇑ | | ⇑ | | ⇑ | | ⇑ | | ⇑ | | ⇑ | | | | | | | | | | | | | | | | | | | | | | | | | | |

⇓ = Use first sampling plan below arrow. If sample size equals or exceeds lot or batch size, do 100 percent inspection.

⇑ = Use first sampling plan above arrow.

† = If the acceptance number has been exceeded, but the rejection number has not been reached; accept the lot, but reinstate normal inspection.

Ac = Acceptance number.

Re = Rejection number.

## Table III - A. Double Sampling Plans for Normal Inspection (Master Table).

| Sample size code letter | Sample | Sample size | Cumulative sample size | Acceptable Quality Levels (normal inspection) | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 0.010 | | 0.015 | | 0.025 | | 0.040 | | 0.065 | | 0.10 | | 0.15 | | 0.25 | | 0.40 | | 0.65 | | 1.0 | | 1.5 | | 2.5 | | 4.0 | | 6.5 | | 10 | |
| | | | | Ac | Re | Ac | Re | Ac | Re | Ac | Re | Ac | Re | Ac | Re | Ac | Re | Ac | Re | Ac | Re | Ac | Re | Ac | Re | Ac | Re | Ac | Re | Ac | Re | Ac | Re |
| A | | | | ⇓ | | ⇓ | | ⇓ | | ⇓ | | ⇓ | | ⇓ | | ⇓ | | ⇓ | | ⇓ | | ⇓ | | ⇓ | | ⇓ | | ⇓ | | • | | ⇓ | |
| B | First | 2 | 2 | | | | | | | | | | | | | | | | | | | | | | | | | • | | ⇑ | | ⇓ | |
| | Second | 2 | 4 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| C | First | 3 | 3 | | | | | | | | | | | | | | | | | | | | | | | • | | ⇑ | | ⇓ | | ⇓ | |
| | Second | 3 | 6 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| D | First | 5 | 5 | | | | | | | | | | | | | | | | | | | | | • | | ⇑ | | ⇓ | | 0 2 | ⇓ | 0 3 | ⇓ |
| | Second | 5 | 10 | | | | | | | | | | | | | | | | | | | | | | | | | | | 1 2 | | 3 4 | |
| E | First | 8 | 8 | | | | | | | | | | | | | | | | | | | | | • | | ⇑ | | 0 2 | ⇓ | 0 3 | ⇓ | 1 4 | ⇓ |
| | Second | 8 | 16 | | | | | | | | | | | | | | | | | | | | | | | | | 1 2 | | 3 4 | | 4 5 | |
| F | First | 13 | 13 | | | | | | | | | | | | | | | | | | | • | | ⇑ | | ⇓ | | 0 2 | ⇓ | 0 3 | ⇓ | 1 4 | ⇓ |
| | Second | 13 | 26 | | | | | | | | | | | | | | | | | | | | | | | | | 1 2 | | 3 4 | | 4 5 | |
| G | First | 20 | 20 | | | | | | | | | | | | | | | | | • | | ⇑ | | ⇓ | | 0 2 | ⇓ | 0 3 | ⇓ | 1 4 | ⇓ | 2 5 | ⇓ |
| | Second | 20 | 40 | | | | | | | | | | | | | | | | | | | | | | | 1 2 | | 3 4 | | 4 5 | | 6 7 | |
| H | First | 32 | 32 | | | | | | | | | | | | | | | • | | ⇑ | | ⇓ | | 0 2 | ⇓ | 0 3 | ⇓ | 1 4 | ⇓ | 2 5 | ⇓ | 3 7 | ⇓ |
| | Second | 32 | 64 | | | | | | | | | | | | | | | | | | | | | 1 2 | | 3 4 | | 4 5 | | 6 7 | | 8 9 | |
| J | First | 50 | 50 | | | | | | | | | | | | | • | | ⇑ | | ⇓ | | 0 2 | ⇓ | 0 3 | ⇓ | 1 4 | ⇓ | 2 5 | ⇓ | 3 7 | ⇓ | 5 9 | ⇓ |
| | Second | 50 | 100 | | | | | | | | | | | | | | | | | | | 1 2 | | 3 4 | | 4 5 | | 6 7 | | 8 9 | | 12 13 | |
| K | First | 80 | 80 | | | | | | | | | | | • | | ⇑ | | ⇓ | | 0 2 | ⇓ | 0 3 | ⇓ | 1 4 | ⇓ | 2 5 | ⇓ | 3 7 | ⇓ | 5 9 | ⇓ | 7 11 | ⇓ |
| | Second | 80 | 160 | | | | | | | | | | | | | | | | | 1 2 | | 3 4 | | 4 5 | | 6 7 | | 8 9 | | 12 13 | | 18 19 | |
| L | First | 125 | 125 | | | | | | | | | • | | ⇑ | | ⇓ | | 0 2 | ⇓ | 0 3 | ⇓ | 1 4 | ⇓ | 2 5 | ⇓ | 3 7 | ⇓ | 5 9 | ⇓ | 7 11 | ⇓ | 11 16 | ⇓ |
| | Second | 125 | 250 | | | | | | | | | | | | | | | 1 2 | | 3 4 | | 4 5 | | 6 7 | | 8 9 | | 12 13 | | 18 19 | | 26 27 | |
| M | First | 200 | 200 | | | | | | | • | | ⇑ | | ⇓ | | 0 2 | ⇓ | 0 3 | ⇓ | 1 4 | ⇓ | 2 5 | ⇓ | 3 7 | ⇓ | 5 9 | ⇓ | 7 11 | ⇓ | 11 16 | ⇓ | | |
| | Second | 200 | 400 | | | | | | | | | | | | | 1 2 | | 3 4 | | 4 5 | | 6 7 | | 8 9 | | 12 13 | | 18 19 | | 26 27 | | | |
| N | First | 315 | 315 | | | | | • | | ⇑ | | ⇓ | | 0 2 | ⇓ | 0 3 | ⇓ | 1 4 | ⇓ | 2 5 | ⇓ | 3 7 | ⇓ | 5 9 | ⇓ | 7 11 | ⇓ | 11 16 | ⇓ | | | | |
| | Second | 315 | 630 | | | | | | | | | | | 1 2 | | 3 4 | | 4 5 | | 6 7 | | 8 9 | | 12 13 | | 18 19 | | 26 27 | | | | | |
| P | First | 500 | 500 | | | • | | ⇑ | | ⇓ | | 0 2 | ⇓ | 0 3 | ⇓ | 1 4 | ⇓ | 2 5 | ⇓ | 3 7 | ⇓ | 5 9 | ⇓ | 7 11 | ⇓ | 11 16 | ⇓ | | | | | | |
| | Second | 500 | 1000 | | | | | | | | | 1 2 | | 3 4 | | 4 5 | | 6 7 | | 8 9 | | 12 13 | | 18 19 | | 26 27 | | | | | | | |
| Q | First | 800 | 800 | • | | ⇑ | | ⇓ | | 0 2 | ⇓ | 0 3 | ⇓ | 1 4 | ⇓ | 2 5 | ⇓ | 3 7 | ⇓ | 5 9 | ⇓ | 7 11 | ⇓ | 11 16 | ⇓ | | | | | | | | |
| | Second | 800 | 1600 | | | | | | | 1 2 | | 3 4 | | 4 5 | | 6 7 | | 8 9 | | 12 13 | | 18 19 | | 26 27 | | | | | | | | | |
| R | First | 1250 | 1250 | ⇑ | | ⇑ | | 0 2 | ⇓ | 0 3 | ⇓ | 1 4 | ⇓ | 2 5 | ⇓ | 3 7 | ⇓ | 5 9 | ⇓ | 7 11 | ⇓ | 11 16 | ⇓ | ⇑ | | | | | | | | | |
| | Second | 1250 | 2500 | | | | | 1 2 | | 3 4 | | 4 5 | | 6 7 | | 8 9 | | 12 13 | | 18 19 | | 26 27 | | | | | | | | | | | |

| Sample size code letter | Sample | Sample size | Cumulative sample size | Acceptable Quality Levels (normal inspection) | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 15 | | 25 | | 40 | | 65 | | 100 | | 150 | | 250 | | 400 | | 650 | | 1000 | | | | | | | | | | | |
| | | | | Ac | Re | Ac | Re | Ac | Re | Ac | Re | Ac | Re | Ac | Re | Ac | Re | Ac | Re | Ac | Re | Ac | Re | | | | | | | | | | |
| A | | | | • | | • | | • | | • | | • | | • | | • | | • | | • | | • | | | | | | | | | | | |
| B | First | 2 | 2 | 0 2 | ⇓ | 0 3 | ⇓ | 1 4 | ⇓ | 2 5 | ⇓ | 3 7 | ⇓ | 5 9 | ⇓ | 7 11 | ⇓ | 11 16 | ⇓ | 17 22 | ⇓ | 25 31 | ⇓ | | | | | | | | | | |
| | Second | 2 | 4 | 1 2 | | 3 4 | | 4 5 | | 6 7 | | 8 9 | | 12 13 | | 18 19 | | 26 27 | | 37 38 | | 56 57 | | | | | | | | | | | |
| C | First | 3 | 3 | 0 2 | ⇓ | 0 3 | ⇓ | 1 4 | ⇓ | 2 5 | ⇓ | 3 7 | ⇓ | 5 9 | ⇓ | 7 11 | ⇓ | 11 16 | ⇓ | 17 22 | ⇓ | 25 31 | ⇓ | | | | | | | | | | |
| | Second | 3 | 6 | 1 2 | | 3 4 | | 4 5 | | 6 7 | | 8 9 | | 12 13 | | 18 19 | | 26 27 | | 37 38 | | 56 57 | | | | | | | | | | | |
| D | First | 5 | 5 | 1 4 | ⇓ | 2 5 | ⇓ | 3 7 | ⇓ | 5 9 | ⇓ | 7 11 | ⇓ | 11 16 | ⇓ | 17 22 | ⇓ | 25 31 | ⇓ | | | | | | | | | | | | | | |
| | Second | 4 5 | 10 | | | 6 7 | | 8 9 | | 12 13 | | 18 19 | | 26 27 | | 37 38 | | 56 57 | | | | | | | | | | | | | | | |
| E | First | 8 | 8 | 2 5 | ⇓ | 3 7 | ⇓ | 5 9 | ⇓ | 7 11 | ⇓ | 11 16 | ⇓ | 17 22 | ⇓ | 25 31 | ⇓ | | | | | | | | | | | | | | | | |
| | Second | 6 7 | 16 | | | 8 9 | | 12 13 | | 18 19 | | 26 27 | | 37 38 | | 56 57 | | | | | | | | | | | | | | | | | |
| F | First | 13 | 13 | 3 7 | ⇓ | 5 9 | ⇓ | 7 11 | ⇓ | 11 16 | ⇓ | | | | | | | | | | | | | | | | | | | | | | |
| | Second | 8 9 | 26 | | | 12 13 | | 18 19 | | 26 27 | | | | | | | | | | | | | | | | | | | | | | | |
| G | First | 20 | 20 | 5 9 | ⇓ | 7 11 | ⇓ | 11 16 | ⇓ | | | | | | | | | | | | | | | | | | | | | | | | |
| | Second | 12 13 | 40 | 18 19 | | 26 27 | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| H | First | 32 | 32 | 7 11 | ⇓ | 11 16 | ⇓ | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | Second | 18 19 | 64 | 26 27 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| J | First | 50 | 50 | 11 16 | ⇓ | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | Second | 26 27 | 100 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| K | First | 80 | 80 | ⇑ | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | Second | | 160 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| L | First | 125 | 125 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | Second | | 250 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| M | First | 200 | 200 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | Second | | 400 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| N | First | 315 | 315 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | Second | | 630 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| P | First | 500 | 500 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | Second | | 1000 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Q | First | 800 | 800 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | Second | | 1600 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| R | First | 1250 | 1250 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | Second | | 2500 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |

⇓ = Use first sampling plan below arrow. If sample size equals or exceeds lot or batch size, do 100 percent inspection.

⇑ = Use first sampling plan above arrow.

• = Use corresponding single sampling plan (or alternatively, use double sampling plan below, where available).

Ac = Acceptance number.

Re = Rejection number.

**Table III - B. Double Sampling Plans for Tightened Inspection (Master Table).**

| Sample size code letter | Sample | Sample size | Cumulative sample size | Acceptable Quality Levels (normal inspection) | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 0.010 | | 0.015 | | 0.025 | | 0.040 | | 0.065 | | 0.10 | | 0.15 | | 0.25 | | 0.40 | | 0.65 | | 1.0 | | 1.5 | | 2.5 | | 4.0 | | 6.5 | | 10 | | 15 | | 25 | | 40 | | 65 | | 100 | | 150 | | 250 | | 400 | | 650 | | 1000 | |
| | | | | Ac | Re | Ac | Re | Ac | Re | Ac | Re | Ac | Re | Ac | Re | Ac | Re | Ac | Re | Ac | Re | Ac | Re | Ac | Re | Ac | Re | Ac | Re | Ac | Re | Ac | Re | Ac | Re | Ac | Re | Ac | Re | Ac | Re | Ac | Re | Ac | Re | Ac | Re | Ac | Re | Ac | Re | Ac | Re |
| A | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | • | | • | | • | | • | | • | | • | | • | | • | |
| B | First | 2 | 2 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | 0 2 | | 0 3 | | 1 4 | | 2 5 | | 3 7 | | 6 10 | | 9 14 | | 15 20 | | 23 29 | |
| | Second | 2 | 4 | | | | | | | | | | | | | | | | | | | | | | | | | | | • | | | | 1 2 | | 3 4 | | 4 5 | | 6 7 | | 11 12 | | 15 16 | | 23 24 | | 34 35 | | 52 53 | |
| C | First | 3 | 3 | | | | | | | | | | | | | | | | | | | | | | | | | • | | | | 0 2 | | 0 3 | | 1 4 | | 2 5 | | 3 7 | | 6 10 | | 9 14 | | 15 20 | | 23 29 | |
| | Second | 3 | 6 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | 1 2 | | 3 4 | | 4 5 | | 6 7 | | 11 12 | | 15 16 | | 23 24 | | 34 35 | | 52 53 | |
| D | First | 5 | 5 | | | | | | | | | | | | | | | | | | | | | | | • | | | | | | 0 2 | | 0 3 | | 1 4 | | 2 5 | | 3 7 | | 6 10 | | 9 14 | | 15 20 | | 23 29 | | |
| | Second | 5 | 10 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | 1 2 | | 3 4 | | 4 5 | | 6 7 | | 11 12 | | 15 16 | | 23 24 | | 34 35 | | 52 53 | | |
| E | First | 8 | 8 | | | | | | | | | | | | | | | | | | | | | | | • | | | | 0 2 | | 0 3 | | 1 4 | | 2 5 | | 3 7 | | 6 10 | | 9 14 | | 15 20 | | 23 29 | | | |
| | Second | 8 | 16 | | | | | | | | | | | | | | | | | | | | | | | | | | | 1 2 | | 3 4 | | 4 5 | | 6 7 | | 11 12 | | 15 16 | | 23 24 | | 34 35 | | 52 53 | | | |
| F | First | 13 | 13 | | | | | | | | | | | | | | | | | | | | | • | | | | 0 2 | | 0 3 | | 1 4 | | 2 5 | | 3 7 | | 6 10 | | 9 14 | | | | | | | | | |
| | Second | 13 | 26 | | | | | | | | | | | | | | | | | | | | | | | | | 1 2 | | 3 4 | | 4 5 | | 6 7 | | 11 12 | | 15 16 | | 23 24 | | | | | | | | | |
| G | First | 20 | 20 | | | | | | | | | | | | | | | | | | | • | | | | 0 2 | | 0 3 | | 1 4 | | 2 5 | | 3 7 | | 6 10 | | 9 14 | | | | | | | | | | | |
| | Second | 20 | 40 | | | | | | | | | | | | | | | | | | | | | | | 1 2 | | 3 4 | | 4 5 | | 6 7 | | 11 12 | | 15 16 | | 23 24 | | | | | | | | | | | |
| H | First | 32 | 32 | | | | | | | | | | | | | | | | | • | | | | | | 0 2 | | 0 3 | | 1 4 | | 2 5 | | 3 7 | | 6 10 | | 9 14 | | | | | | | | | | | |
| | Second | 32 | 64 | | | | | | | | | | | | | | | | | | | | | | | 1 2 | | 3 4 | | 4 5 | | 6 7 | | 11 12 | | 15 16 | | 23 24 | | | | | | | | | | | |
| J | First | 50 | 50 | | | | | | | | | | | | | | | • | | | | | | 0 2 | | 0 3 | | 1 4 | | 2 5 | | 3 7 | | 6 10 | | 9 14 | | | | | | | | | | | | | |
| | Second | 50 | 100 | | | | | | | | | | | | | | | | | | | | | 1 2 | | 3 4 | | 4 5 | | 6 7 | | 11 12 | | 15 16 | | 23 24 | | | | | | | | | | | | | |
| K | First | 80 | 80 | | | | | | | | | | | | | • | | | | | | 0 2 | | 0 3 | | 1 4 | | 2 5 | | 3 7 | | 6 10 | | 9 14 | | | | | | | | | | | | | | | |
| | Second | 80 | 160 | | | | | | | | | | | | | | | | | | | 1 2 | | 3 4 | | 4 5 | | 6 7 | | 11 12 | | 15 16 | | 23 24 | | | | | | | | | | | | | | | |
| L | First | 125 | 125 | | | | | | | | | | | | | | | | | 0 2 | | 0 3 | | 1 4 | | 2 5 | | 3 7 | | 6 10 | | 9 14 | | | | | | | | | | | | | | | | | |
| | Second | 125 | 250 | | | | | | | | | | | | | | | | | 1 2 | | 3 4 | | 4 5 | | 6 7 | | 11 12 | | 15 16 | | 23 24 | | | | | | | | | | | | | | | | | |
| M | First | 200 | 200 | | | | | | | | | | | | | | | | | 0 2 | | 0 3 | | 1 4 | | 2 5 | | 3 7 | | 6 10 | | 9 14 | | | | | | | | | | | | | | | | | |
| | Second | 200 | 400 | | | | | | | | | | | | | | | | | 1 2 | | 3 4 | | 4 5 | | 6 7 | | 11 12 | | 15 16 | | 23 24 | | | | | | | | | | | | | | | | | |
| N | First | 315 | 315 | | | | | | | | | | | | | | | | | 0 2 | | 0 3 | | 1 4 | | 2 5 | | 3 7 | | 6 10 | | 9 14 | | | | | | | | | | | | | | | | | |
| | Second | 315 | 630 | | | | | | | | | | | | | | | | | 1 2 | | 3 4 | | 4 5 | | 6 7 | | 11 12 | | 15 16 | | 23 24 | | | | | | | | | | | | | | | | | |
| P | First | 500 | 500 | | | | | | | | | | | | | | | | | 0 2 | | 0 3 | | 1 4 | | 2 5 | | 3 7 | | 6 10 | | 9 14 | | | | | | | | | | | | | | | | | |
| | Second | 500 | 1000 | | | | | | | | | | | | | | | | | 1 2 | | 3 4 | | 4 5 | | 6 7 | | 11 12 | | 15 16 | | 23 24 | | | | | | | | | | | | | | | | | |
| Q | First | 800 | 800 | | | | | | | | | | | | | | | | | 0 2 | | 0 3 | | 1 4 | | 2 5 | | 3 7 | | 6 10 | | 9 14 | | | | | | | | | | | | | | | | | |
| | Second | 800 | 1600 | | | | | | | | | | | | | | | | | 1 2 | | 3 4 | | 4 5 | | 6 7 | | 11 12 | | 15 16 | | 23 24 | | | | | | | | | | | | | | | | | |
| R | First | 1250 | 1250 | | | | | | | | | | | | | | | | | 0 2 | | 0 3 | | 1 4 | | 2 5 | | 3 7 | | 6 10 | | 9 14 | | | | | | | | | | | | | | | | | |
| | Second | 1250 | 2500 | | | | | | | | | | | | | | | | | 1 2 | | 3 4 | | 4 5 | | 6 7 | | 11 12 | | 15 16 | | 23 24 | | | | | | | | | | | | | | | | | |
| S | First | 2000 | 2000 | | | | | 0 2 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | Second | 2000 | 4000 | | | | | 1 2 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |

= Use first sampling plan below arrow. If sample size equals or exceeds lot or batch size, do 100 percent inspection.

= Use first sampling plan above arrow.

• = Use corresponding single sampling plan (or alternatively, use double sampling plan below, where available).

Ac = Acceptance number.

Re = Rejection number.

**Table III - C. Double Sampling Plans for Reduced Inspection (Master Table).**

| Sample size code letter | Sample | Sample size | Cumulative sample size | Acceptable Quality Levels (reduced inspection) ✝ | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 0.010 | | 0.015 | | 0.025 | | 0.040 | | 0.065 | | 0.10 | | 0.15 | | 0.25 | | 0.40 | | 0.65 | | 1.0 | | 1.5 | | 2.5 | | 4.0 | | 6.5 | | 10 | | 15 | | 25 | | 40 | | 65 | | 100 | | 150 | | 250 | | 400 | | 650 | | 1000 | |
| | | | | Ac | Re | Ac | Re | Ac | Re | Ac | Re | Ac | Re | Ac | Re | Ac | Re | Ac | Re | Ac | Re | Ac | Re | Ac | Re | Ac | Re | Ac | Re | Ac | Re | Ac | Re | Ac | Re | Ac | Re | Ac | Re | Ac | Re | Ac | Re | Ac | Re | Ac | Re | Ac | Re | Ac | Re | Ac | Re |
| A<br>B<br>C | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| D | First | 2 | 2 | | | | | | | | | | | | | | | | | | | | | | | | | | | 0 2 | | 0 3 | | 0 4 | | 0 4 | | 1 5 | | 2 7 | | 3 8 | | 5 10 | | 7 12 | | 11 17 | | | | | |
| | Second | 2 | 4 | | | | | | | | | | | | | | | | | | | | | | | | | | | 0 2 | | 0 4 | | 1 5 | | 3 6 | | 4 7 | | 6 9 | | 8 12 | | 12 16 | | 18 22 | | 26 30 | | | | | |
| E | First | 3 | 3 | | | | | | | | | | | | | | | | | | | | | | | | | 0 2 | | 0 3 | | 0 4 | | 0 4 | | 1 5 | | 2 7 | | 3 8 | | 5 10 | | 7 12 | | 11 17 | | | | | |
| | Second | 3 | 6 | | | | | | | | | | | | | | | | | | | | | | | | | 0 2 | | 0 4 | | 1 5 | | 3 6 | | 4 7 | | 6 9 | | 8 12 | | 12 16 | | 18 22 | | 26 30 | | | | | |
| F | First | 5 | 5 | | | | | | | | | | | | | | | | | | | | | | | 0 2 | | 0 3 | | 0 4 | | 0 4 | | 1 5 | | 2 7 | | 3 8 | | 5 10 | | | | | | | | | | | |
| | Second | 5 | 10 | | | | | | | | | | | | | | | | | | | | | | | 0 2 | | 0 4 | | 1 5 | | 3 6 | | 4 7 | | 6 9 | | 8 12 | | 12 16 | | | | | | | | | | | |
| G | First | 8 | 8 | | | | | | | | | | | | | | | | | | | | | 0 2 | | 0 3 | | 0 4 | | 0 4 | | 1 5 | | 2 7 | | 3 8 | | 5 10 | | | | | | | | | | | |
| | Second | 8 | 16 | | | | | | | | | | | | | | | | | | | | | 0 2 | | 0 4 | | 1 5 | | 3 6 | | 4 7 | | 6 9 | | 8 12 | | 12 16 | | | | | | | | | | | |
| H | First | 13 | 13 | | | | | | | | | | | | | | | | | | | | | 0 2 | | 0 3 | | 0 4 | | 0 4 | | 1 5 | | 2 7 | | 3 8 | | 5 10 | | | | | | | | | | | |
| | Second | 13 | 26 | | | | | | | | | | | | | | | | | | | | | 0 2 | | 0 4 | | 1 5 | | 3 6 | | 4 7 | | 6 9 | | 8 12 | | 12 16 | | | | | | | | | | | |
| J | First | 20 | 20 | | | | | | | | | | | | | | | | | | | 0 2 | | 0 3 | | 0 4 | | 0 4 | | 1 5 | | 2 7 | | 3 8 | | 5 10 | | | | | | | | | | | |
| | Second | 20 | 40 | | | | | | | | | | | | | | | | | | | 0 2 | | 0 4 | | 1 5 | | 3 6 | | 4 7 | | 6 9 | | 8 12 | | 12 16 | | | | | | | | | | | |
| K | First | 32 | 32 | | | | | | | | | | | | | | | | | 0 2 | | 0 3 | | 0 4 | | 0 4 | | 1 5 | | 2 7 | | 3 8 | | 5 10 | | | | | | | | | | | |
| | Second | 32 | 64 | | | | | | | | | | | | | | | | | 0 2 | | 0 4 | | 1 5 | | 3 6 | | 4 7 | | 6 9 | | 8 12 | | 12 16 | | | | | | | | | | | |
| L | First | 50 | 50 | | | | | | | | | | | | | | | 0 2 | | 0 3 | | 0 4 | | 0 4 | | 1 5 | | 2 7 | | 3 8 | | 5 10 | | | | | | | | | | | |
| | Second | 50 | 100 | | | | | | | | | | | | | | | 0 2 | | 0 4 | | 1 5 | | 3 6 | | 4 7 | | 6 9 | | 8 12 | | 12 16 | | | | | | | | | | | |
| M | First | 80 | 80 | | | | | | | | | | | | | 0 2 | | 0 3 | | 0 4 | | 0 4 | | 1 5 | | 2 7 | | 3 8 | | 5 10 | | | | | | | | | | | | | |
| | Second | 80 | 160 | | | | | | | | | | | | | 0 2 | | 0 4 | | 1 5 | | 3 6 | | 4 7 | | 6 9 | | 8 12 | | 12 16 | | | | | | | | | | | | | |
| N | First | 125 | 125 | | | | | | | | | | | 0 2 | | 0 3 | | 0 4 | | 0 4 | | 1 5 | | 2 7 | | 3 8 | | 5 10 | | | | | | | | | | | | | | | |
| | Second | 125 | 250 | | | | | | | | | | | 0 2 | | 0 4 | | 1 5 | | 3 6 | | 4 7 | | 6 9 | | 8 12 | | 12 16 | | | | | | | | | | | | | | | |
| P | First | 200 | 200 | | | | | | | | | 0 2 | | 0 3 | | 0 4 | | 0 4 | | 1 5 | | 2 7 | | 3 8 | | 5 10 | | | | | | | | | | | | | | | | | |
| | Second | 200 | 400 | | | | | | | | | 0 2 | | 0 4 | | 1 5 | | 3 6 | | 4 7 | | 6 9 | | 8 12 | | 12 16 | | | | | | | | | | | | | | | | | |
| Q | First | 315 | 315 | | | | | | | 0 2 | | 0 3 | | 0 4 | | 0 4 | | 1 5 | | 2 7 | | 3 8 | | 5 10 | | | | | | | | | | | | | | | | | | | |
| | Second | 315 | 630 | | | | | | | 0 2 | | 0 4 | | 1 5 | | 3 6 | | 4 7 | | 6 9 | | 8 12 | | 12 16 | | | | | | | | | | | | | | | | | | | |
| R | First | 500 | 500 | | | | | 0 2 | | 0 3 | | 0 4 | | 0 4 | | 1 5 | | 2 7 | | 3 8 | | 5 10 | | | | | | | | | | | | | | | | | | | | | |
| | Second | 500 | 1000 | | | | | 0 2 | | 0 4 | | 1 5 | | 3 6 | | 4 7 | | 6 9 | | 8 12 | | 12 16 | | | | | | | | | | | | | | | | | | | | | |

= Use first sampling plan below arrow. If sample size equals or exceeds lot or batch size, do 100 percent inspection.

= Use first sampling plan above arrow.

Ac = Acceptance number.

Re = Rejection number.

• = Use corresponding single sampling plan (or alternatively, use double sampling plan below, where available).

✝ = If, after the second sample, the acceptance number has been exceeded, but the rejection number has not been reached, accept the lot, but reinstate normal inspection.

## Table IV - A. Multiple Sampling Plans for Normal Inspection (Master Table).

| Sample size code letter | Sample | Sample size | Cumulative sample size | Acceptable Quality Levels (normal inspection) | | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 0.010 | 0.015 | 0.025 | 0.040 | 0.065 | 0.10 | 0.15 | 0.25 | 0.40 | 0.65 | 1.0 | 1.5 | 2.5 | 4.0 | 6.5 | 10 | 15 | 25 | 40 | 65 | 100 | 150 | 250 | 400 | 650 | 1000 |
| | | | | Ac Re | Ac Re | Ac Re | Ac Re | Ac Re | Ac Re | Ac Re | Ac Re | Ac Re | Ac Re | Ac Re | Ac Re | Ac Re | Ac Re | Ac Re | Ac Re | Ac Re | Ac Re | Ac Re | Ac Re | Ac Re | Ac Re | Ac Re | Ac Re | Ac Re | Ac Re |
| A | | | | ↓ | ↓ | ↓ | ↓ | ↓ | ↓ | ↓ | ↓ | ↓ | ↓ | ↓ | ↓ | ↓ | ↓ | • | ↓ | ↓ | • | • | • | • | • | • | • | • | • |
| B | | | | ↓ | ↓ | ↓ | ↓ | ↓ | ↓ | ↓ | ↓ | ↓ | ↓ | ↓ | ↓ | ↓ | • | ↑ | ↓ | ++ | ++ | ++ | ++ | ++ | ++ | ++ | ++ | ++ | ++ |
| C | | | | ↓ | ↓ | ↓ | ↓ | ↓ | ↓ | ↓ | ↓ | ↓ | ↓ | ↓ | ↓ | • | ↑ | ↓ | ++ | ++ | ++ | ++ | ++ | ++ | ++ | ++ | ++ | ++ | ↑ |
| D | First | 2 | 2 | ↓ | ↓ | ↓ | ↓ | ↓ | ↓ | ↓ | ↓ | ↓ | ↓ | ↓ | • | ↑ | ↓ | # 2 | # 2 | # 3 | # 4 | 0 4 | 0 5 | 1 7 | 2 9 | 4 12 | 6 16 | ↑ | ↑ |
| | Second | 2 | 4 | | | | | | | | | | | | | | | # 2 | 0 3 | 0 3 | 1 5 | 1 6 | 3 8 | 4 10 | 7 14 | 11 19 | 17 27 | | |
| | Third | 2 | 6 | | | | | | | | | | | | | | | 0 2 | 0 3 | 1 4 | 2 6 | 3 8 | 6 10 | 8 13 | 13 19 | 19 27 | 29 39 | | |
| | Fourth | 2 | 8 | | | | | | | | | | | | | | | 0 3 | 1 4 | 2 5 | 3 7 | 5 10 | 8 13 | 12 17 | 19 25 | 27 34 | 40 49 | | |
| | Fifth | 2 | 10 | | | | | | | | | | | | | | | 1 3 | 2 4 | 3 6 | 5 8 | 7 11 | 11 15 | 17 20 | 25 29 | 36 40 | 53 58 | | |
| | Sixth | 2 | 12 | | | | | | | | | | | | | | | 1 3 | 3 5 | 4 6 | 7 9 | 10 12 | 14 17 | 21 23 | 31 33 | 45 47 | 65 68 | | |
| | Seventh | 2 | 14 | | | | | | | | | | | | | | | 2 3 | 4 5 | 6 7 | 9 10 | 13 14 | 18 19 | 25 26 | 37 38 | 53 54 | 77 78 | | |
| E | First | 3 | 3 | ↓ | ↓ | ↓ | ↓ | ↓ | ↓ | ↓ | ↓ | ↓ | ↓ | • | ↑ | ↓ | # 2 | # 2 | # 3 | # 4 | 0 4 | 0 5 | 1 7 | 2 9 | 4 12 | 6 16 | ↑ | ↑ | ↑ |
| | Second | 3 | 6 | | | | | | | | | | | | | | # 2 | 0 3 | 0 3 | 1 5 | 1 6 | 3 8 | 4 10 | 7 14 | 11 19 | 17 27 | | | |
| | Third | 3 | 9 | | | | | | | | | | | | | | 0 2 | 0 3 | 1 4 | 2 6 | 3 8 | 6 10 | 8 13 | 13 19 | 19 27 | 29 39 | | | |
| | Fourth | 3 | 12 | | | | | | | | | | | | | | 0 3 | 1 4 | 2 5 | 3 7 | 5 10 | 8 13 | 12 17 | 19 25 | 27 34 | 40 49 | | | |
| | Fifth | 3 | 15 | | | | | | | | | | | | | | 1 3 | 2 4 | 3 6 | 5 8 | 7 11 | 11 15 | 17 20 | 25 29 | 36 40 | 53 58 | | | |
| | Sixth | 3 | 18 | | | | | | | | | | | | | | 1 3 | 3 5 | 4 6 | 7 9 | 10 12 | 14 17 | 21 23 | 31 33 | 45 47 | 65 68 | | | |
| | Seventh | 3 | 21 | | | | | | | | | | | | | | 2 3 | 4 5 | 6 7 | 9 10 | 13 14 | 18 19 | 25 26 | 37 38 | 53 54 | 77 78 | | | |
| F | First | 5 | 5 | ↓ | ↓ | ↓ | ↓ | ↓ | ↓ | ↓ | ↓ | ↓ | • | ↑ | ↓ | # 2 | # 2 | # 3 | # 4 | 0 4 | 0 5 | 1 7 | 2 9 | ↑ | ↑ | ↑ | ↑ | ↑ | ↑ |
| | Second | 5 | 10 | | | | | | | | | | | | | # 2 | 0 3 | 0 3 | 1 5 | 1 6 | 3 8 | 4 10 | 7 14 | | | | | | |
| | Third | 5 | 15 | | | | | | | | | | | | | 0 2 | 0 3 | 1 4 | 2 6 | 3 8 | 6 10 | 8 13 | 13 19 | | | | | | |
| | Fourth | 5 | 20 | | | | | | | | | | | | | 0 3 | 1 4 | 2 5 | 3 7 | 5 10 | 8 13 | 12 17 | 19 25 | | | | | | |
| | Fifth | 5 | 25 | | | | | | | | | | | | | 1 3 | 2 4 | 3 6 | 5 8 | 7 11 | 11 15 | 17 20 | 25 29 | | | | | | |
| | Sixth | 5 | 30 | | | | | | | | | | | | | 1 3 | 3 5 | 4 6 | 7 9 | 10 12 | 14 17 | 21 23 | 31 33 | | | | | | |
| | Seventh | 5 | 35 | | | | | | | | | | | | | 2 3 | 4 5 | 6 7 | 9 10 | 13 14 | 18 19 | 25 26 | 37 38 | | | | | | |
| G | First | 8 | 8 | ↓ | ↓ | ↓ | ↓ | ↓ | ↓ | ↓ | ↓ | • | ↑ | ↓ | # 2 | # 2 | # 3 | # 4 | 0 4 | 0 5 | 1 7 | 2 9 | ↑ | ↑ | ↑ | ↑ | ↑ | ↑ | ↑ |
| | Second | 8 | 16 | | | | | | | | | | | | # 2 | 0 3 | 0 3 | 1 5 | 1 6 | 3 8 | 4 10 | 7 14 | | | | | | | |
| | Third | 8 | 24 | | | | | | | | | | | | 0 2 | 0 3 | 1 4 | 2 6 | 3 8 | 6 10 | 8 13 | 13 19 | | | | | | | |
| | Fourth | 8 | 32 | | | | | | | | | | | | 0 3 | 1 4 | 2 5 | 3 7 | 5 10 | 8 13 | 12 17 | 19 25 | | | | | | | |
| | Fifth | 8 | 40 | | | | | | | | | | | | 1 3 | 2 4 | 3 6 | 5 8 | 7 11 | 11 15 | 17 20 | 25 29 | | | | | | | |
| | Sixth | 8 | 48 | | | | | | | | | | | | 1 3 | 3 5 | 4 6 | 7 9 | 10 12 | 14 17 | 21 23 | 31 33 | | | | | | | |
| | Seventh | 8 | 56 | | | | | | | | | | | | 2 3 | 4 5 | 6 7 | 9 10 | 13 14 | 18 19 | 25 26 | 37 38 | | | | | | | |
| H | First | 13 | 13 | ↓ | ↓ | ↓ | ↓ | ↓ | ↓ | ↓ | • | ↑ | ↓ | # 2 | # 2 | # 3 | # 4 | 0 4 | 0 5 | 1 7 | 2 9 | ↑ | ↑ | ↑ | ↑ | ↑ | ↑ | ↑ | ↑ |
| | Second | 13 | 26 | | | | | | | | | | | # 2 | 0 3 | 0 3 | 1 5 | 1 6 | 3 8 | 4 10 | 7 14 | | | | | | | | |
| | Third | 13 | 39 | | | | | | | | | | | 0 2 | 0 3 | 1 4 | 2 6 | 3 8 | 6 10 | 8 13 | 13 19 | | | | | | | | |
| | Fourth | 13 | 52 | | | | | | | | | | | 0 3 | 1 4 | 2 5 | 3 7 | 5 10 | 8 13 | 12 17 | 19 25 | | | | | | | | |
| | Fifth | 13 | 65 | | | | | | | | | | | 1 3 | 2 4 | 3 6 | 5 8 | 7 11 | 11 15 | 17 20 | 25 29 | | | | | | | | |
| | Sixth | 13 | 78 | | | | | | | | | | | 1 3 | 3 5 | 4 6 | 7 9 | 10 12 | 14 17 | 21 23 | 31 33 | | | | | | | | |
| | Seventh | 13 | 91 | | | | | | | | | | | 2 3 | 4 5 | 6 7 | 9 10 | 13 14 | 18 19 | 25 26 | 37 38 | | | | | | | | |
| J | First | 20 | 20 | ↓ | ↓ | ↓ | ↓ | ↓ | ↓ | • | ↑ | ↓ | # 2 | # 2 | # 3 | # 4 | 0 4 | 0 5 | 1 7 | 2 9 | ↑ | ↑ | ↑ | ↑ | ↑ | ↑ | ↑ | ↑ | ↑ |
| | Second | 20 | 40 | | | | | | | | | | # 2 | 0 3 | 0 3 | 1 5 | 1 6 | 3 8 | 4 10 | 7 14 | | | | | | | | | |
| | Third | 20 | 60 | | | | | | | | | | 0 2 | 0 3 | 1 4 | 2 6 | 3 8 | 6 10 | 8 13 | 13 19 | | | | | | | | | |
| | Fourth | 20 | 80 | | | | | | | | | | 0 3 | 1 4 | 2 5 | 3 7 | 5 10 | 8 13 | 12 17 | 19 25 | | | | | | | | | |
| | Fifth | 20 | 100 | | | | | | | | | | 1 3 | 2 4 | 3 6 | 5 8 | 7 11 | 11 15 | 17 20 | 25 29 | | | | | | | | | |
| | Sixth | 20 | 120 | | | | | | | | | | 1 3 | 3 5 | 4 6 | 7 9 | 10 12 | 14 17 | 21 23 | 31 33 | | | | | | | | | |
| | Seventh | 20 | 140 | | | | | | | | | | 2 3 | 4 5 | 6 7 | 9 10 | 13 14 | 18 19 | 25 26 | 37 38 | | | | | | | | | |

↓ = Use first sampling plan below arrow (refer to continuation of table on following page, when necessary). If sample size equals or exceeds lot or batch size, do 100 percent inspection.

↑ = Use first sampling plan above arrow.

• = Use corresponding single sampling plan (or alternatively, use double sampling plan below, where available).

++ = Use corresponding double sampling plan (or alternatively, use multiple sampling plan below, where available).

Ac = Acceptance number.

Re = Rejection number.

# = Acceptance not permitted at this sample size.

**Table IV - A. (continued).**

| Sample size code letter | Sample | Sample size | Cumulative sample size | Acceptable Quality Levels (normal inspection | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 0.010 | 0.015 | 0.025 | 0.040 | 0.065 | 0.10 | 0.15 | 0.25 | 0.40 | 0.65 | 1.0 | 1.5 | 2.5 | 4.0 | 6.5 | 10 |
| | | | | Ac Re | Ac Re | Ac Re | Ac Re | Ac Re | Ac Re | Ac Re | Ac Re | Ac Re | Ac Re | Ac Re | Ac Re | Ac Re | Ac Re | Ac Re | Ac Re |
| K | First | 32 | 32 | ↓ | ↓ | ↓ | ↓ | ↓ | • | ↑ | ↓ | # 2 | # 2 | # 3 | # 4 | 0 4 | 0 5 | 1 7 | 2 9 |
| | Second | 32 | 64 | | | | | | | | | # 2 | 0 3 | 0 3 | 1 5 | 1 6 | 3 8 | 4 10 | 7 14 |
| | Third | 32 | 96 | | | | | | | | | 0 2 | 0 3 | 1 4 | 2 6 | 3 8 | 6 10 | 8 13 | 13 19 |
| | Fourth | 32 | 128 | | | | | | | | | 0 3 | 1 4 | 2 5 | 3 7 | 5 10 | 8 13 | 12 17 | 19 25 |
| | Fifth | 32 | 160 | | | | | | | | | 1 3 | 2 4 | 3 6 | 5 8 | 7 11 | 11 15 | 17 20 | 25 29 |
| | Sixth | 32 | 192 | | | | | | | | | 1 3 | 3 5 | 4 6 | 7 9 | 10 12 | 14 17 | 21 23 | 31 33 |
| | Seventh | 32 | 224 | | | | | | | | | 2 3 | 4 5 | 6 7 | 9 10 | 13 14 | 18 19 | 25 26 | 37 38 |
| L | First | 50 | 50 | | | | ↓ | • | ↑ | ↓ | # 2 | # 2 | # 3 | # 4 | 0 4 | 0 5 | 1 7 | 2 9 | ↓ |
| | Second | 50 | 100 | | | | | | | | # 2 | 0 3 | 0 3 | 1 5 | 1 6 | 3 8 | 4 10 | 7 14 | |
| | Third | 50 | 150 | | | | | | | | 0 2 | 0 3 | 1 4 | 2 6 | 3 8 | 6 10 | 8 13 | 13 19 | |
| | Fourth | 50 | 200 | | | | | | | | 0 3 | 1 4 | 2 5 | 3 7 | 5 10 | 8 13 | 12 17 | 19 25 | |
| | Fifth | 50 | 250 | | | | | | | | 1 3 | 2 4 | 3 6 | 5 8 | 7 11 | 11 15 | 17 20 | 25 29 | |
| | Sixth | 50 | 300 | | | | | | | | 1 3 | 3 5 | 4 6 | 7 9 | 10 12 | 14 17 | 21 23 | 31 33 | |
| | Seventh | 50 | 350 | | | | | | | | 2 3 | 4 5 | 6 7 | 9 10 | 13 14 | 18 19 | 25 26 | 37 38 | |
| M | First | 80 | 80 | | | | • | ↑ | ↓ | # 2 | # 2 | # 3 | # 4 | 0 4 | 0 5 | 1 7 | 2 9 | ↓ | |
| | Second | 80 | 160 | | | | | | | # 2 | 0 3 | 0 3 | 1 5 | 1 6 | 3 8 | 4 10 | 7 14 | | |
| | Third | 80 | 240 | | | | | | | 0 2 | 0 3 | 1 4 | 2 6 | 3 8 | 6 10 | 8 13 | 13 19 | | |
| | Fourth | 80 | 320 | | | | | | | 0 3 | 1 4 | 2 5 | 3 7 | 5 10 | 8 13 | 12 17 | 19 25 | | |
| | Fifth | 80 | 400 | | | | | | | 1 3 | 2 4 | 3 6 | 5 8 | 7 11 | 11 15 | 17 20 | 25 29 | | |
| | Sixth | 80 | 480 | | | | | | | 1 3 | 3 5 | 4 6 | 7 9 | 10 12 | 14 17 | 21 23 | 31 33 | | |
| | Seventh | 80 | 560 | | | | | | | 2 3 | 4 5 | 6 7 | 9 10 | 13 14 | 18 19 | 25 26 | 37 38 | | |
| N | First | 125 | 125 | | | • | ↑ | ↓ | # 2 | # 2 | # 3 | # 4 | 0 4 | 0 5 | 1 7 | 2 9 | ↑ | | |
| | Second | 125 | 250 | | | | | | # 2 | 0 3 | 0 3 | 1 5 | 1 6 | 3 8 | 4 10 | 7 14 | | | |
| | Third | 125 | 375 | | | | | | 0 2 | 0 3 | 1 4 | 2 6 | 3 8 | 6 10 | 8 13 | 13 19 | | | |
| | Fourth | 125 | 500 | | | | | | 0 3 | 1 4 | 2 5 | 3 7 | 5 10 | 8 13 | 12 17 | 19 25 | | | |
| | Fifth | 125 | 625 | | | | | | 1 3 | 2 4 | 3 6 | 5 8 | 7 11 | 11 15 | 17 20 | 25 29 | | | |
| | Sixth | 125 | 750 | | | | | | 1 3 | 3 5 | 4 6 | 7 9 | 10 12 | 14 17 | 21 23 | 31 33 | | | |
| | Seventh | 125 | 875 | | | | | | 2 3 | 4 5 | 6 7 | 9 10 | 13 14 | 18 19 | 25 26 | 37 38 | | | |
| P | First | 200 | 200 | | • | ↑ | ↓ | # 2 | # 2 | # 3 | # 4 | 0 4 | 0 5 | 1 7 | 2 9 | ↑ | | | |
| | Second | 200 | 400 | | | | | # 2 | 0 3 | 0 3 | 1 5 | 1 6 | 3 8 | 4 10 | 7 14 | | | | |
| | Third | 200 | 600 | | | | | 0 2 | 0 3 | 1 4 | 2 6 | 3 8 | 6 10 | 8 13 | 13 19 | | | | |
| | Fourth | 200 | 800 | | | | | 0 3 | 1 4 | 2 5 | 3 7 | 5 10 | 8 13 | 12 17 | 19 25 | | | | |
| | Fifth | 200 | 1000 | | | | | 1 3 | 2 4 | 3 6 | 5 8 | 7 11 | 11 15 | 17 20 | 25 29 | | | | |
| | Sixth | 200 | 1200 | | | | | 1 3 | 3 5 | 4 6 | 7 9 | 10 12 | 14 17 | 21 23 | 31 33 | | | | |
| | Seventh | 200 | 1400 | | | | | 2 3 | 4 5 | 6 7 | 9 10 | 13 14 | 18 19 | 25 26 | 37 38 | | | | |
| Q | First | 315 | 315 | • | ↑ | ↓ | # 2 | # 2 | # 3 | # 4 | 0 4 | 0 5 | 1 7 | 2 9 | ↑ | | | | |
| | Second | 315 | 630 | | | | # 2 | 0 3 | 0 3 | 1 5 | 1 6 | 3 8 | 4 10 | 7 14 | | | | | |
| | Third | 315 | 945 | | | | 0 2 | 0 3 | 1 4 | 2 6 | 3 8 | 6 10 | 8 13 | 13 19 | | | | | |
| | Fourth | 315 | 1260 | | | | 0 3 | 1 4 | 2 5 | 3 7 | 5 10 | 8 13 | 12 17 | 19 25 | | | | | |
| | Fifth | 315 | 1575 | | | | 1 3 | 2 4 | 3 6 | 5 8 | 7 11 | 11 15 | 17 20 | 25 29 | | | | | |
| | Sixth | 315 | 1890 | | | | 1 3 | 3 5 | 4 6 | 7 9 | 10 12 | 14 17 | 21 23 | 31 33 | | | | | |
| | Seventh | 315 | 2205 | | | | 2 3 | 4 5 | 6 7 | 9 10 | 13 14 | 18 19 | 25 26 | 37 38 | | | | | |
| R | First | 500 | 500 | ↑ | ↓ | # 2 | # 2 | # 3 | # 4 | 0 4 | 0 5 | 1 7 | 2 9 | ↑ | | | | | |
| | Second | 500 | 1000 | | | # 2 | 0 3 | 0 3 | 1 5 | 1 6 | 3 8 | 4 10 | 7 14 | | | | | | |
| | Third | 500 | 1500 | | | 0 2 | 0 3 | 1 4 | 2 6 | 3 8 | 6 10 | 8 13 | 13 19 | | | | | | |
| | Fourth | 500 | 2000 | | | 0 3 | 1 4 | 2 5 | 3 7 | 5 10 | 8 13 | 12 17 | 19 25 | | | | | | |
| | Fifth | 500 | 2500 | | | 1 3 | 2 4 | 3 6 | 5 8 | 7 11 | 11 15 | 17 20 | 25 29 | | | | | | |
| | Sixth | 500 | 3000 | | | 1 3 | 3 5 | 4 6 | 7 9 | 10 12 | 14 17 | 21 23 | 31 33 | | | | | | |
| | Seventh | 500 | 3500 | | | 2 3 | 4 5 | 6 7 | 9 10 | 13 14 | 18 19 | 25 26 | 37 38 | | | | | | |

↓ = Use first sampling plan below arrow (refer to continuation of table on following page, when necessary). If sample size equals or exceeds lot or batch size, do 1

• = Use corresponding single sampling plan (or alternatively, use double sampling plan below, where available). Ac = Acceptance number.

++ = Use corresponding double sampling plan (or alternatively, use multiple sampling plan below, where available). # = Acceptance not permitt

**Table IV - B. Multiple Sampling Plans for Tightened Inspection (Master Table).**

| Sample size code letter | Sample | Sample size | Cumulative sample size | Acceptable Quality Levels (tightened inspection) | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 0.010 | | 0.015 | | 0.025 | | 0.040 | | 0.065 | | 0.10 | | 0.15 | | 0.25 | | 0.40 | | 0.65 | | 1.0 | | 1.5 | | 2.5 | | 4.0 | | 6.5 | | 10 | | 15 | | 25 | | 40 | | 65 | | 100 | | 150 | | 250 | | 400 | | 650 | | 1000 | |
| | | | | Ac | Re | Ac | Re | Ac | Re | Ac | Re | Ac | Re | Ac | Re | Ac | Re | Ac | Re | Ac | Re | Ac | Re | Ac | Re | Ac | Re | Ac | Re | Ac | Re | Ac | Re | Ac | Re | Ac | Re | Ac | Re | Ac | Re | Ac | Re | Ac | Re | Ac | Re | Ac | Re | Ac | Re | Ac | Re | Ac | Re |
| A<br>B<br>C | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | • | | | | ++ | | ++ | | ++ | | ++ | | ++ | | ++ | | ++ | | ++ | | ++ | | ++ | |
| D | First | 2 | 2 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | # | 2 | # | 2 | # | 3 | # | 4 | 0 | 4 | 0 | 6 | 1 | 8 | 3 | 10 | 6 | 15 | | |
| | Second | 2 | 4 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | # | 2 | 0 | 3 | 0 | 3 | 1 | 5 | 2 | 7 | 3 | 9 | 6 | 12 | 10 | 17 | 16 | 25 | | |
| | Third | 2 | 6 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | 0 | 2 | 0 | 3 | 1 | 4 | 2 | 6 | 4 | 9 | 7 | 12 | 11 | 17 | 17 | 24 | 26 | 36 | | |
| | Fourth | 2 | 8 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | 0 | 3 | 1 | 4 | 2 | 5 | 3 | 7 | 6 | 11 | 10 | 15 | 16 | 22 | 24 | 31 | 37 | 46 | | |
| | Fifth | 2 | 10 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | 1 | 3 | 2 | 4 | 3 | 6 | 5 | 8 | 9 | 12 | 14 | 17 | 22 | 25 | 32 | 37 | 49 | 55 | | |
| | Sixth | 2 | 12 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | 1 | 3 | 3 | 5 | 4 | 6 | 7 | 9 | 12 | 14 | 18 | 20 | 27 | 29 | 40 | 43 | 61 | 64 | | |
| | Seventh | 2 | 14 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | 2 | 3 | 4 | 5 | 6 | 7 | 9 | 10 | 14 | 15 | 21 | 22 | 32 | 33 | 48 | 49 | 72 | 73 | | |
| E | First | 3 | 3 | | | | | | | | | | | | | | | | | | | | | | | | | | | # | 2 | # | 2 | # | 3 | # | 4 | 0 | 4 | 0 | 6 | 1 | 8 | 3 | 10 | 6 | 15 | | |
| | Second | 3 | 6 | | | | | | | | | | | | | | | | | | | | | | | | | | | # | 2 | 0 | 3 | 0 | 3 | 1 | 5 | 2 | 7 | 3 | 9 | 6 | 12 | 10 | 17 | 16 | 25 | | |
| | Third | 3 | 9 | | | | | | | | | | | | | | | | | | | | | | | | | | | 0 | 2 | 0 | 3 | 1 | 4 | 2 | 6 | 4 | 9 | 7 | 12 | 11 | 17 | 17 | 24 | 26 | 36 | | |
| | Fourth | 3 | 12 | | | | | | | | | | | | | | | | | | | | | | | | | | | 0 | 3 | 1 | 4 | 2 | 5 | 3 | 7 | 6 | 11 | 10 | 15 | 16 | 22 | 24 | 31 | 37 | 46 | | |
| | Fifth | 3 | 15 | | | | | | | | | | | | | | | | | | | | | | | | | | | 1 | 3 | 2 | 4 | 3 | 6 | 5 | 8 | 9 | 12 | 14 | 17 | 22 | 25 | 32 | 37 | 49 | 55 | | |
| | Sixth | 3 | 18 | | | | | | | | | | | | | | | | | | | | | | | | | | | 1 | 3 | 3 | 5 | 4 | 6 | 7 | 9 | 12 | 14 | 18 | 20 | 27 | 29 | 40 | 43 | 61 | 64 | | |
| | Seventh | 3 | 21 | | | | | | | | | | | | | | | | | | | | | | | | | | | 2 | 3 | 4 | 5 | 6 | 7 | 9 | 10 | 14 | 15 | 21 | 22 | 32 | 33 | 48 | 49 | 72 | 73 | | |
| F | First | 5 | 5 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | # | 2 | # | 2 | # | 3 | # | 4 | 0 | 4 | 0 | 6 | 1 | 8 | | | | | | |
| | Second | 5 | 10 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | # | 2 | 0 | 3 | 0 | 4 | 1 | 5 | 2 | 7 | 3 | 9 | 6 | 12 | | | | | | |
| | Third | 5 | 15 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | 0 | 2 | 0 | 3 | 1 | 4 | 2 | 6 | 4 | 9 | 7 | 12 | 11 | 17 | | | | | | |
| | Fourth | 5 | 20 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | 0 | 3 | 1 | 4 | 2 | 5 | 3 | 7 | 6 | 11 | 10 | 15 | 16 | 22 | | | | | | |
| | Fifth | 5 | 25 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | 1 | 3 | 2 | 4 | 3 | 6 | 5 | 8 | 9 | 12 | 14 | 17 | 22 | 25 | | | | | | |
| | Sixth | 5 | 30 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | 1 | 3 | 3 | 5 | 4 | 6 | 7 | 9 | 12 | 14 | 18 | 20 | 27 | 29 | | | | | | |
| | Seventh | 5 | 35 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | 2 | 3 | 4 | 5 | 6 | 7 | 9 | 10 | 14 | 15 | 21 | 22 | 32 | 33 | | | | | | |
| G | First | 8 | 8 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | # | 2 | # | 2 | # | 3 | # | 4 | 0 | 4 | 0 | 6 | 1 | 8 | | | | | | |
| | Second | 8 | 16 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | # | 2 | 0 | 3 | 0 | 4 | 1 | 5 | 2 | 7 | 3 | 9 | 6 | 12 | | | | | | |
| | Third | 8 | 24 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | 0 | 2 | 0 | 3 | 1 | 4 | 2 | 6 | 4 | 9 | 7 | 12 | 11 | 17 | | | | | | |
| | Fourth | 8 | 32 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | 0 | 3 | 1 | 4 | 2 | 5 | 3 | 7 | 6 | 11 | 10 | 15 | 16 | 22 | | | | | | |
| | Fifth | 8 | 40 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | 1 | 3 | 2 | 4 | 3 | 6 | 5 | 8 | 9 | 12 | 14 | 17 | 22 | 25 | | | | | | |
| | Sixth | 8 | 48 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | 1 | 3 | 3 | 5 | 4 | 6 | 7 | 9 | 12 | 14 | 18 | 20 | 27 | 29 | | | | | | |
| | Seventh | 8 | 56 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | 2 | 3 | 4 | 5 | 6 | 7 | 9 | 10 | 14 | 15 | 21 | 22 | 32 | 33 | | | | | | |
| H | First | 13 | 13 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | # | 2 | # | 2 | # | 3 | # | 4 | 0 | 4 | 0 | 6 | 1 | 8 | | | | | | |
| | Second | 13 | 26 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | # | 2 | 0 | 3 | 0 | 4 | 1 | 5 | 2 | 7 | 3 | 9 | 6 | 12 | | | | | | |
| | Third | 13 | 39 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | 0 | 2 | 0 | 3 | 1 | 4 | 2 | 6 | 4 | 9 | 7 | 12 | 11 | 17 | | | | | | |
| | Fourth | 13 | 52 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | 0 | 3 | 1 | 4 | 2 | 5 | 3 | 7 | 6 | 11 | 10 | 15 | 16 | 22 | | | | | | |
| | Fifth | 13 | 65 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | 1 | 3 | 2 | 4 | 3 | 6 | 5 | 8 | 9 | 12 | 14 | 17 | 22 | 25 | | | | | | |
| | Sixth | 13 | 78 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | 1 | 3 | 3 | 5 | 4 | 6 | 7 | 9 | 12 | 14 | 18 | 20 | 27 | 29 | | | | | | |
| | Seventh | 13 | 91 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | 2 | 3 | 4 | 5 | 6 | 7 | 9 | 10 | 14 | 15 | 21 | 22 | 32 | 33 | | | | | | |
| J | First | 20 | 20 | | | | | | | | | | | | | | | | | | | | | # | 2 | # | 2 | # | 3 | # | 4 | 0 | 4 | 0 | 6 | 1 | 8 | | | | | | | | | | | | | | |
| | Second | 20 | 40 | | | | | | | | | | | | | | | | | | | | | # | 2 | 0 | 3 | 0 | 4 | 1 | 5 | 2 | 7 | 3 | 9 | 6 | 12 | | | | | | | | | | | | | | |
| | Third | 20 | 60 | | | | | | | | | | | | | | | | | | | | | 0 | 2 | 0 | 3 | 1 | 4 | 2 | 6 | 4 | 9 | 7 | 12 | 11 | 17 | | | | | | | | | | | | | | |
| | Fourth | 20 | 80 | | | | | | | | | | | | | | | | | | | | | 0 | 3 | 1 | 4 | 2 | 5 | 3 | 7 | 6 | 11 | 10 | 15 | 16 | 22 | | | | | | | | | | | | | | |
| | Fifth | 20 | 100 | | | | | | | | | | | | | | | | | | | | | 1 | 3 | 2 | 4 | 3 | 6 | 5 | 8 | 9 | 12 | 14 | 17 | 22 | 25 | | | | | | | | | | | | | | |
| | Sixth | 20 | 120 | | | | | | | | | | | | | | | | | | | | | 1 | 3 | 3 | 5 | 4 | 6 | 7 | 9 | 12 | 14 | 18 | 20 | 27 | 29 | | | | | | | | | | | | | | |
| | Seventh | 20 | 140 | | | | | | | | | | | | | | | | | | | | | 2 | 3 | 4 | 5 | 6 | 7 | 9 | 10 | 14 | 15 | 21 | 22 | 32 | 33 | | | | | | | | | | | | | | |

= Use first sampling plan below arrow (refer to continuation of table on following page, when necessary). If sample size equals or exceeds lot or batch size, do 100 percent inspection.

= Use first sampling plan above arrow.

• = Use corresponding single sampling plan (or alternatively, use double sampling plan below, where available).

Ac = Acceptance number.

Re = Rejection number.

++ = Use corresponding double sampling plan (or alternatively, use multiple sampling plan below, where available).

# = Acceptance not permitted at this sample size.

Table IV - B. (continued).

| Sample size code letter | Sample | Sample size | Cumulative sample size | Acceptable Quality Levels (tightened inspection) | | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 0.010 | 0.015 | 0.025 | 0.040 | 0.065 | 0.10 | 0.15 | 0.25 | 0.40 | 0.65 | 1.0 | 1.5 | 2.5 | 4.0 | 6.5 | 10 | 15 | 25 | 40 | 65 | 100 | 150 | 250 | 400 | 650 | 1000 |
| | | | | Ac Re | Ac Re | Ac Re | Ac Re | Ac Re | Ac Re | Ac Re | Ac Re | Ac Re | Ac Re | Ac Re | Ac Re | Ac Re | Ac Re | Ac Re | Ac Re | Ac Re | Ac Re | Ac Re | Ac Re | Ac Re | Ac Re | Ac Re | Ac Re | Ac Re | Ac Re |
| K | First | 32 | 32 | ↓ | ↓ | ↓ | ↓ | ↓ | ↓ | • | ↓ | ↓ | # 2 | # 2 | # 3 | # 4 | 0 4 | 0 6 | 1 8 | ↑ | ↑ | ↑ | ↑ | ↑ | ↑ | ↑ | ↑ | ↑ | ↑ |
| | Second | 32 | 64 | | | | | | | | | | # 2 | 0 3 | 0 4 | 1 5 | 2 7 | 3 9 | 6 12 | | | | | | | | | | |
| | Third | 32 | 96 | | | | | | | | | | 0 2 | 0 3 | 1 4 | 2 6 | 4 9 | 7 12 | 11 17 | | | | | | | | | | |
| | Fourth | 32 | 128 | | | | | | | | | | 0 3 | 1 4 | 2 5 | 3 7 | 6 11 | 10 15 | 16 22 | | | | | | | | | | |
| | Fifth | 32 | 160 | | | | | | | | | | 1 3 | 2 4 | 3 6 | 5 8 | 9 12 | 14 17 | 22 25 | | | | | | | | | | |
| | Sixth | 32 | 192 | | | | | | | | | | 1 3 | 3 5 | 4 6 | 7 9 | 12 14 | 18 20 | 27 29 | | | | | | | | | | |
| | Seventh | 32 | 224 | | | | | | | | | | 2 3 | 4 5 | 6 7 | 9 10 | 14 15 | 21 22 | 32 33 | | | | | | | | | | |
| L | First | 50 | 50 | ↓ | ↓ | ↓ | ↓ | ↓ | • | ↓ | ↓ | # 2 | # 2 | # 3 | # 4 | 0 4 | 0 6 | 1 8 | ↑ | ↑ | ↑ | ↑ | ↑ | ↑ | ↑ | ↑ | ↑ | ↑ | ↑ |
| | Second | 50 | 100 | | | | | | | | | # 2 | 0 3 | 0 4 | 1 5 | 2 7 | 3 9 | 6 12 | | | | | | | | | | | |
| | Third | 50 | 150 | | | | | | | | | 0 2 | 0 3 | 1 4 | 2 6 | 4 9 | 7 12 | 11 17 | | | | | | | | | | | |
| | Fourth | 50 | 200 | | | | | | | | | 0 3 | 1 4 | 2 5 | 3 7 | 6 11 | 10 15 | 16 22 | | | | | | | | | | | |
| | Fifth | 50 | 250 | | | | | | | | | 1 3 | 2 4 | 3 6 | 5 8 | 9 12 | 14 17 | 22 25 | | | | | | | | | | | |
| | Sixth | 50 | 300 | | | | | | | | | 1 3 | 3 5 | 4 6 | 7 9 | 12 14 | 18 20 | 27 29 | | | | | | | | | | | |
| | Seventh | 50 | 350 | | | | | | | | | 2 3 | 4 5 | 6 7 | 9 10 | 14 15 | 21 22 | 32 33 | | | | | | | | | | | |
| M | First | 80 | 80 | ↓ | ↓ | ↓ | ↓ | • | ↓ | ↓ | # 2 | # 2 | # 3 | # 4 | 0 4 | 0 6 | 1 8 | ↑ | ↑ | ↑ | ↑ | ↑ | ↑ | ↑ | ↑ | ↑ | ↑ | ↑ | ↑ |
| | Second | 80 | 160 | | | | | | | | # 2 | 0 3 | 0 4 | 1 5 | 2 7 | 3 9 | 6 12 | | | | | | | | | | | | |
| | Third | 80 | 240 | | | | | | | | 0 2 | 0 3 | 1 4 | 2 6 | 4 9 | 7 12 | 11 17 | | | | | | | | | | | | |
| | Fourth | 80 | 320 | | | | | | | | 0 3 | 1 4 | 2 5 | 3 7 | 6 11 | 10 15 | 16 22 | | | | | | | | | | | | |
| | Fifth | 80 | 400 | | | | | | | | 1 3 | 2 4 | 3 6 | 5 8 | 9 12 | 14 17 | 22 25 | | | | | | | | | | | | |
| | Sixth | 80 | 480 | | | | | | | | 1 3 | 3 5 | 4 6 | 7 9 | 12 14 | 18 20 | 27 29 | | | | | | | | | | | | |
| | Seventh | 80 | 560 | | | | | | | | 2 3 | 4 5 | 6 7 | 9 10 | 14 15 | 21 22 | 32 33 | | | | | | | | | | | | |
| N | First | 125 | 125 | ↓ | ↓ | ↓ | • | ↓ | ↓ | # 2 | # 2 | # 3 | # 4 | 0 4 | 0 6 | 1 8 | ↑ | ↑ | ↑ | ↑ | ↑ | ↑ | ↑ | ↑ | ↑ | ↑ | ↑ | ↑ | ↑ |
| | Second | 125 | 250 | | | | | | | # 2 | 0 3 | 0 4 | 1 5 | 2 7 | 3 9 | 6 12 | | | | | | | | | | | | | |
| | Third | 125 | 375 | | | | | | | 0 2 | 0 3 | 1 4 | 2 6 | 4 9 | 7 12 | 11 17 | | | | | | | | | | | | | |
| | Fourth | 125 | 500 | | | | | | | 0 3 | 1 4 | 2 5 | 3 7 | 6 11 | 10 15 | 16 22 | | | | | | | | | | | | | |
| | Fifth | 125 | 625 | | | | | | | 1 3 | 2 4 | 3 6 | 5 8 | 9 12 | 14 17 | 22 25 | | | | | | | | | | | | | |
| | Sixth | 125 | 750 | | | | | | | 1 3 | 3 5 | 4 6 | 7 9 | 12 14 | 18 20 | 27 29 | | | | | | | | | | | | | |
| | Seventh | 125 | 875 | | | | | | | 2 3 | 4 5 | 6 7 | 9 10 | 14 15 | 21 22 | 32 33 | | | | | | | | | | | | | |
| P | First | 200 | 200 | ↓ | ↓ | • | ↓ | ↓ | # 2 | # 2 | # 3 | # 4 | 0 4 | 0 6 | 1 8 | ↑ | ↑ | ↑ | ↑ | ↑ | ↑ | ↑ | ↑ | ↑ | ↑ | ↑ | ↑ | ↑ | ↑ |
| | Second | 200 | 400 | | | | | | # 2 | 0 3 | 0 4 | 1 5 | 2 7 | 3 9 | 6 12 | | | | | | | | | | | | | | |
| | Third | 200 | 600 | | | | | | 0 2 | 0 3 | 1 4 | 2 6 | 4 9 | 7 12 | 11 17 | | | | | | | | | | | | | | |
| | Fourth | 200 | 800 | | | | | | 0 3 | 1 4 | 2 5 | 3 7 | 6 11 | 10 15 | 16 22 | | | | | | | | | | | | | | |
| | Fifth | 200 | 1000 | | | | | | 1 3 | 2 4 | 3 6 | 5 8 | 9 12 | 14 17 | 22 25 | | | | | | | | | | | | | | |
| | Sixth | 200 | 1200 | | | | | | 1 3 | 3 5 | 4 6 | 7 9 | 12 14 | 18 20 | 27 29 | | | | | | | | | | | | | | |
| | Seventh | 200 | 1400 | | | | | | 2 3 | 4 5 | 6 7 | 9 10 | 14 15 | 21 22 | 32 33 | | | | | | | | | | | | | | |
| Q | First | 315 | 315 | ↓ | • | ↓ | ↓ | # 2 | # 2 | # 3 | # 4 | 0 4 | 0 6 | 1 8 | ↑ | ↑ | ↑ | ↑ | ↑ | ↑ | ↑ | ↑ | ↑ | ↑ | ↑ | ↑ | ↑ | ↑ | ↑ |
| | Second | 315 | 630 | | | | | # 2 | 0 3 | 0 4 | 1 5 | 2 7 | 3 9 | 6 12 | | | | | | | | | | | | | | | |
| | Third | 315 | 945 | | | | | 0 2 | 0 3 | 1 4 | 2 6 | 4 9 | 7 12 | 11 17 | | | | | | | | | | | | | | | |
| | Fourth | 315 | 1260 | | | | | 0 3 | 1 4 | 2 5 | 3 7 | 6 11 | 10 15 | 16 22 | | | | | | | | | | | | | | | |
| | Fifth | 315 | 1575 | | | | | 1 3 | 2 4 | 3 6 | 5 8 | 9 12 | 14 17 | 22 25 | | | | | | | | | | | | | | | |
| | Sixth | 315 | 1890 | | | | | 1 3 | 3 5 | 4 6 | 7 9 | 12 14 | 18 20 | 27 29 | | | | | | | | | | | | | | | |
| | Seventh | 315 | 2205 | | | | | 2 3 | 4 5 | 6 7 | 9 10 | 14 15 | 21 22 | 32 33 | | | | | | | | | | | | | | | |
| R | First | 500 | 500 | | ↑ | ↓ | # 2 | # 2 | # 3 | # 4 | 0 4 | 0 6 | 1 8 | ↑ | ↑ | ↑ | ↑ | ↑ | ↑ | ↑ | ↑ | ↑ | ↑ | ↑ | ↑ | ↑ | ↑ | ↑ | ↑ |
| | Second | 500 | 1000 | | | | # 2 | 0 3 | 0 4 | 1 5 | 2 7 | 3 9 | 6 12 | | | | | | | | | | | | | | | | |
| | Third | 500 | 1500 | | | | 0 2 | 0 3 | 1 4 | 2 6 | 4 9 | 7 12 | 11 17 | | | | | | | | | | | | | | | | |
| | Fourth | 500 | 2000 | | | | 0 3 | 1 4 | 2 5 | 3 7 | 6 11 | 10 15 | 16 22 | | | | | | | | | | | | | | | | |
| | Fifth | 500 | 2500 | | | | 1 3 | 2 4 | 3 6 | 5 8 | 9 12 | 14 17 | 22 25 | | | | | | | | | | | | | | | | |
| | Sixth | 500 | 3000 | | | | 1 3 | 3 5 | 4 6 | 7 9 | 12 14 | 18 20 | 27 29 | | | | | | | | | | | | | | | | |
| | Seventh | 500 | 3500 | | | | 2 3 | 4 5 | 6 7 | 9 10 | 14 15 | 21 22 | 32 33 | | | | | | | | | | | | | | | | |
| S | First | 800 | 800 | | | # 2 | | | | | | | | | | | | | | | | | | | | | | | |
| | Second | 800 | 1600 | | | # 2 | | | | | | | | | | | | | | | | | | | | | | | |
| | Third | 800 | 2400 | | | 0 2 | | | | | | | | | | | | | | | | | | | | | | | |
| | Fourth | 800 | 3200 | | | 0 3 | | | | | | | | | | | | | | | | | | | | | | | |
| | Fifth | 800 | 4000 | | | 1 3 | | | | | | | | | | | | | | | | | | | | | | | |
| | Sixth | 800 | 4800 | | | 1 3 | | | | | | | | | | | | | | | | | | | | | | | |
| | Seventh | 800 | 5600 | | | 2 3 | | | | | | | | | | | | | | | | | | | | | | | |

## Table IV - C. Multiple Sampling Plans for Reduced Inspection (Master Table).

| Sample size code letter | Sample | Sample size | Cumulative sample size | Acceptable Quality Levels (reduced inspection)† | | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 0.010 | 0.015 | 0.025 | 0.040 | 0.065 | 0.10 | 0.15 | 0.25 | 0.40 | 0.65 | 1.0 | 1.5 | 2.5 | 4.0 | 6.5 | 10 | 15 | 25 | 40 | 65 | 100 | 150 | 250 | 400 | 650 | 1000 |
| | | | | Ac Re | Ac Re | Ac Re | Ac Re | Ac Re | Ac Re | Ac Re | Ac Re | Ac Re | Ac Re | Ac Re | Ac Re | Ac Re | Ac Re | Ac Re | Ac Re | Ac Re | Ac Re | Ac Re | Ac Re | Ac Re | Ac Re | Ac Re | Ac Re | Ac Re | Ac Re |
| A | | | | ↓ | ↓ | ↓ | ↓ | ↓ | ↓ | ↓ | ↓ | ↓ | ↓ | ↓ | ↓ | ↓ | ↓ | • | ↓ | ↓ | • | • | • | • | • | • | • | • | • |
| B | | | | ↓ | ↓ | ↓ | ↓ | ↓ | ↓ | ↓ | ↓ | ↓ | ↓ | ↓ | ↓ | ↓ | • | ↑ | ↓ | • | • | • | • | • | • | • | • | • | • |
| C | | | | ↓ | ↓ | ↓ | ↓ | ↓ | ↓ | ↓ | ↓ | ↓ | ↓ | ↓ | ↓ | • | ↑ | ↓ | • | • | • | • | • | • | • | • | • | • | ↑ |
| D | | | | ↓ | ↓ | ↓ | ↓ | ↓ | ↓ | ↓ | ↓ | ↓ | ↓ | ↓ | • | ↑ | ↓ | ++ | ++ | ++ | ++ | ++ | ++ | ++ | ++ | ++ | ++ | ↑ | ↑ |
| E | | | | ↓ | ↓ | ↓ | ↓ | ↓ | ↓ | ↓ | ↓ | ↓ | ↓ | • | ↑ | ↓ | ++ | ++ | ++ | ++ | ++ | ++ | ++ | ++ | ++ | ++ | ↑ | ↑ | ↑ |
| F | First | 2 | 2 | ↓ | ↓ | ↓ | ↓ | ↓ | ↓ | ↓ | ↓ | ↓ | • | ↑ | ↓ | # 2 | # 2 | # 3 | # 3 | # 4 | # 4 | 0 5 | 0 6 | ↑ | ↑ | ↑ | ↑ | ↑ | ↑ |
| | Second | 2 | 4 | ↓ | ↓ | ↓ | ↓ | ↓ | ↓ | ↓ | ↓ | ↓ | | ↑ | ↓ | # 2 | # 3 | # 3 | 0 4 | 0 5 | 1 6 | 1 7 | 3 9 | ↑ | ↑ | ↑ | ↑ | ↑ | ↑ |
| | Third | 2 | 6 | ↓ | ↓ | ↓ | ↓ | ↓ | ↓ | ↓ | ↓ | ↓ | | ↑ | ↓ | 0 2 | 0 3 | 0 4 | 0 5 | 1 6 | 2 8 | 3 9 | 6 12 | ↑ | ↑ | ↑ | ↑ | ↑ | ↑ |
| | Fourth | 2 | 8 | ↓ | ↓ | ↓ | ↓ | ↓ | ↓ | ↓ | ↓ | ↓ | | ↑ | ↓ | 0 3 | 0 4 | 0 5 | 1 6 | 2 7 | 3 10 | 5 12 | 8 15 | ↑ | ↑ | ↑ | ↑ | ↑ | ↑ |
| | Fifth | 2 | 10 | ↓ | ↓ | ↓ | ↓ | ↓ | ↓ | ↓ | ↓ | ↓ | | ↑ | ↓ | 0 3 | 0 4 | 1 6 | 2 7 | 3 8 | 5 11 | 7 13 | 11 17 | ↑ | ↑ | ↑ | ↑ | ↑ | ↑ |
| | Sixth | 2 | 12 | ↓ | ↓ | ↓ | ↓ | ↓ | ↓ | ↓ | ↓ | ↓ | | ↑ | ↓ | 0 3 | 1 5 | 1 6 | 3 7 | 4 9 | 7 12 | 10 15 | 14 20 | ↑ | ↑ | ↑ | ↑ | ↑ | ↑ |
| | Seventh | 2 | 14 | ↓ | ↓ | ↓ | ↓ | ↓ | ↓ | ↓ | ↓ | ↓ | | ↑ | ↓ | 1 3 | 1 5 | 2 7 | 4 8 | 6 10 | 9 14 | 13 17 | 18 22 | ↑ | ↑ | ↑ | ↑ | ↑ | ↑ |
| G | First | 3 | 3 | ↓ | ↓ | ↓ | ↓ | ↓ | ↓ | ↓ | ↓ | • | ↑ | ↓ | # 2 | # 2 | # 3 | # 3 | # 4 | # 4 | 0 5 | 0 6 | ↑ | ↑ | ↑ | ↑ | ↑ | ↑ | ↑ |
| | Second | 3 | 6 | ↓ | ↓ | ↓ | ↓ | ↓ | ↓ | ↓ | ↓ | | ↑ | ↓ | # 2 | # 3 | # 3 | 0 4 | 0 5 | 1 6 | 1 7 | 3 9 | ↑ | ↑ | ↑ | ↑ | ↑ | ↑ | ↑ |
| | Third | 3 | 9 | ↓ | ↓ | ↓ | ↓ | ↓ | ↓ | ↓ | ↓ | | ↑ | ↓ | 0 2 | 0 3 | 0 4 | 0 5 | 1 6 | 2 8 | 3 9 | 6 12 | ↑ | ↑ | ↑ | ↑ | ↑ | ↑ | ↑ |
| | Fourth | 3 | 12 | ↓ | ↓ | ↓ | ↓ | ↓ | ↓ | ↓ | ↓ | | ↑ | ↓ | 0 3 | 0 4 | 0 5 | 1 6 | 2 7 | 3 10 | 5 12 | 8 15 | ↑ | ↑ | ↑ | ↑ | ↑ | ↑ | ↑ |
| | Fifth | 3 | 15 | ↓ | ↓ | ↓ | ↓ | ↓ | ↓ | ↓ | ↓ | | ↑ | ↓ | 0 3 | 0 4 | 1 6 | 2 7 | 3 8 | 5 11 | 7 13 | 11 17 | ↑ | ↑ | ↑ | ↑ | ↑ | ↑ | ↑ |
| | Sixth | 3 | 18 | ↓ | ↓ | ↓ | ↓ | ↓ | ↓ | ↓ | ↓ | | ↑ | ↓ | 0 3 | 1 5 | 1 6 | 3 7 | 4 9 | 7 12 | 10 15 | 14 20 | ↑ | ↑ | ↑ | ↑ | ↑ | ↑ | ↑ |
| | Seventh | 3 | 21 | ↓ | ↓ | ↓ | ↓ | ↓ | ↓ | ↓ | ↓ | | ↑ | ↓ | 1 3 | 1 5 | 2 7 | 4 8 | 6 10 | 9 14 | 13 17 | 18 22 | ↑ | ↑ | ↑ | ↑ | ↑ | ↑ | ↑ |
| H | First | 5 | 5 | ↓ | ↓ | ↓ | ↓ | ↓ | ↓ | ↓ | • | ↑ | ↓ | # 2 | # 2 | # 3 | # 3 | # 4 | # 4 | 0 5 | 0 6 | ↑ | ↑ | ↑ | ↑ | ↑ | ↑ | ↑ | ↑ |
| | Second | 5 | 10 | ↓ | ↓ | ↓ | ↓ | ↓ | ↓ | ↓ | | ↑ | ↓ | # 2 | # 3 | # 3 | 0 4 | 0 5 | 1 6 | 1 7 | 3 9 | ↑ | ↑ | ↑ | ↑ | ↑ | ↑ | ↑ | ↑ |
| | Third | 5 | 15 | ↓ | ↓ | ↓ | ↓ | ↓ | ↓ | ↓ | | ↑ | ↓ | 0 2 | 0 3 | 0 4 | 0 5 | 1 6 | 2 8 | 3 9 | 6 12 | ↑ | ↑ | ↑ | ↑ | ↑ | ↑ | ↑ | ↑ |
| | Fourth | 5 | 20 | ↓ | ↓ | ↓ | ↓ | ↓ | ↓ | ↓ | | ↑ | ↓ | 0 3 | 0 4 | 0 5 | 1 6 | 2 7 | 3 10 | 5 12 | 8 15 | ↑ | ↑ | ↑ | ↑ | ↑ | ↑ | ↑ | ↑ |
| | Fifth | 5 | 25 | ↓ | ↓ | ↓ | ↓ | ↓ | ↓ | ↓ | | ↑ | ↓ | 0 3 | 0 4 | 1 6 | 2 7 | 3 8 | 5 11 | 7 13 | 11 17 | ↑ | ↑ | ↑ | ↑ | ↑ | ↑ | ↑ | ↑ |
| | Sixth | 5 | 30 | ↓ | ↓ | ↓ | ↓ | ↓ | ↓ | ↓ | | ↑ | ↓ | 0 3 | 1 5 | 1 6 | 3 7 | 4 9 | 7 12 | 10 15 | 14 20 | ↑ | ↑ | ↑ | ↑ | ↑ | ↑ | ↑ | ↑ |
| | Seventh | 5 | 35 | ↓ | ↓ | ↓ | ↓ | ↓ | ↓ | ↓ | | ↑ | ↓ | 1 3 | 1 5 | 2 7 | 4 8 | 6 10 | 9 14 | 13 17 | 18 22 | ↑ | ↑ | ↑ | ↑ | ↑ | ↑ | ↑ | ↑ |
| J | First | 8 | 8 | ↓ | ↓ | ↓ | ↓ | ↓ | ↓ | • | ↑ | ↓ | # 2 | # 2 | # 3 | # 3 | # 4 | # 4 | 0 5 | 0 6 | ↑ | ↑ | ↑ | ↑ | ↑ | ↑ | ↑ | ↑ | ↑ |
| | Second | 8 | 16 | ↓ | ↓ | ↓ | ↓ | ↓ | ↓ | | ↑ | ↓ | # 2 | # 3 | # 3 | 0 4 | 0 5 | 1 6 | 1 7 | 3 9 | ↑ | ↑ | ↑ | ↑ | ↑ | ↑ | ↑ | ↑ | ↑ |
| | Third | 8 | 24 | ↓ | ↓ | ↓ | ↓ | ↓ | ↓ | | ↑ | ↓ | 0 2 | 0 3 | 0 4 | 0 5 | 1 6 | 2 8 | 3 9 | 6 12 | ↑ | ↑ | ↑ | ↑ | ↑ | ↑ | ↑ | ↑ | ↑ |
| | Fourth | 8 | 32 | ↓ | ↓ | ↓ | ↓ | ↓ | ↓ | | ↑ | ↓ | 0 3 | 0 4 | 0 5 | 1 6 | 2 7 | 3 10 | 5 12 | 8 15 | ↑ | ↑ | ↑ | ↑ | ↑ | ↑ | ↑ | ↑ | ↑ |
| | Fifth | 8 | 40 | ↓ | ↓ | ↓ | ↓ | ↓ | ↓ | | ↑ | ↓ | 0 3 | 0 4 | 1 6 | 2 7 | 3 8 | 5 11 | 7 13 | 11 17 | ↑ | ↑ | ↑ | ↑ | ↑ | ↑ | ↑ | ↑ | ↑ |
| | Sixth | 8 | 48 | ↓ | ↓ | ↓ | ↓ | ↓ | ↓ | | ↑ | ↓ | 0 3 | 1 5 | 1 6 | 3 7 | 4 9 | 7 12 | 10 15 | 14 20 | ↑ | ↑ | ↑ | ↑ | ↑ | ↑ | ↑ | ↑ | ↑ |
| | Seventh | 8 | 56 | ↓ | ↓ | ↓ | ↓ | ↓ | ↓ | | ↑ | ↓ | 1 3 | 1 5 | 2 7 | 4 8 | 6 10 | 9 14 | 13 17 | 18 22 | ↑ | ↑ | ↑ | ↑ | ↑ | ↑ | ↑ | ↑ | ↑ |
| K | First | 13 | 13 | ↓ | ↓ | ↓ | ↓ | ↓ | • | ↑ | ↓ | # 2 | # 2 | # 3 | # 3 | # 4 | # 4 | 0 5 | 0 6 | ↑ | ↑ | ↑ | ↑ | ↑ | ↑ | ↑ | ↑ | ↑ | ↑ |
| | Second | 13 | 26 | ↓ | ↓ | ↓ | ↓ | ↓ | | ↑ | ↓ | # 2 | # 3 | # 3 | 0 4 | 0 5 | 1 6 | 1 7 | 3 9 | ↑ | ↑ | ↑ | ↑ | ↑ | ↑ | ↑ | ↑ | ↑ | ↑ |
| | Third | 13 | 39 | ↓ | ↓ | ↓ | ↓ | ↓ | | ↑ | ↓ | 0 2 | 0 3 | 0 4 | 0 5 | 1 6 | 2 8 | 3 9 | 6 12 | ↑ | ↑ | ↑ | ↑ | ↑ | ↑ | ↑ | ↑ | ↑ | ↑ |
| | Fourth | 13 | 52 | ↓ | ↓ | ↓ | ↓ | ↓ | | ↑ | ↓ | 0 3 | 0 4 | 0 5 | 1 6 | 2 7 | 3 10 | 5 12 | 8 15 | ↑ | ↑ | ↑ | ↑ | ↑ | ↑ | ↑ | ↑ | ↑ | ↑ |
| | Fifth | 13 | 65 | ↓ | ↓ | ↓ | ↓ | ↓ | | ↑ | ↓ | 0 3 | 0 4 | 1 6 | 2 7 | 3 8 | 5 11 | 7 13 | 11 17 | ↑ | ↑ | ↑ | ↑ | ↑ | ↑ | ↑ | ↑ | ↑ | ↑ |
| | Sixth | 13 | 78 | ↓ | ↓ | ↓ | ↓ | ↓ | | ↑ | ↓ | 0 3 | 1 5 | 1 6 | 3 7 | 4 9 | 7 12 | 10 15 | 14 20 | ↑ | ↑ | ↑ | ↑ | ↑ | ↑ | ↑ | ↑ | ↑ | ↑ |
| | Seventh | 13 | 91 | ↓ | ↓ | ↓ | ↓ | ↓ | | ↑ | ↓ | 1 3 | 1 5 | 2 7 | 4 8 | 6 10 | 9 14 | 13 17 | 18 22 | ↑ | ↑ | ↑ | ↑ | ↑ | ↑ | ↑ | ↑ | ↑ | ↑ |

↓ = Use first sampling plan below arrow (refer to continuation of table on following page, when necessary). If sample size equals or exceeds lot or batch size, do 100 percent inspection.
↑ = Use first sampling plan above arrow.
• = Use corresponding single sampling plan (or alternatively, use double sampling plan below, where available).
++ = Use corresponding double sampling plan (or alternatively, use multiple sampling plan below, where available).
Ac = Acceptance number.
Re = Rejection number.
# = Acceptance not permitted at this sample size.
† = If, after the final sample, the acceptance number has been exceeded but the rejection number has not been reached, accept the lot but reinstate normal inspection.

**Table IV - C. (continued).**

| Sample size code letter | Sample | Sample size | Cumulative sample size | Acceptable Quality Levels (reduced inspection)† | | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 0.010 | 0.015 | 0.025 | 0.040 | 0.065 | 0.10 | 0.15 | 0.25 | 0.40 | 0.65 | 1.0 | 1.5 | 2.5 | 4.0 | 6.5 | 10 | 15 | 25 | 40 | 65 | 100 | 150 | 250 | 400 | 650 | 1000 |
| | | | | Ac Re | Ac Re | Ac Re | Ac Re | Ac Re | Ac Re | Ac Re | Ac Re | Ac Re | Ac Re | Ac Re | Ac Re | Ac Re | Ac Re | Ac Re | Ac Re | Ac Re | Ac Re | Ac Re | Ac Re | Ac Re | Ac Re | Ac Re | Ac Re | Ac Re | Ac Re |
| L | First | 20 | 20 | ↓ | ↓ | ↓ | ↓ | • | ↑ | ↓ | # 2 | # 2 | # 3 | # 3 | # 4 | # 4 | 0 5 | 0 6 | ↑ | ↑ | ↑ | ↑ | ↑ | ↑ | ↑ | ↑ | ↑ | ↑ | ↑ |
| | Second | 20 | 40 | | | | | | | | # 2 | # 3 | # 3 | 0 4 | 0 5 | 1 6 | 1 7 | 3 9 | | | | | | | | | | | |
| | Third | 20 | 60 | | | | | | | | 0 2 | 0 3 | 0 4 | 0 5 | 1 6 | 2 8 | 3 9 | 6 12 | | | | | | | | | | | |
| | Fourth | 20 | 80 | | | | | | | | 0 3 | 0 4 | 0 5 | 1 6 | 2 7 | 3 10 | 5 12 | 8 15 | | | | | | | | | | | |
| | Fifth | 20 | 100 | | | | | | | | 0 3 | 0 4 | 1 6 | 2 7 | 3 8 | 5 11 | 7 13 | 11 17 | | | | | | | | | | | |
| | Sixth | 20 | 120 | | | | | | | | 0 3 | 1 5 | 1 6 | 3 7 | 4 9 | 7 12 | 10 15 | 14 20 | | | | | | | | | | | |
| | Seventh | 20 | 140 | | | | | | | | 1 3 | 1 5 | 2 7 | 4 8 | 6 10 | 9 14 | 13 17 | 18 22 | | | | | | | | | | | |
| M | First | 32 | 32 | ↓ | ↓ | ↓ | • | ↑ | ↓ | # 2 | # 2 | # 3 | # 3 | # 4 | # 4 | 0 5 | 0 6 | ↑ | ↑ | ↑ | ↑ | ↑ | ↑ | ↑ | ↑ | ↑ | ↑ | ↑ | ↑ |
| | Second | 32 | 64 | | | | | | | # 2 | # 3 | # 3 | 0 4 | 0 5 | 1 6 | 1 7 | 3 9 | | | | | | | | | | | | |
| | Third | 32 | 96 | | | | | | | 0 2 | 0 3 | 0 4 | 0 5 | 1 6 | 2 8 | 3 9 | 6 12 | | | | | | | | | | | | |
| | Fourth | 32 | 128 | | | | | | | 0 3 | 0 4 | 0 5 | 1 6 | 2 7 | 3 10 | 5 12 | 8 15 | | | | | | | | | | | | |
| | Fifth | 32 | 160 | | | | | | | 0 3 | 0 4 | 1 6 | 2 7 | 3 8 | 5 11 | 7 13 | 11 17 | | | | | | | | | | | | |
| | Sixth | 32 | 192 | | | | | | | 0 3 | 1 5 | 1 6 | 3 7 | 4 9 | 7 12 | 10 15 | 14 20 | | | | | | | | | | | | |
| | Seventh | 32 | 224 | | | | | | | 1 3 | 1 5 | 2 7 | 4 8 | 6 10 | 9 14 | 13 17 | 18 22 | | | | | | | | | | | | |
| N | First | 50 | 50 | ↓ | ↓ | • | ↑ | ↓ | # 2 | # 2 | # 3 | # 3 | # 4 | # 4 | 0 5 | 0 6 | ↑ | ↑ | ↑ | ↑ | ↑ | ↑ | ↑ | ↑ | ↑ | ↑ | ↑ | ↑ | ↑ |
| | Second | 50 | 100 | | | | | | # 2 | # 3 | # 3 | 0 4 | 0 5 | 1 6 | 1 7 | 3 9 | | | | | | | | | | | | | |
| | Third | 50 | 150 | | | | | | 0 2 | 0 3 | 0 4 | 0 5 | 1 6 | 2 8 | 3 9 | 6 12 | | | | | | | | | | | | | |
| | Fourth | 50 | 200 | | | | | | 0 3 | 0 4 | 0 5 | 1 6 | 2 7 | 3 10 | 5 12 | 8 15 | | | | | | | | | | | | | |
| | Fifth | 50 | 250 | | | | | | 0 3 | 0 4 | 1 6 | 2 7 | 3 8 | 5 11 | 7 13 | 11 17 | | | | | | | | | | | | | |
| | Sixth | 50 | 300 | | | | | | 0 3 | 1 5 | 1 6 | 3 7 | 4 9 | 7 12 | 10 15 | 14 20 | | | | | | | | | | | | | |
| | Seventh | 50 | 350 | | | | | | 1 3 | 1 5 | 2 7 | 4 8 | 6 10 | 9 14 | 13 17 | 18 22 | | | | | | | | | | | | | |
| P | First | 80 | 80 | ↓ | • | ↑ | ↓ | # 2 | # 2 | # 3 | # 3 | # 4 | # 4 | 0 5 | 0 6 | ↑ | ↑ | ↑ | ↑ | ↑ | ↑ | ↑ | ↑ | ↑ | ↑ | ↑ | ↑ | ↑ | ↑ |
| | Second | 80 | 160 | | | | | # 2 | # 3 | # 3 | 0 4 | 0 5 | 1 6 | 1 7 | 3 9 | | | | | | | | | | | | | | |
| | Third | 80 | 240 | | | | | 0 2 | 0 3 | 0 4 | 0 5 | 1 6 | 2 8 | 3 9 | 6 12 | | | | | | | | | | | | | | |
| | Fourth | 80 | 320 | | | | | 0 3 | 0 4 | 0 5 | 1 6 | 2 7 | 3 10 | 5 12 | 8 15 | | | | | | | | | | | | | | |
| | Fifth | 80 | 400 | | | | | 0 3 | 0 4 | 1 6 | 2 7 | 3 8 | 5 11 | 7 13 | 11 17 | | | | | | | | | | | | | | |
| | Sixth | 80 | 480 | | | | | 0 3 | 1 5 | 1 6 | 3 7 | 4 9 | 7 12 | 10 15 | 14 20 | | | | | | | | | | | | | | |
| | Seventh | 80 | 560 | | | | | 1 3 | 1 5 | 2 7 | 4 8 | 6 10 | 9 14 | 13 17 | 18 22 | | | | | | | | | | | | | | |
| Q | First | 125 | 125 | • | ↑ | ↓ | # 2 | # 2 | # 3 | # 3 | # 4 | # 4 | 0 5 | 0 6 | ↑ | ↑ | ↑ | ↑ | ↑ | ↑ | ↑ | ↑ | ↑ | ↑ | ↑ | ↑ | ↑ | ↑ | ↑ |
| | Second | 125 | 250 | | | | # 2 | # 3 | # 3 | 0 4 | 0 5 | 1 6 | 1 7 | 3 9 | | | | | | | | | | | | | | | |
| | Third | 125 | 375 | | | | 0 2 | 0 3 | 0 4 | 0 5 | 1 6 | 2 8 | 3 9 | 6 12 | | | | | | | | | | | | | | | |
| | Fourth | 125 | 500 | | | | 0 3 | 0 4 | 0 5 | 1 6 | 2 7 | 3 10 | 5 12 | 8 15 | | | | | | | | | | | | | | | |
| | Fifth | 125 | 625 | | | | 0 3 | 0 4 | 1 6 | 2 7 | 3 8 | 5 11 | 7 13 | 11 17 | | | | | | | | | | | | | | | |
| | Sixth | 125 | 750 | | | | 0 3 | 1 5 | 1 6 | 3 7 | 4 9 | 7 12 | 10 15 | 14 20 | | | | | | | | | | | | | | | |
| | Seventh | 125 | 875 | | | | 1 3 | 1 5 | 2 7 | 4 8 | 6 10 | 9 14 | 13 17 | 18 22 | | | | | | | | | | | | | | | |
| R | First | 200 | 200 | ↑ | ↑ | # 2 | # 2 | # 3 | # 3 | # 4 | # 4 | 0 5 | 0 6 | ↑ | ↑ | ↑ | ↑ | ↑ | ↑ | ↑ | ↑ | ↑ | ↑ | ↑ | ↑ | ↑ | ↑ | ↑ | ↑ |
| | Second | 200 | 400 | | | # 2 | # 3 | # 3 | 0 4 | 0 5 | 1 6 | 1 7 | 3 9 | | | | | | | | | | | | | | | | |
| | Third | 200 | 600 | | | 0 2 | 0 3 | 0 4 | 0 5 | 1 6 | 2 8 | 3 9 | 6 12 | | | | | | | | | | | | | | | | |
| | Fourth | 200 | 800 | | | 0 3 | 0 4 | 0 5 | 1 6 | 2 7 | 3 10 | 5 12 | 8 15 | | | | | | | | | | | | | | | | |
| | Fifth | 200 | 1000 | | | 0 3 | 0 4 | 1 6 | 2 7 | 3 8 | 5 11 | 7 13 | 11 17 | | | | | | | | | | | | | | | | |
| | Sixth | 200 | 1200 | | | 0 3 | 1 5 | 1 6 | 3 7 | 4 9 | 7 12 | 10 15 | 14 20 | | | | | | | | | | | | | | | | |
| | Seventh | 200 | 1400 | | | 1 3 | 1 5 | 2 7 | 4 8 | 6 10 | 9 14 | 13 17 | 18 22 | | | | | | | | | | | | | | | | |

↓ = Use first sampling plan below arrow (refer to continuation of table on following page, when necessary). If sample size equals or exceeds lot or batch size, do 100 percent inspection.

↑ = Use first sampling plan above arrow.

• = Use corresponding single sampling plan (or alternatively, use double sampling plan below, where available).

Ac = Acceptance number.

Re = Rejection number.

++ = Use corresponding double sampling plan (or alternatively, use multiple sampling plan below, where available).

# = Acceptance not permitted at this sample size.

† = If, after the final sample, the acceptance number has been exceeded but the rejection number has not been reached, accept the lot but reinstate normal inspection.

**Table V-A. Average Outgoing Quality Limit Factors for Normal Inspection (Single Sampling) ***

| Code Letter | Sample size | Acceptable Quality Level | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | 0.010 | 0.015 | 0.025 | 0.040 | 0.065 | 0.10 | 0.15 | 0.25 | 0.40 | 0.65 | 1.0 | 1.5 | 2.5 | 4.0 | 6.5 | 10 | 15 | 25 | 40 | 65 | 100 | 150 | 250 | 400 | 650 | 1000 |
| A | 2 | | | | | | | | | | | | | | | 18 | | | 42 | 69 | 97 | 160 | 220 | 330 | 470 | 730 | 1100 |
| B | 3 | | | | | | | | | | | | | | 12 | | | 28 | 46 | 65 | 110 | 150 | 220 | 310 | 490 | 720 | 1100 |
| C | 5 | | | | | | | | | | | | | 7.4 | | | 17 | 27 | 39 | 63 | 90 | 130 | 190 | 290 | 430 | 660 | |
| D | 8 | | | | | | | | | | | | 4.6 | | | 11 | 17 | 24 | 40 | 56 | 82 | 120 | 180 | 270 | 410 | | |
| E | 13 | | | | | | | | | | | 2.8 | | | 6.5 | 11 | 15 | 24 | 34 | 50 | 72 | 110 | 170 | 250 | | | |
| F | 20 | | | | | | | | | | 1.8 | | | 4.2 | 6.9 | 9.7 | 16 | 22 | 33 | 47 | 73 | | | | | | |
| G | 32 | | | | | | | | | 1.2 | | | 2.6 | 4.3 | 6.1 | 9.9 | 14 | 21 | 29 | 46 | | | | | | | |
| H | 50 | | | | | | | | 0.74 | | | 1.7 | 2.7 | 3.9 | 6.3 | 9.0 | 13 | 19 | 29 | | | | | | | | |
| J | 80 | | | | | | | 0.46 | | | 1.1 | 1.7 | 2.4 | 4.0 | 5.6 | 8.2 | 12 | 18 | | | | | | | | | |
| K | 125 | | | | | | 0.29 | | | 0.67 | 1.1 | 1.6 | 2.5 | 3.6 | 5.2 | 7.5 | 12 | | | | | | | | | | |
| L | 200 | | | | | 0.18 | | | 0.42 | 0.69 | 0.97 | 1.6 | 2.2 | 3.3 | 4.7 | 7.3 | | | | | | | | | | | |
| M | 315 | | | | 0.12 | | | 0.27 | 0.44 | 0.62 | 1.00 | 1.4 | 2.1 | 3.0 | 4.7 | | | | | | | | | | | | |
| N | 500 | | | 0.074 | | | 0.17 | 0.27 | 0.39 | 0.63 | 0.90 | 1.3 | 1.9 | 2.9 | | | | | | | | | | | | | |
| P | 800 | | 0.046 | | | 0.11 | 0.17 | 0.24 | 0.40 | 0.56 | 0.82 | 1.2 | 1.8 | | | | | | | | | | | | | | |
| Q | 1250 | 0.029 | | | 0.067 | 0.11 | 0.16 | 0.25 | 0.36 | 0.52 | 0.75 | 1.2 | | | | | | | | | | | | | | | |
| R | 2000 | | | 0.042 | 0.069 | 0.097 | 0.16 | 0.22 | 0.33 | 0.47 | 0.73 | | | | | | | | | | | | | | | | |

* Note: For the exact AOQL, the above volume must be multiplied by $\left(1-\frac{\text{Sample size}}{\text{Lot or Batch size}}\right)$

**Table V-B. Average Outgoing Quality Limit Factors for Tightened Inspection (Single Sampling) ***

| Code Letter | Sample size | Acceptable Quality Level | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | 0.010 | 0.015 | 0.025 | 0.040 | 0.065 | 0.10 | 0.15 | 0.25 | 0.40 | 0.65 | 1.0 | 1.5 | 2.5 | 4.0 | 6.5 | 10 | 15 | 25 | 40 | 65 | 100 | 150 | 250 | 400 | 650 | 1000 |
| A | 2 | | | | | | | | | | | | | | | | | | | 42 | 69 | 97 | 160 | 260 | 400 | 620 | 970 |
| B | 3 | | | | | | | | | | | | | | | 12 | | | 28 | 46 | 65 | 110 | 170 | 270 | 410 | 650 | 1100 |
| C | 5 | | | | | | | | | | | | | | 7.4 | | | 17 | 27 | 39 | 63 | 100 | 160 | 250 | 390 | 610 | |
| D | 8 | | | | | | | | | | | | | 4.6 | | | 11 | 17 | 24 | 40 | 64 | 99 | 160 | 240 | 380 | | |
| E | 13 | | | | | | | | | | | | 2.8 | | | 6.5 | 11 | 15 | 24 | 40 | 61 | 95 | 150 | 240 | | | |
| F | 20 | | | | | | | | | | | 1.8 | | | 4.2 | 6.9 | 9.7 | 16 | 26 | 40 | 62 | | | | | | |
| G | 32 | | | | | | | | | | 1.2 | | | 2.6 | 4.3 | 6.1 | 9.9 | 16 | 25 | 39 | | | | | | | |
| H | 50 | | | | | | | | | 0.74 | | | 1.7 | 2.7 | 3.9 | 6.3 | 10 | 16 | 25 | | | | | | | | |
| J | 80 | | | | | | | | 0.46 | | | 1.1 | 1.7 | 2.4 | 4.0 | 6.4 | 9.9 | 16 | | | | | | | | | |
| K | 125 | | | | | | | 0.29 | | | 0.67 | 1.1 | 1.6 | 2.5 | 4.1 | 6.4 | 9.9 | | | | | | | | | | |
| L | 200 | | | | | | 0.18 | | | 0.42 | 0.69 | 0.97 | 1.6 | 2.6 | 4.0 | 6.2 | | | | | | | | | | | |
| M | 315 | | | | | 0.12 | | | 0.27 | 0.44 | 0.62 | 1.0 | 1.6 | 2.5 | 3.9 | | | | | | | | | | | | |
| N | 500 | | | | 0.074 | | | 0.17 | 0.27 | 0.39 | 0.63 | 1.0 | 1.6 | 2.5 | | | | | | | | | | | | | |
| P | 800 | | | 0.046 | | | 0.11 | 0.17 | 0.24 | 0.40 | 0.64 | 0.99 | 1.6 | | | | | | | | | | | | | | |
| Q | 1250 | | 0.029 | | | 0.067 | 0.11 | 0.16 | 0.25 | 0.41 | 0.64 | 0.99 | | | | | | | | | | | | | | | |
| R | 2000 | 0.018 | | | 0.042 | 0.069 | 0.097 | 0.16 | 0.26 | 0.40 | 0.62 | | | | | | | | | | | | | | | | |
| S | 3150 | | | 0.027 | | | | | | | | | | | | | | | | | | | | | | | |

* Note: For the exact AOQL, the above volume must be multiplied by $\left(1-\frac{\text{Sample size}}{\text{Lot or Batch size}}\right)$

**Table VIII. Limit Numbers for Reduced Inspection.**

| Number of sample units from last 10 lots or batches | Acceptable Quality Level | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 0.010 | 0.015 | 0.025 | 0.040 | 0.065 | 0.10 | 0.15 | 0.25 | 0.40 | 0.65 | 1.0 | 1.5 | 2.5 | 4.0 | 6.5 | 10 | 15 | 25 | 40 | 65 | 100 | 150 | 250 | 400 | 650 | 1000 |
| 20 - 29 | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · | 0 | 0 | 2 | 4 | 8 | 14 | 22 | 40 | 68 | 115 | 181 |
| 30 - 49 | · | · | · | · | · | · | · | · | · | · | · | · | · | · | 0 | 0 | 1 | 3 | 7 | 13 | 22 | 36 | 63 | 105 | 178 | 277 |
| 50 - 79 | · | · | · | · | · | · | · | · | · | · | · | · | · | 0 | 0 | 2 | 3 | 7 | 14 | 25 | 40 | 63 | 110 | 181 | 301 | |
| 80 - 129 | · | · | · | · | · | · | · | · | · | · | · | · | 0 | 0 | 2 | 4 | 7 | 14 | 24 | 42 | 68 | 105 | 181 | 297 | | |
| 130 - 199 | · | · | · | · | · | · | · | · | · | · | · | 0 | 0 | 2 | 4 | 7 | 13 | 25 | 42 | 72 | 115 | 177 | 301 | 490 | | |
| 200 - 319 | · | · | · | · | · | · | · | · | · | · | 0 | 0 | 2 | 4 | 8 | 14 | 22 | 40 | 68 | 115 | 181 | 277 | 471 | | | |
| 320 - 499 | · | · | · | · | · | · | · | · | · | 0 | 0 | 1 | 4 | 8 | 14 | 24 | 39 | 68 | 113 | 189 | | | | | | |
| 500 - 799 | · | · | · | · | · | · | · | · | 0 | 0 | 2 | 3 | 7 | 14 | 25 | 40 | 63 | 110 | 181 | | | | | | | |
| 800 - 1249 | · | · | · | · | · | · | · | 0 | 0 | 2 | 4 | 7 | 14 | 24 | 42 | 68 | 105 | 181 | | | | | | | | |
| 1250 - 1999 | · | · | · | · | · | · | 0 | 0 | 2 | 4 | 7 | 13 | 24 | 40 | 69 | 110 | 169 | | | | | | | | | |
| 2000 - 3149 | · | · | · | · | · | 0 | 0 | 2 | 4 | 8 | 14 | 22 | 40 | 68 | 115 | 181 | | | | | | | | | | |
| 3150 - 4999 | · | · | · | · | 0 | 0 | 1 | 4 | 8 | 14 | 24 | 38 | 67 | 111 | 186 | | | | | | | | | | | |
| 5000 - 7999 | · | · | · | 0 | 0 | 2 | 3 | 7 | 14 | 25 | 40 | 63 | 110 | 181 | | | | | | | | | | | | |
| 8000 - 12499 | · | · | 0 | 0 | 2 | 4 | 7 | 14 | 24 | 42 | 68 | 105 | 181 | | | | | | | | | | | | | |
| 12500 - 19999 | · | 0 | 0 | 2 | 4 | 7 | 13 | 24 | 40 | 69 | 110 | 169 | | | | | | | | | | | | | | |
| 20000 - 31499 | 0 | 0 | 2 | 4 | 8 | 14 | 22 | 40 | 68 | 115 | 181 | | | | | | | | | | | | | | | |
| 31500 - 49999 | 0 | 1 | 4 | 8 | 14 | 24 | 38 | 67 | 111 | 186 | | | | | | | | | | | | | | | | |
| 50000 & over | 2 | 3 | 7 | 14 | 25 | 40 | 63 | 110 | 181 | 301 | | | | | | | | | | | | | | | | |

· Denotes that the number of sample units from the last ten lots or batches is not sufficient for reduced inspection for this AQL. In this instance more than ten lots or batches may be used for the calculation, provided that the lots or batches used are the most recent ones in sequence, that they have all been on normal inspection, and that none has been rejected while on original inspection.