

MANUAL TESTING OBJECTIVE TYPE QUESTIONS AND ANSWERS

1. What are the testing Levels?
 - a. Unit Testing
 - b. Integration Testing
 - c. System Testing and Acceptance Testing
 - d. All the Above

ANS:- D

2. Retesting of a single program or component after a change has been made?
 - a. Unit Regression
 - b. Retesting
 - c. Full Regression Testing
 - d. Regional Testing

ANS :- UNIT REGRESSION

3. White testing not called as
 - a. Glass box Testing
 - b. Closed box Testing
 - c. Open box Testing
 - d. Clear box Testing

ANS:- CLOSED BOX TESTING

4. Name the events that will be analyzed, Count the named incidents, Rank the count by frequency using a bar chart & Validate reasonableness of the analysis is called as
 - a. Pareto Analysis
 - b. Cause and Effect Diagram
 - c. SWOT Analysis
 - d. Pie Charts

ANS:- PAERTO ANALYSIS

5. Cost of quality = Prevention Cost + Appraisal cost + Failure cost
 - a. True
 - b. False

Ans: A

6. A useful tool to visualize, clarify, link, identify, and classify possible cause of a problem. This is also called as “fishbone diagram” what is this?
 - A. Pareto Analysis
 - B. Cause-and-Effect Diagram

Ans: B

7. It measures the quality of processes used to create a quality product. It is a system of management activities, It is a preventive process, It applies for entire life cycle & Deals with Process

- A. Validation
- B. Verification
- C. Quality Assurance
- D. Quality Control

Ans: C

8. Variance from product specifications is called?

- A. Report
- B. Requirement
- C. Product Based

Ans:- A

10. The testing which is done by going thro' the code is known as,

- A. Unit Testing
- B. Blackbox testing
- C. White box Testing
- D. Regression testing

Ans: C

11. Configuration Management Plan describes the Configuration Management procedures and structures to be used.

- A. True
- B. False

Ans: A

12. This type of testing method attempts to find incorrect or missing functions, errors in data structures or external database access, interface errors, Performance errors and initialization and Termination errors. It is called as

- A. White Box Testing
- B. Grey Box Testing
- C. Black Box Testing
- D. Open Box Testing

Ans: C

13. Phase Definition. It will come under

- A. CMM Level 1

B. CMM Level 2

C. None

Ans: B

14. Software testing which is done without planning and Documentation is known as

A. adHoc Testing

B. Unit Testing

C. Regression testing

D. Functional testing.

Ans: A

15. Acceptance testing is known as

A. Beta Testing

B. Greybox testing

C. Test Automation

D. White box testing

Ans: A

16. Retesting the entire application after a change has been made called as?

A. Full Regression Testing

B. Unit Regression

C. Regional Regression

D. Retesting

Ans: A

17. Boundary value analysis belongs to which testing method?

A. Black Box testing

B. White Box testing

Ans: A

18. It measures the quality of a product

It is a specific part of the QA procedure,

It is a corrective process,

A. Validation

B. Verification

C. Quality Assurance

D. Quality Control

Ans:- D

19. What are the Types of Integration Testing?

- A. Big Bang Testing
- B. Bottom Up Testing
- C. Top Down Testing
- D. All the above

Ans: D

20. Product Risk affects The quality or performance of the software.

- A. True
- B. False

Ans: A

21. A metric used to measure the characteristic of documentation and code called as

- A. Process metric
- B. Product Metric
- C. Test metrics

Ans: B

22. Which is non-functional software testing?

- A. Unit Testing
- B. Block box testing
- C. Performance Testing
- D. Regression Testing

Ans:- C

23. The process that deals with the technical and management issue of the software development called as?

- A. Delivery Process
- B. Testing Process
- C. Software Process

Ans: C

24. Executing the same test case on a modified build called as

- A. Regression Testing
- B. Retesting
- C. Ad hoc Testing
- D. Sanity Testing

Ans: A

25. Which is Black-Box Testing method?

- A. equivalence partitioning
- B. code coverage
- C. fault injection

Ans: A

26. Business Risk affects The Organization developing or Procuring the software.

- A. True
- B. False

Ans: A

27. Stratification is a Technique used to analyze/divide a universe of data into homogeneous groups(stratA..

- A. True
- B. False

Ans: A

28. Automation Testing should be done before starting Manual testing. Is the above statement correct?

- A. Yes
- B. No

Ans: B

30. Informing to the developer which bug to be fix first is called as

- A. Severity
- B. Priority
- C. Fix ability
- D. Traceability

Ans: B

31. Software Testing is a process of evaluating a system by manual or automatic means and verify that it satisfies specified requirements or identity differences between expected and actual results.

- A. True
- B. False

Ans: A

32. Retesting modules connected to the program or component after a change has been made? A. Full Regression Testing

- B. Unit Regression
- C. Regional Regression
- D. Retesting.

Ans: C

33. An Important metric is the number of defects found in internal testing compared to the defects found in customer tests, Status of test activities against the plan, Test coverage achieved so far, comes under

- A. Process Metric
- B. Product Metric
- C. Test Metric

Ans: C

34. Alpha testing will be done at,

- A. User's site
- B. Developers' site

Ans: B

35. Requirements Specification, Planning, Test case Design, Execution, Bug Reporting & Maintenance This Life Cycle comes Under

- A. SDLC
- B. STLC
- C. SQLC
- D. BLC

Ans: B

36. It provides a set of levels and an assessment model, and presents a set of recommended practices that allow organizations to improve their testing processes.

- A. TIM (Testing Improving Model)
- B. TMM (Testing Maturity Model)
- C. TQM(Total Quality Management)

Ans: A

37. Standards and procedures for managing changes in an evolving software product is called?

- A. Confirmation Management
- B. Confederation Management
- C. Configuration Management
- D. Compartability Management

Ans:- C

38. Path Tested = Number of Path Tested / Total Number of Paths]

A. True

B. False

Ans: A

39. This Testing Technique examines the basic program structure and it derives the test data from the program logic; Ensuring that all statements and conditions executed at least once. It is called as

A. Block box Testing

B. White box Testing

C. Grey box Testing

D. Closed Box Testing

Ans:- B

40. This type of test include, how well the user will be able to understand and interact with the system.

A. Usability Testing

B. User Acceptance Testing

C. Alpha Testing

D. Beta Testing.

Ans: A

41. Defects generally fall into the following categories? A. WRONG B. MISSING C. EXTRA D. All the above Ans: D 43. What is correct Software Process Cycle?

A. Plan(P)——>Check(C)——>Act(A)——>Do(D)

B. Plan(P)——>Do(D)——>Check

(C)——>Act(A) C. Plan(P)——>Do

(D)——>Act(A)——>Check(C)

Ans: B

42. Conducted to validate that the application, database, and network they may be running on can handle projected volumes of users and data effectively. The test is conducted jointly by developers, testers, DBA's and network associates after the system Testing called as

A. Functional Testing

B. Stress/Load Testing

C. Recovery Testing

D. Integration Testing

Ans: B

43 Maintenance Plan predicts the maintenance requirements of the system, maintenance costs and effort required

- A. True
- B. False

Ans: A

44. Validation plan describes the approach ,resources and schedule used for system validation

- A. True
- B. False

Ans: A

45. Integration, It will come under

- A. CMM Level 1
- B. CMM Level 3
- C. CMM Level 2
- D. None

Ans: B

45. Types of quality tools are Problem Identification Tools and Problem Analysis Tools.

- A. True
- B. False

Ans: A

46. Which Software Development Life cycle model will require to start Testing Activities when starting development activities itself

- A. Water falls model
- B. Spiral Model
- C. V-model
- D. Linear model

Ans: C

46. A metric used to measure the characteristic of the methods, Techniques and tools employed in developing, implementing and maintaining the software system called as

- A. Process metric
- B. Product Metric

C. Test metrics

Ans: A

47. Application should be stable. Clear Design and Flow of the application is needed for Automation testing.

A. False

B. True

Ans: B

48. Quality plan describes the quality procedures and standards that will be used in a project.

A. False

B. True

Ans: B

48. How severely the bug is effecting the application is called as

A. Severity

B. Priority

C. Fix ability

D. Traceability

Ans: A

49. Project Risk affects The Schedule or Resources.

A. True

B. False

Ans: A

50. The name of the testing which is done to make sure the existing features are not affected by new changes

A. Recursive testing

B. Whitebox testing

C. Unit testing

D. Regression testing

Ans: D

51. Management and Measurement, It will come under

A. CMM Level 1

B. CMM Level 3

C. CMM Level 4

D. CMM Level 2

Ans:- C

52. AdHoc Testing is a part of

A. Unit Testing

B. Regression Tesing

C. Exploratory Testing

D. Performance Testing

Ans: C

53. Cost of Production = Right The First time cost(RTF. + Cost of Quality.

A. True

B. False

Ans: A

54. ————— means under what test environment(Hardware, software set up. the application will run smoothly

A. Test Bed

B. Checkpoint

C. Code Walk through

D. Checklist

Ans: A

55. TQM represents

A. Tool Quality Management

B. Test Quality Manager

C. Total Quality Management

D. Total Quality Manager

Ans: C

56. Optimization, Defect Prevention, and Quality Control. Its come under the

A. CMM Level 2

B. CMM Level 3

C. CMM Level 4

D. CMM Level5

Ans: D

57. Unit Testing will be done by

- A. Testers
- B. Developer
- C. End User
- D. Customers

Ans:-B

58. Beta testing will be done at

- A. User place
- B. Developers place

Ans: A

59. A Plan to overcome the risk called as

- A. Migration Plan
- B. Master plan
- C. Maintenance plan
- D. Mitigation Plan

Ans: D

60. Which of the following is not one of the techniques to find defects

- a. Operational Techniques
- b. Functional Techniques
- c. Dynamic Techniques
- d. Static Techniques

Ans: A

61. Quality Assurance methods are usually considered

- a. Detective
- b. Corrective
- c. Preventive
- d. Proactive

Ans: C

62. Who has the primary responsibility of setting the quality culture in the organization?

- a. Senior Management
- b. The Training Department
- c. The Quality Department
- d. Nobody

Ans: C

63. Verification is

- a. Checking that we are building the right system
- b. Checking that we are building the system right
- c. Performed by an independent Test Team
- d. Making sure that it is what the user really want

Ans:- b

64. A regression test

- a. Will always be automated
- b. Will help ensure unchanged areas of the software have not been affected
- c. Will help ensure changed areas of the software have not been affected
- d. Can only be run during user acceptance testing

Ans: b

65. If an expected result is not specified then:

- a. we cannot run the test
- b. It may be difficult to repeat the test
- c. It may be difficult to determine if the test has passed or failed
- d. We cannot automate the user inputs

Ans: c

66. Which of the following is not a static testing technique

- a. Error guessing
- b. Walkthrough
- c. Data flow analysis
- d. Inspections

Ans: a

67. Which of the following statements about component testing is not true?

- a. Component testing should be performed by development
- b. Component testing is also known as isolation or module testing
- c. Component testing should have completion criteria planned
- d. Component testing does not involve regression testing

Ans: d

68. During which test activity could faults be found most cost effectively?

- a. Execution
- b. Design
- c. Planning
- d. Check Exit criteria completion

Ans: c

69. The purpose of requirement phase is

- a. To freeze requirements
- b. To understand user needs
- c. To define the Scope of testing
- d. All the above

Ans:- d

70. Which, in general, is the least required skill of a good tester?

- a. Being diplomatic
- b. Able to write software
- c. Having good attention to detail
- d. Able to be relied on

Ans: b

71. The process starting with the terminal modules is called

- a. Top-down integration
- b. Bottom-up integration
- c. None of the above
- d. Module integration

Ans: b

72. The inputs for developing a test plan are taken from

- a. Project plan
- b. Business plan
- c. Support plan
- d. None of the above

Ans: a

73. Function/Test matrix is a type of

- a. Interim Test report
- b. Final test report

- c. Project status report
- d. Management report

Ans: c

74. Defect Management process does not include

- a. Defect prevention
- b. Deliverable base-lining
- c. Management reporting
- d. None of the above

Ans: b

75. Which of the following is not a characteristic for Testability?

- a. Operability
- b. Observability
- c. Simplicity
- d. Robustness

Ans: d

76. Which of these can be successfully tested using Loop Testing methodology?

- a. Simple Loops
- b. Nested Loops
- c. Concatenated Loops
- d. All of the above

Ans: d

77. Inspections can find all the following except

- a. Variables not defined in the code
- b. Spelling and grammar faults in the documents
- c. Requirements that have been omitted from the design documents
- d. How much of the code has been covered

Ans:- d

78. Which of the following is NOT a black box technique:

- A. Equivalence partitioning
- B. State transition testing
- C. LCSAJ
- D. Syntax testing

E. Boundary value analysis

Ans: C

79. The main focus of acceptance testing is:

- A. finding faults in the system
- B. ensuring that the system is acceptable to all users
- C. testing the system with other systems
- D. testing for a business perspective
- E. testing by an independent test team

Ans: D

80. Expected results are:

- A. only important in system testing
- B. only used in component testing
- C. never specified in advance
- D. most useful when specified in advance
- E. derived from the code

Ans: D

81. Which of the following is NOT part of system testing:

- A. business process-based testing
- B. performance, load and stress testing
- C. Requirement- based Testing
- D. Usability Testing
- E. Top- Down Integration Testing

Ans:- E

82. Which one of the following are non-functional testing methods?

- A. System testing
- B. Usability testing
- C. Performance testing
- D. Both b & c

Ans: D

83. During the software development process, at what point can the test process start?

- A. When the code is complete.
- B. When the design is complete

- C. When the software requirements have been approved
- D. When the first code module is ready for unit testing

Ans: C

84. Acceptance test cases are based on what?

- A. Requirements
- B. Design
- C. Code
- D. Decision table

Ans: A

85. Independent Verification & Validation is

- A. Done by the Developer
- B. Done by the Test Engineers
- C. Done By Management
- D. Done by an Entity Outside the Project's sphere of influence

Ans: D

86. Which of the following is a form of functional testing?

- A. Boundary value analysis
- B. Usability testing
- C. Performance testing
- D. Security testing

Ans: A

87. Test cases are designed during:

- A. test recording
- B. test planning
- C. test configuration
- D. test specification

Ans: D

88. When an expected result is not specified in test case template then

- a. We cannot run the test.
- b. It may be difficult to repeat the test.
- c. It may be difficult to determine if the test has passed or failed.
- d. We cannot automate the user inputs.

Ans:- c

89. A test technique that involves testing with various ranges of valid and invalid inputs of a particular module or component functionality extensively is _____.

- a. Gorilla Testing
- b. Monkey Testing
- c. Agile Testing
- d. Baseline Testing

Ans:- a

90. Bug status is set to postpone due to

- a. Priority of that bug may low.
- b. Lack of time for the release.
- c. The bug may not be the major effect in the software.
- d. Data may be unavailable.

Ans:- D

91. Confidence Testing refers to which one?

- a. Retesting
- b. Smoke Testing
- c. Regression Testing
- d. All of these.
- e. None of these

Ans:- b

92. _____ is not a part of the Decision Table.

- a. Driver portion
- b. Stub portion
- c. Condition portion
- d. Action portion
- e. None of these

Ans:- a

93. _____ is / are not a Iterative Model.

- a. V model
- b. Incremental
- c. RAD
- d. Spiral Model
- e. None of these

Ans:- a

94. STLC is related to which model?

- a. Waterfall Model
- b. V Model
- c. RAD Model
- d. Spiral Model
- e. None of these

Ans:- b

95. Defects can be found more easily in which one?

- a. Big Bang Testing.
- b. Top-down Integration Testing
- c. Bottom-up Integration Testing
- d. Sandwich Integration Testing
- e. None of these

Ans:- c

96. A minimum of four test data are available in which one?

- a. Equivalence Class Partitioning
- b. Boundary Value Analysis
- c. Both A and B
- d. None of these.
- e. None of these

Ans:- b

97. _____ is the order of Priority Testing.

- a. System>>Acceptance>>Integration
- b. Unit>> System>>Acceptance Testing.
- c. System>>Integration>> Acceptance Testing.
- d. Unit >>Integration >>System Testing.
- e. None of these

Ans:- d

98. Which Testing is performed first?

- a. Black box testing
- b. White box testing
- c. Dynamic testing

d. Static testing

Ans:- d

99. Test cases are created in which phase?

- a. Test Specification
- b. Test Planning
- c. Test Requirement
- d. Test Configuration

Ans:- a

100. Which is not true regarding Spiral Model?

- a. Risk analysis is involved in every cycle of development.
- b. Uses series of prototype for refining test execution plan.
- c. For any change we need to iterate the whole cycle.
- d. Only this model has the risk analysis phase.

Ans:- b