





@camino_feliz



Respuesta: Exitosa, Riesgo: Menor

@excepcion



Respuesta: Exitosa, Riesgo: Menor

@excepcion

POST ▼ https://reqres.in/api/login Send ▼

Params Authorization Headers (8) **Body** • Pre-request Script Tests • Settings Cookies Beautify

☐ none ☐ form-data ☐ x-www-form-urlencoded ☒ raw ☐ binary ☐ GraphQL ☒ JSON ▼

```
1 {
2   ... "email": "eve.holt@reqres.in",
3   "password": ""
4 }
```

Body Cookies Headers (14) Test Results (0/1) 🌐 Status: 400 Bad Request Time: 481 ms Size: 874 B 📄 Save as example ⋮

Pretty Raw Preview Visualize **JSON** ▼ ↺

```
1 {
2   "error": "Missing password"
3 }
```

POST ▼ https://reqres.in/api/login Send ▼

Params Authorization Headers (8) **Body** • Pre-request Script Tests • Settings Cookies Beautify

☐ none ☐ form-data ☐ x-www-form-urlencoded ☒ raw ☐ binary ☐ GraphQL ☒ JSON ▼

```
1 {
2   ... "email": "eve.holt@reqres.in",
3   "password": ""
4 }
```

Body Cookies Headers (14) **Test Results (0/1)** 🌐 Status: 400 Bad Request Time: 481 ms Size: 874 B 📄 Save as example ⋮

ⓘ Perform API tests faster with templates for integration testing, regression testing, and more. View Templates ✕

All Passed Skipped Failed 🔄

FAIL 🔴 Successful POST request | AssertionError: expected 400 to be one of [200, 201, 202]

Respuesta: Exitosa, Riesgo: Menor

@excepcion

POST <https://reqres.in/api/login> Send

Params Authorization Headers (8) Body Pre-request Script Tests Settings Cookies Beautify

☐ none ☐ form-data ☐ x-www-form-urlencoded ☒ raw ☐ binary ☐ GraphQL JSON

```
1 {
2   "email": "juel.holtman@reqres.in",
3   "password": "countrylast"
4 }
```

Body Cookies Headers (14) Test Results (0/1) Status: 400 Bad Request Time: 526 ms Size: 876 B Save as example

Pretty Raw Preview Visualize JSON

```
1 {
2   "error": "user not found"
3 }
```

POST <https://reqres.in/api/login> Send

Params Authorization Headers (8) Body Pre-request Script Tests Settings Cookies

```
1 pm.test("Successful POST request", function () {
2   pm.expect(pm.response.code).to.be.oneOf([200, 201, 202]);
3 });
```

Test scripts are written in JavaScript, and are run after the response is received. Learn more about tests scripts

Snippets

- header check
- Response time is less than 200ms
- Status code: Successful POST request
- Status code: Code name has string
- Response body: Convert XML body to a JSON Object

Body Cookies Headers (14) Test Results (0/1) Status: 400 Bad Request Time: 526 ms Size: 876 B Save as example

Perform API tests faster with templates for integration testing, regression testing, and more. View Templates

All Passed Skipped Failed

FAIL Successful POST request | AssertionError: expected 400 to be one of [200, 201, 202]

Respuesta: Exitosa, Riesgo: Menor