



## Implementación casos de prueba Servicio 2, POST

QA Engineer: Johan Cifuentes


### Test\_case01



### Resultado :



### Test\_case02



## Resultado

The screenshot shows the 'Test Results' tab of a REST client. The status bar at the top indicates '201 Created' with a response time of 322 ms and a body size of 916 B. The 'Body' tab is selected, displaying a JSON object: 

```
{  "name": "",  "job": "",  "id": "124",  "createdAt": "2024-03-12T14:51:55.511Z"}
```

. Red annotations highlight the '201 Created' status, the '201 = Creado' text, the 'Datos vacios' (empty data) for 'name' and 'job', and the entire JSON body.

## Test\_case03

The screenshot shows the configuration for a POST request. The method is set to 'POST' and the URL is 'https://reqres.in/api/users'. The 'Body' tab is selected, showing a JSON object: 

```
{  "name": "-1",  "job": "10.2"}
```

. Red annotations highlight the 'POST' method, the URL, the 'METODO POST' label, the 'CUERPO DEL JSON' (JSON body), and the 'DATOS INVALIDOS' (invalid data) for 'name' and 'job'.

## Resultado

The screenshot shows the 'Test Results' tab of a REST client. The status bar at the top indicates '201 Created' with a response time of 457 ms and a body size of 914 B. The 'Body' tab is selected, displaying a JSON object: 

```
{  "name": "-1",  "job": "10.2",  "id": "548",  "createdAt": "2024-03-12T15:06:14.223Z"}
```

. Red annotations highlight the '201 Created' status, the 'CODIGO 201 = CREADO' text, the 'Datos incorrectos' (incorrect data) for 'name' and 'job', and the entire JSON body.

## Test\_case04



## Resultado

