

Question 1



```
1: ilovetrains28@cis106: ~/lab9
```

```
usbmux /usr/sbin/nologin
cups-pk-helper /usr/sbin/nologin
fwupd-refresh /usr/sbin/nologin
geoclue /usr/sbin/nologin
gnome-remote-desktop /usr/sbin/nologin
saned /usr/sbin/nologin
polkitd /usr/sbin/nologin
rtkit /usr/sbin/nologin
colord /usr/sbin/nologin
Debian-gdm /bin/false
ilovetrains28 /bin/bash
_flatpak /usr/sbin/nologin
vboxadd /bin/false
ilovetrains28@cis106:~/lab9$ awk -F":" '{print $1,$NF}' /etc/passwd
```

```
1: ilovetrains28@cis106: ~/lab9
```

```
usbmux /usr/sbin/nologin /var/lib/usbmux
cups-pk-helper /usr/sbin/nologin /nonexistent
fwupd-refresh /usr/sbin/nologin /var/lib/fwupd
geoclue /usr/sbin/nologin /var/lib/geoclue
gnome-remote-desktop /usr/sbin/nologin /var/lib/gnome-remote-desktop
saned /usr/sbin/nologin /var/lib/saned
polkitd /usr/sbin/nologin /
rtkit /usr/sbin/nologin /proc
colord /usr/sbin/nologin /var/lib/colord
Debian-gdm /bin/false /var/lib/gdm3
ilovetrains28 /bin/bash /home/ilovetrains28
_flatpak /usr/sbin/nologin /nonexistent
vboxadd /bin/false /var/run/vboxadd
ilovetrains28@cis106:~/lab9$
```

```
1: ilovetrains28@cis106: ~/lab9
```

```
The user usbmux logs in with: /usr/sbin/nologin and its home dir is: /var/lib/usbmux
The user cups-pk-helper logs in with: /usr/sbin/nologin and its home dir is: /nonexistent
The user fwupd-refresh logs in with: /usr/sbin/nologin and its home dir is: /var/lib/fwupd
The user geoclue logs in with: /usr/sbin/nologin and its home dir is: /var/lib/geoclue
The user gnome-remote-desktop logs in with: /usr/sbin/nologin and its home dir is: /var/lib/gnome-remote-desktop
The user saned logs in with: /usr/sbin/nologin and its home dir is: /var/lib/saned
The user polkitd logs in with: /usr/sbin/nologin and its home dir is: /
The user rtkit logs in with: /usr/sbin/nologin and its home dir is: /proc
The user colord logs in with: /usr/sbin/nologin and its home dir is: /var/lib/colord
The user Debian-gdm logs in with: /bin/false and its home dir is: /var/lib/gdm3
The user ilovetrains28 logs in with: /bin/bash and its home dir is: /home/ilovetrains28
The user _flatpak logs in with: /usr/sbin/nologin and its home dir is: /nonexistent
The user vboxadd logs in with: /bin/false and its home dir is: /var/run/vboxadd
ilovetrains28@cis106:~/lab9$ awk -F":" '{print "The user \"$1\",logs in with: \"$NF\",and its home dir is: \"$6\"}' /etc/passwd
```

```

gnome-remote-desktop = /usr/sbin/nologin
saned = /usr/sbin/nologin
polkitd = /usr/sbin/nologin
rtkit = /usr/sbin/nologin
colord = /usr/sbin/nologin
Debian-gdm = /bin/false
ilovetrains28 = /bin/bash
_flatpak = /usr/sbin/nologin
vboxadd = /bin/false
ilovetrains28@cis106:~/lab9$ awk -F:" '{print $1} = "$NF}' /etc/passwd | grep "/bin/bash"
root = /bin/bash
ilovetrains28 = /bin/bash
ilovetrains28@cis106:~/lab9$ awk -F:" '{print $1} = "$NF}' /etc/passwd | grep "/bin/bash" >> report_users.txt
ilovetrains28@cis106:~/lab9$

```

```

ilovetrains28@cis106:~/lab9$ cat report_users.txt
root = /bin/bash
ilovetrains28 = /bin/bash
ilovetrains28@cis106:~/lab9$

```

Question 4

```

1: ilovetrains28@cis106: ~/lab9
ilovetrains28@cis106:~/lab9$ grep -i "honda" ~/Documents/Csv/cars.csv > honda.csv
ilovetrains28@cis106:~/lab9$ head -1 ~/Documents/sample_files/Csv/cars.csv > honda.csv
ilovetrains28@cis106:~/lab9$ cat honda.csv
Car;MPG;Cylinders;Displacement;Horsepower;Weight;Acceleration;Model;Origin
Honda Civic;24.8;4;128.0;97.00;2489;15.0;7;Japan
Honda Civic CVCC;33.8;4;91.00;53.00;1795;17.4;7;Japan
Honda Accord CVCC;33.8;4;98.00;68.00;2045;15.7;7;Japan
Honda Civic CVCC;36.1;4;91.00;60.00;1800;16.4;7;Japan
Honda Accord LX;29.5;4;98.00;68.00;2135;16.6;7;Japan
Honda Civic 1500 GL;44.6;4;91.00;67.00;1850;13.8;8;Japan
Honda Accord LX;22.4;6;127.00;2200;17.0;6;Japan
Honda Civic 1300;35.1;4;81.00;60.00;1760;16.1;8;Japan
Honda Prelude;33.7;4;107.0;75.00;2210;14.4;8;Japan
Honda Accord;36.8;4;107.0;75.00;2205;14.5;8;Japan
Honda Civic;38.8;4;91.00;67.00;1965;15.0;8;Japan
Honda Civic (auto);32.0;4;91.00;67.00;1965;15.7;8;Japan
ilovetrains28@cis106:~/lab9$ sed -i 's/ / /g' honda.csv > honda2.csv
ilovetrains28@cis106:~/lab9$

```

```

2: ilovetrains28@cis106: ~/Documents/sample_files/Csv
ilovetrains28@cis106:~/Documents/sample_files/Csv$ cd Documents/sample_files/Csv
ilovetrains28@cis106:~/Documents/sample_files/Csv$ ls
cars.csv  cereal.csv  contacts.csv  countries_with_8.csv  country.csv  everything.log  fake_users.csv  sorted_cars.csv  success.log  users_and_ips.csv
ilovetrains28@cis106:~/Documents/sample_files/Csv$ cat ~/lab9/honda1.csv
cat: /home/ilovetrains28/lab9/honda1.csv: No such file or directory
ilovetrains28@cis106:~/Documents/sample_files/Csv$ cat ~/lab9/honda1.csv
Car;MPG;Cylinders;Displacement;Horsepower;Weight;Acceleration;Model;Origin
Honda Civic;24.8;4;128.0;97.00;2489;15.0;7;Japan
Honda Civic CVCC;33.8;4;91.00;53.00;1795;17.4;7;Japan
Honda Accord CVCC;33.8;4;98.00;68.00;2045;15.7;7;Japan
Honda Civic CVCC;36.1;4;91.00;60.00;1800;16.4;7;Japan
Honda Accord LX;29.5;4;98.00;68.00;2135;16.6;7;Japan
Honda Civic 1500 GL;44.6;4;91.00;67.00;1850;13.8;8;Japan
Honda Accord LX;22.4;6;127.00;2200;17.0;6;Japan
Honda Civic 1300;35.1;4;81.00;60.00;1760;16.1;8;Japan
Honda Prelude;33.7;4;107.0;75.00;2210;14.4;8;Japan
Honda Accord;36.8;4;107.0;75.00;2205;14.5;8;Japan
Honda Civic;38.8;4;91.00;67.00;1965;15.0;8;Japan
Honda Civic (auto);32.0;4;91.00;67.00;1965;15.7;8;Japan
ilovetrains28@cis106:~/Documents/sample_files/Csv$

```

Challenge question

```
Tillix: ilovetrains28@cis106: ~/Downloads/broken

1: ilovetrains28@cis106: ~/Downloads/broken
ilovetrains28@cis106:~/Downloads/broken$ ls
contact.html  favicon.ico  index.html  profile.png  projects.html  resume.html  scripts.js  styles.css
ilovetrains28@cis106:~/Downloads/broken$ nano index.html
ilovetrains28@cis106:~/Downloads/broken$ grep 'href=' index.html
<link rel="icon" type="image/x-icon" href="assets/favicon.ico" />
<link rel="preconnect" href="https://fonts.googleapis.com" />
<link rel="preconnect" href="https://fonts.gstatic.com" crossorigin />
<link href="https://fonts.googleapis.com/css2?family=Plus+Jakarta+Sans:wght@100;200;300;400;500;600;700;800;900&display=swap" rel="stylesheet" />
<link href="https://cdn.jsdelivr.net/npm/bootstrap-icons@1.8.1/font/bootstrap-icons.css" rel="stylesheet" />
<link href="css/styles.css" rel="stylesheet" />
<a class="navbar-brand" href="index.html"><span class="fw-bolder text-primary">Start Bootstrap</span></a>
  <li class="nav-item"><a class="nav-link" href="index.html">Home</a></li>
  <li class="nav-item"><a class="nav-link" href="resume.html">Resume</a></li>
  <li class="nav-item"><a class="nav-link" href="projects.html">Projects</a></li>
  <li class="nav-item"><a class="nav-link" href="contact.html">Contact</a></li>
  <a class="btn btn-primary btn-lg px-5 py-3 me-sm-3 fs-6 fw-bolder" href="resume.html">Resume</a>
  <a class="btn btn-outline-dark btn-lg px-5 py-3 fs-6 fw-bolder" href="projects.html">Projects</a>
  <a class="text-gradient" href="#"><i class="bi bi-twitter"></i></a>
  <a class="text-gradient" href="#"><i class="bi bi-linkedin"></i></a>
  <a class="text-gradient" href="#"><i class="bi bi-github"></i></a>
  <a class="small" href="#">Privacy</a>
  <a class="small" href="#">Terms</a>
  <a class="small" href="#">Contact</a>
ilovetrains28@cis106:~/Downloads/broken$
```

```
Tillix: ilovetrains28@cis106: ~/Downloads/broken

1: ilovetrains28@cis106: ~/Downloads/broken
ilovetrains28@cis106:~/Downloads/broken$ nano index.html
ilovetrains28@cis106:~/Downloads/broken$ grep 'href=' index.html
<link rel="icon" type="image/x-icon" href="assets/favicon.ico" />
<link rel="preconnect" href="https://fonts.googleapis.com" />
<link rel="preconnect" href="https://fonts.gstatic.com" crossorigin />
<link href="https://fonts.googleapis.com/css2?family=Plus+Jakarta+Sans:wght@100;200;300;400;500;600;700;800;900&display=swap" rel="stylesheet" />
<link href="https://cdn.jsdelivr.net/npm/bootstrap-icons@1.8.1/font/bootstrap-icons.css" rel="stylesheet" />
<link href="css/styles.css" rel="stylesheet" />
<a class="navbar-brand" href="index.html"><span class="fw-bolder text-primary">Start Bootstrap</span></a>
  <li class="nav-item"><a class="nav-link" href="index.html">Home</a></li>
  <li class="nav-item"><a class="nav-link" href="resume.html">Resume</a></li>
  <li class="nav-item"><a class="nav-link" href="projects.html">Projects</a></li>
  <li class="nav-item"><a class="nav-link" href="contact.html">Contact</a></li>
  <a class="btn btn-primary btn-lg px-5 py-3 me-sm-3 fs-6 fw-bolder" href="resume.html">Resume</a>
  <a class="btn btn-outline-dark btn-lg px-5 py-3 fs-6 fw-bolder" href="projects.html">Projects</a>
  <a class="text-gradient" href="#"><i class="bi bi-twitter"></i></a>
  <a class="text-gradient" href="#"><i class="bi bi-linkedin"></i></a>
  <a class="text-gradient" href="#"><i class="bi bi-github"></i></a>
  <a class="small" href="#">Privacy</a>
  <a class="small" href="#">Terms</a>
  <a class="small" href="#">Contact</a>
ilovetrains28@cis106:~/Downloads/broken$ mkdir assets
ilovetrains28@cis106:~/Downloads/broken$ ls
assets  contact.html  favicon.ico  index.html  profile.png  projects.html  resume.html  scripts.js  styles.css
ilovetrains28@cis106:~/Downloads/broken$ mv favicon.ico assets/
ilovetrains28@cis106:~/Downloads/broken$ ls
assets  contact.html  index.html  profile.png  projects.html  resume.html  scripts.js  styles.css
ilovetrains28@cis106:~/Downloads/broken$ ls assets
favicon.ico
ilovetrains28@cis106:~/Downloads/broken$
```

```
Tillix: ilovetrains28@cis106: ~/Downloads/broken

1: ilovetrains28@cis106: ~/Downloads/broken
<link href="https://cdn.jsdelivr.net/npm/bootstrap-icons@1.8.1/font/bootstrap-icons.css" rel="stylesheet" />
<link href="css/styles.css" rel="stylesheet" />
<a class="navbar-brand" href="index.html"><span class="fw-bolder text-primary">Start Bootstrap</span></a>
  <li class="nav-item"><a class="nav-link" href="index.html">Home</a></li>
  <li class="nav-item"><a class="nav-link" href="resume.html">Resume</a></li>
  <li class="nav-item"><a class="nav-link" href="projects.html">Projects</a></li>
  <li class="nav-item"><a class="nav-link" href="contact.html">Contact</a></li>
  <a class="btn btn-primary btn-lg px-5 py-3 me-sm-3 fs-6 fw-bolder" href="resume.html">Resume</a>
  <a class="btn btn-outline-dark btn-lg px-5 py-3 fs-6 fw-bolder" href="projects.html">Projects</a>
  <a class="text-gradient" href="#"><i class="bi bi-twitter"></i></a>
  <a class="text-gradient" href="#"><i class="bi bi-linkedin"></i></a>
  <a class="text-gradient" href="#"><i class="bi bi-github"></i></a>
  <a class="small" href="#">Privacy</a>
  <a class="small" href="#">Terms</a>
  <a class="small" href="#">Contact</a>
ilovetrains28@cis106:~/Downloads/broken$ mkdir assets
ilovetrains28@cis106:~/Downloads/broken$ ls
assets  contact.html  favicon.ico  index.html  profile.png  projects.html  resume.html  scripts.js  styles.css
ilovetrains28@cis106:~/Downloads/broken$ mv favicon.ico assets/
ilovetrains28@cis106:~/Downloads/broken$ ls
assets  contact.html  index.html  profile.png  projects.html  resume.html  scripts.js  styles.css
ilovetrains28@cis106:~/Downloads/broken$ ls assets
favicon.ico
ilovetrains28@cis106:~/Downloads/broken$ mkdir css
ilovetrains28@cis106:~/Downloads/broken$ mv styles.css css/
ilovetrains28@cis106:~/Downloads/broken$ ls css
styles.css
ilovetrains28@cis106:~/Downloads/broken$ ls
assets  contact.html  css  index.html  profile.png  projects.html  resume.html  scripts.js
ilovetrains28@cis106:~/Downloads/broken$
```

[Home](#) [Resume](#) [Projects](#) [Contact](#)

