

CJK Symbols and Punctuation

Range: 3000–303F

This file contains an excerpt from the character code tables and list of character names for
The Unicode Standard, Version 12.1

This file may be changed at any time without notice to reflect errata or other updates to the Unicode Standard.
See <http://www.unicode.org/errata/> for an up-to-date list of errata.

See <http://www.unicode.org/charts/> for access to a complete list of the latest character code charts.
See <http://www.unicode.org/charts/PDF/Unicode-12.1/> for charts showing only the characters added in Unicode 12.1.
See <http://www.unicode.org/Public/12.1.0/charts/> for a complete archived file of character code charts for Unicode 12.1.

Disclaimer

These charts are provided as the online reference to the character contents of the Unicode Standard, Version 12.1 but do not provide all the information needed to fully support individual scripts using the Unicode Standard. For a complete understanding of the use of the characters contained in this file, please consult the appropriate sections of The Unicode Standard, Version 12.1, online at <http://www.unicode.org/versions/Unicode12.1.0/>, as well as Unicode Standard Annexes #9, #11, #14, #15, #24, #29, #31, #34, #38, #41, #42, #44, #45, and #50, the other Unicode Technical Reports and Standards, and the Unicode Character Database, which are available online.

See <http://www.unicode.org/ucd/> and <http://www.unicode.org/reports/>

A thorough understanding of the information contained in these additional sources is required for a successful implementation.

Fonts

The shapes of the reference glyphs used in these code charts are not prescriptive. Considerable variation is to be expected in actual fonts. The particular fonts used in these charts were provided to the Unicode Consortium by a number of different font designers, who own the rights to the fonts.

See <http://www.unicode.org/charts/fonts.html> for a list.

Terms of Use

































































You may freely use these code charts for personal or internal business uses only. You may not incorporate them either wholly or in part into any product or publication, or otherwise distribute them without express written permission from the Unicode Consortium. However, you may provide links to these charts.

The fonts and font data used in production of these code charts may NOT be extracted, or used in any other way in any product or publication, without permission or license granted by the typeface owner(s).



The Unicode Consortium is not liable for errors or omissions in this file or the standard itself. Information on characters added to the Unicode Standard since the publication of the most recent version of the Unicode Standard, as well as on characters currently being considered for addition to the Unicode Standard can be found on the Unicode web site.

See <http://www.unicode.org/pending/pending.html> and <http://www.unicode.org/alloc/Pipeline.html>.

Copyright © 1991–2019 Unicode, Inc. All rights reserved.

	300	301	302	303
0	 3000	 3010	 3020	 3030
1	 3001	 3011	 3021	 3031
2	 3002	 3012	 3022	 3032
3	 3003	 3013	 3023	 3033
4	 3004	 3014	 3024	 3034
5	 3005	 3015	 3025	 3035
6	 3006	 3016	 3026	 3036
7	 3007	 3017	 3027	 3037
8	 3008	 3018	 3028	 3038
9	 3009	 3019	 3029	 3039
A	 300A	 301A	 302A	 303A
B	 300B	 301B	 302B	 303B
C	 300C	 301C	 302C	 303C
D	 300D	 301D	 302D	 303D
E	 300E	 301E	 302E	 303E
F	 300F	 301F	 302F	 303F

CJK symbols and punctuation

- 3000  IDEOGRAPHIC SPACE
→ 0020  space
≈ <wide> 0020 
- 3001 、 IDEOGRAPHIC COMMA
• in Chinese, delimits items in a list or series
→ 002C , comma
→ FF0C ٫ fullwidth comma
→ FF64 ､ halfwidth ideographic comma
~ 3001 FE00 〃 corner-justified form
~ 3001 FE01 〃 centered form
- 3002 。 IDEOGRAPHIC FULL STOP
→ 002E . full stop
→ FF0E ٫ fullwidth full stop
→ FF61 ｡ halfwidth ideographic full stop
~ 3002 FE00 〰 corner-justified form
~ 3002 FE01 〰 centered form
- 3003 “ ” DITTO MARK
→ 2033 ” double prime
- 3004  JAPANESE INDUSTRIAL STANDARD SYMBOL
- 3005 ㄥ IDEOGRAPHIC ITERATION MARK
→ 206A4 ㄥ
→ 16FE0 ㄥ tangut iteration mark
- 3006 ㄨ IDEOGRAPHIC CLOSING MARK
→ 4E44 ㄨ
- 3007 ○ IDEOGRAPHIC NUMBER ZERO
→ 20DD ◎ combining enclosing circle
→ 25CB ○ white circle
→ 25EF ○ large circle

CJK angle brackets

- 3008 〈 〉 LEFT ANGLE BRACKET
→ 003C < less-than sign
→ 2039 ‹ single left-pointing angle quotation mark
→ 2329 ‹ left-pointing angle bracket
→ 27E8 ‹ mathematical left angle bracket
- 3009 › RIGHT ANGLE BRACKET
→ 003E > greater-than sign
→ 203A › single right-pointing angle quotation mark
→ 232A › right-pointing angle bracket
→ 27E9 › mathematical right angle bracket
- 300A ‹‹ LEFT DOUBLE ANGLE BRACKET
→ 00AB ‹‹ left-pointing double angle quotation mark
→ 27EA ‹‹ mathematical left double angle bracket
- 300B ›› RIGHT DOUBLE ANGLE BRACKET
→ 00BB ›› right-pointing double angle quotation mark
→ 27EB ›› mathematical right double angle bracket

CJK corner brackets

The CJK corner brackets, which function as quotation marks, are not recommended for general-purpose corner brackets. See the ceiling and floor characters, instead.

- 300C ┌ LEFT CORNER BRACKET
→ 2308 ┌ left ceiling
- 300D ┐ RIGHT CORNER BRACKET
→ 230B ┐ right floor
- 300E ┏ LEFT WHITE CORNER BRACKET
- 300F ┓ RIGHT WHITE CORNER BRACKET

CJK brackets

- 3010 【 LEFT BLACK LENTICULAR BRACKET
- 3011 】 RIGHT BLACK LENTICULAR BRACKET

CJK symbols

- 3012 〒 POSTAL MARK
→ 20B8 〒 tenge sign
→ 2AE7 〒 short down tack with overbar
→ 1F3E3 郵便局 japanese post office
- 3013 ■ GETA MARK
• substitute for ideograph not in font
• editorial convention to represent ideographic lacuna
→ 25A1 □ white square

CJK brackets

- 3014 (LEFT TORTOISE SHELL BRACKET
- 3015) RIGHT TORTOISE SHELL BRACKET
- 3016 [LEFT WHITE LENTICULAR BRACKET
- 3017] RIGHT WHITE LENTICULAR BRACKET
- 3018 [LEFT WHITE TORTOISE SHELL BRACKET
→ 27EC [mathematical left white tortoise shell bracket
- 3019] RIGHT WHITE TORTOISE SHELL BRACKET
→ 27ED] mathematical right white tortoise shell bracket
- 301A [LEFT WHITE SQUARE BRACKET
= left abstract syntax bracket
→ 27E6 [mathematical left white square bracket
- 301B] RIGHT WHITE SQUARE BRACKET
= right abstract syntax bracket
→ 27E7] mathematical right white square bracket

CJK punctuation

- 301C ~ WAVE DASH
This character was encoded to match JIS C 6226-1978 1-33 "wave dash".
→ 2053 ~ swung dash
→ 3030 ~ wavy dash
→ FF5E ~ fullwidth tilde
- 301D “ ” REVERSED DOUBLE PRIME QUOTATION MARK
• sometimes depicted as double prime quotation mark
→ 201C “ left double quotation mark
→ 2036 ” reversed double prime
- 301E ” DOUBLE PRIME QUOTATION MARK
• this is a mistaken analogue to 201D ”; 301F ” is preferred
→ 201D ” right double quotation mark
→ 2033 ” double prime
- 301F „ LOW DOUBLE PRIME QUOTATION MARK
• may be depicted as low inverse double prime quotation mark

CJK symbol

- 3020 面 POSTAL MARK FACE

Suzhou numerals

The Suzhou numerals (Chinese su1zhou1ma3zi) are special numeric forms used by traders to display the prices of goods. The use of "HANGZHOU" in the names is a misnomer.

- 3021 Ⅰ HANGZHOU NUMERAL ONE
- 3022 Ⅱ HANGZHOU NUMERAL TWO
- 3023 Ⅲ HANGZHOU NUMERAL THREE

3024	ㄥ	HANGZHOU NUMERAL FOUR
3025	ㄷ	HANGZHOU NUMERAL FIVE
3026	ㄹ	HANGZHOU NUMERAL SIX
3027	ㅁ	HANGZHOU NUMERAL SEVEN
3028	ㅂ	HANGZHOU NUMERAL EIGHT
3029	ㅅ	HANGZHOU NUMERAL NINE

Combining tone marks

302A	◌◡	IDEOGRAPHIC LEVEL TONE MARK
302B	◌◢	IDEOGRAPHIC RISING TONE MARK
302C	◌◣	IDEOGRAPHIC DEPARTING TONE MARK
302D	◌◥	IDEOGRAPHIC ENTERING TONE MARK
302E	◌◦	HANGUL SINGLE DOT TONE MARK = single dot Bangjeom
302F	◌◐	HANGUL DOUBLE DOT TONE MARK = double dot Bangjeom

Other CJK punctuation

3030	～	WAVY DASH → 2307 ㄿ wavy line → 301C ㄿ wave dash
------	---	---

Kana repeat marks

These characters are only used in vertical writing of Japanese.

3031	↵	VERTICAL KANA REPEAT MARK
3032	↵゛	VERTICAL KANA REPEAT WITH VOICED SOUND MARK • implemented as glyphs that are two-em tall
3033	/	VERTICAL KANA REPEAT MARK UPPER HALF
3034	/゛	VERTICAL KANA REPEAT WITH VOICED SOUND MARK UPPER HALF • implemented as glyphs that are one-em tall and that combine with the following character to form ligated two-em glyphs for the complete repeat marks
3035	\	VERTICAL KANA REPEAT MARK LOWER HALF

Other CJK symbols

3036	㊚	CIRCLED POSTAL MARK = symbol for type b electronics • not used as a postal mark ≈ 3012 ㊚ postal mark
3037	㊚	IDEOGRAPHIC TELEGRAPH LINE FEED SEPARATOR SYMBOL

Additional Suzhou numerals

3038	十	HANGZHOU NUMERAL TEN ≈ 5341 十
3039	廿	HANGZHOU NUMERAL TWENTY ≈ 5344 廿
303A	卅	HANGZHOU NUMERAL THIRTY ≈ 5345 卅

Other CJK punctuation

303B	↻	VERTICAL IDEOGRAPHIC ITERATION MARK
303C	㊦	MASU MARK • informal abbreviation for Japanese -masu ending → 29C4 ㊦ squared rising diagonal slash
303D	ゝ	PART ALTERNATION MARK • marks the start of a song part in Japanese

Special CJK indicators

These are visibly displayed graphic characters, not invisible format control characters.

303E	㏿	IDEOGRAPHIC VARIATION INDICATOR • visual indicator that the following ideograph is to be taken as a variant of the intended character
303F	㏾	IDEOGRAPHIC HALF FILL SPACE • visual indicator of a screen space for half of an ideograph