



Dashboard > Courses > DPI343(1),25/26-R > 8. Interfacing with HLL > Test 8

Datoru organizācija un asambleri(1),25/26-R Test 8

Started on Tuesday, 21 October 2025, 10:18 AM

State Finished

Completed on Tuesday, 21 October 2025, 10:21 AM

Time taken 3 mins 11 secs

Grade 2 out of 3 (67%)

Question 1

Correct

Mark 1 out of 1

When CPU executes the RET instruction, values of these registers are affected.

Choose the one best answer.

- ☐ All CPU registers are restored from the stack
- ☐ EBP, ESP, EIP
- ☐ EAX, EBX, ECX, EDX, EBP
- ☒ ESP, EIP ✓
- ☐ Register values do not change



Question 2

Incorrect

Mark 0 out of 1

Procedure Ones counts the bits that have the value 1

Parameters: EAX - doubleword in which bits will be counted

ECX - number of rightmost bits to count

Return value: EAX contains number of bits with the value 1

Ones proc near

```
        xor     ebx, ebx      ; EBX = 0
testb: test    eax, 1        ; test low order bit
        jz      skip        ; skip if zero
        inc     ebx         ; increment EBX
skip:    shr     eax, 1       ; shift right EAX
        loop   testb        ; repeat
        mov     eax, ebx     ; copy result to EAX
        ret                     ; return to the caller
```

Ones endp

Is this a correct solution?

- ☐ No
- ☒ Yes ✖

Question 3

Correct

Mark 1 out of 1

The calling convention **STDCALL** assumes that the called procedure receives parameters in registers and therefore the top of the stack does not need to be changed when returning from the procedure.

Is this statement true?

- ☐ True
- ☒ False ✔

◀ onessi.asm

Jump to...



COAL 2025 - Lecture 8 ▶

