

Bài 4:

```
abstract class Person
{
    protected String name;
    protected String address;
    public Person (String name, String address)
    {
        this.name = name;
        this.address = address;
    }
    public void setName (String name)
    {
        this.name = name;
    }
    public String getName()
    {
        return name;
    }
    public void setAddress (String address)
    {
        this.address = address;
    }
}
```


Thứ ngày tháng năm

```
public void setAddress( String address)
```

```
public String getAddress()
```

```
{
```

```
    return address;
```

```
}
```

```
public abstract void display();
```

```
}
```

```
etc
```

```
class Employee extends Person
```

```
{
```

```
    private int salary;
```

```
    public Employee( String name , String address ,  
int salary)
```

```
{
```

```
        super( name, address);
```

```
        this.salary = salary;
```

```
}
```

```
@Override
```

```
public void display()
```

```
{
```

```
    System.out.println( "Employee " );
```


Thứ ngày tháng năm

```
System.out.println("Name : " + name);  
System.out.println("Address : " + address);  
System.out.println("Salary : " + salary);  
}
```

```
class Customer extends Person  
{  
    private int balance;  
    public Customer (String name, String address,  
int balance)  
    {  
        super (name, address);  
        this.balance = balance;  
    }  
}
```

@Override

```
public void display ()  
{
```

```
System.out.println("Customer");  
System.out.println("Name : " + name);  
System.out.println("Address : " + address);  
System.out.println("Balance : " + balance);  
}
```


Thứ ngày tháng năm

```
public class Main
```

```
{  
    public static void main (String [] args)
```

```
{
```

```
        Employee e = new Employee ("Thinh", "Tra  
        Vinh", 5000);
```

```
        Customer c = new Customer ("An", "Vinh  
        Long", 3000);
```

```
        e.display();
```

```
        c.display();
```

```
    }
```

```
}
```