

Unable to generate a URL for the named route "ps_controller_webpay_configure" as such route does not exist.

[Exception](#)[Logs 2](#)[Stack Trace](#)[Symfony\Component\Routing\Exception\](#)

RouteNotFoundException

in var/cache/dev/appDevDebugProjectContainerUrlGenerator.php (line 615)

```
610.     }
611.
612.     public function generate($name, $parameters = [], $referenceType = self::ABSOLUTE_PATH)
613.     {
614.         if (!isset(self::$declaredRoutes[$name])) {
615.             throw new RouteNotFoundException(sprintf('Unable to generate a URL for the named route "%s" as such route does
616.         }
617.
618.         list($variables, $defaults, $requirements, $tokens, $hostTokens, $requiredSchemes) = self::$declaredRoutes[$name];
619.
620.         return $this->doGenerate($variables, $defaults, $requirements, $tokens, $parameters, $name, $referenceType, $hostT
```

appDevDebugProjectContainerUrlGenerator->**generate** ('ps_controller_webpay_configure', array(), 1)
in vendor/symfony/symfony/src/Symfony/Component/Routing/Router.php (line 240)

```
235.     /**
```

```

236.     * {@inheritDoc}
237.     */
238.     public function generate($name, $parameters = [], $referenceType = self::ABSOLUTE_PATH)
239.     {
240.         return $this->getGenerator()->generate($name, $parameters, $referenceType);
241.     }
242.
243.     /**
244.     * {@inheritDoc}
245.     */

```

Router->**generate**('ps_controller_webpay_configure', array(), 1)
in src/PrestaShopBundle/Service/Routing/Router.php (line 67)

```

62.         // Do not generate token each time we want to generate a route for a user
63.         if (!isset($this->tokens[$username])) {
64.             $this->tokens[$username] = $this->tokenManager->getToken($username)->getValue();
65.         }
66.
67.         $url = parent::generate($name, $parameters, $referenceType);
68.
69.         return self::generateTokenizedUrl($url, $this->tokens[$username]);
70.     }
71.
72.     public function setTokenManager(CsrfTokenManager $tokenManager)

```

Router->**generate**('ps_controller_webpay_configure')
in classes/Link.php (line 881)

```

876.         $sfContainer = SymfonyContainer::getInstance();
877.         if (null !== $sfContainer) {

```

```

878.         /** @var UrlGeneratorInterface $sfRouter */
879.         $sfRouter = $sfContainer->get('router');
880.
881.         return $sfRouter->generate($tab['route_name']);
882.     }
883. }
884.
885. return $this->getAdminLink($tab['class_name']);
886. }
```

LinkCore->**getTabLink**(array('id_tab' => '166', 'id_parent' => '63', 'position' => '2', 'module' => 'webpay', 'class_name' => 'WebpayPlusConfigure', 'route_name' => 'ps_controller_webpay_configure', 'active' => '1', 'enabled' => '1', 'hide_host_mode' => '0', 'icon' => '', 'wording' => null, 'wording_domain' => null, 'name' => 'Configuración Webpay'))
in classes/controller/AdminController.php (line 2126)

```

2121.         $tabs[$index]['current_level'] = $level;
2122.     } else {
2123.         $tabs[$index]['current'] = false;
2124.     }
2125.     $tabs[$index]['img'] = null;
2126.     $tabs[$index]['href'] = $this->context->link->getTabLink($tab);
2127.     $tabs[$index]['sub_tabs'] = array_values($this->getTabs($tab['id_tab'], $level + 1));
2128.
2129.     $subTabHref = $this->getTabLinkFromSubTabs($tabs[$index]['sub_tabs']);
2130.     if (!empty($subTabHref)) {
2131.         $tabs[$index]['href'] = $subTabHref;
```

AdminControllerCore->**getTabs**('63', 2)
in classes/controller/AdminController.php (line 2127)

```

2122.     } else {
2123.         $tabs[$index]['current'] = false;
```

```

2124.
2125.     }
2126.     $tabs[$index]['img'] = null;
2127.     $tabs[$index]['href'] = $this->context->link->getTabLink($tab);
2128.     $tabs[$index]['sub_tabs'] = array_values($this->getTabs($tab['id_tab'], $level + 1));
2129.
2130.     $subTabHref = $this->getTabLinkFromSubTabs($tabs[$index]['sub_tabs']);
2131.     if (!empty($subTabHref)) {
2132.         $tabs[$index]['href'] = $subTabHref;
2133.     } elseif (0 == $tabs[$index]['id_parent'] && '' == $tabs[$index]['icon']) {

```

[-] **AdminControllerCore->getTabs('42', 1)**
in classes/controller/AdminController.php (line 2127)

```

2122.     } else {
2123.         $tabs[$index]['current'] = false;
2124.     }
2125.     $tabs[$index]['img'] = null;
2126.     $tabs[$index]['href'] = $this->context->link->getTabLink($tab);
2127.     $tabs[$index]['sub_tabs'] = array_values($this->getTabs($tab['id_tab'], $level + 1));
2128.
2129.     $subTabHref = $this->getTabLinkFromSubTabs($tabs[$index]['sub_tabs']);
2130.     if (!empty($subTabHref)) {
2131.         $tabs[$index]['href'] = $subTabHref;
2132.     } elseif (0 == $tabs[$index]['id_parent'] && '' == $tabs[$index]['icon']) {

```

[-] **AdminControllerCore->getTabs()**
in classes/controller/AdminController.php (line 2002)

```

1997.     // Quick access
1998.     if ((int) $this->context->employee->id) {
1999.         $quick_access = QuickAccess::getQuickAccessesWithToken($this->context->language->id, (int) $this->context->emp

```

```
2000.     }
2001.
2002.     $tabs = $this->getTabs();
2003.     $currentTabLevel = 0;
2004.     foreach ($tabs as $tab) {
2005.         $currentTabLevel = isset($tab['current_level']) ? $tab['current_level'] : $currentTabLevel;
2006.     }
2007.
```

AdminControllerCore->**initHeader()** in classes/controller/**Controller.php** (line 302)

```
297.         if (!empty($this->redirect_after)) {
298.             $this->redirect();
299.         }
300.
301.         if (!$this->content_only && ($this->display_header || (isset($this->className) && $this->className))) {
302.             $this->initHeader();
303.         }
304.
305.         if ($this->viewAccess()) {
306.             $this->initContent();
307.         } else {
```

ControllerCore->**run()** in classes/**Dispatcher.php** (line 525)

```
520.         if (isset($params_hook_action_dispatcher)) {
521.             Hook::exec('actionDispatcher', $params_hook_action_dispatcher);
522.         }
523.
```

```
524.     // Running controller
525.     $controller->run();
526.
527.     // Execute hook dispatcher after
528.     if (isset($params_hook_action_dispatcher)) {
529.         Hook::exec('actionDispatcherAfter', $params_hook_action_dispatcher);
530.     }
```

[-] **DispatcherCore->dispatch()**
in admin1687/index.php (line 93)

```
88.     if (!headers_sent()) {
89.         header('Content-Type: text/html; charset=utf-8');
90.     }
91.
92.     // Prepare and trigger LEGACY admin dispatcher
93.     Dispatcher::getInstance()->dispatch();
94. }
95.
```