
PhoenixEvent design system

The brand book, tokens, components and icons of the PhoenixEvent design system. The live version, with each component as a working preview, is at https://claude.ai/artifact/LiN9xyts9t51qw9DCKk5mM.



The cover, in the Sunbeam theme.

Brand book

PhoenixEvent is the interface for people working an organization's event together, divided into stations. It serves PTAs, community committees, banks and businesses, so it reads plainly, works for a first-time volunteer, and keeps its meaning in every theme.

Content fundamentals

- **Labels and names are separate.** "Event" and "Station" are default labels an administrator can replace with terms such as Function, Activity, Festival or Department. "Halloween Bash" and "Valentine Dance" are names. Write copy with the label as a variable in singular and plural form: "Join a {station}", "3 {stations} open".
- **Role titles are display text.** Show the event's title for a role when it has one (Event Director, Event Chair, Event Executive, Event Manager) and the organization's title otherwise. Permissions keep their own stable names.
- **Sentence case everywhere:** "Log in", "Forgot password?", "Join waiting list". Names keep their own capitals.
- **Buttons are a verb and its object:** "Approve registration", "Appoint chair", "Remove from station". The toggle on a password reads "Show" or "Hide".
- **State what is true, in numbers:** "9 of 10 places taken. Includes the chair." "3 on the waiting list."
- **Address the person as "you".** The organization is named: "This link opens a site outside Lincoln Elementary PTA."

- **Errors say how to fix the value:** "Enter 1 or more. Capacity includes the chair."
- **Words only.** Emoji stay out of interface copy. Icons come from the Icons group.

Visual foundations

Themes. Three built-in themes share every token name. Set one with `data-theme` on the root or on any container.

Theme	id	Character
Sunbeam	`sunbeam`	Light. Warm paper `surface`, sun-gold `brand`. The default.
Moonshadow	`moonshadow`	Dark. Night-blue `surface`, pale moon `brand`.
Greystone	`greystone`	Neutral greys for people who see color differently. Roles differ by lightness, and icons and words carry the meaning.

Color.

- Set the page on `surface`. Put cards, inputs, dialogs and the login panel on `surface-raised`. Use `surface-sunken` for meter tracks and inset boxes.
- Set text in `ink`. Set hints and metadata in `ink-muted`.
- Use `brand` as a fill only, with `on-brand` on top. It marks the one primary button in a view.
- Set links and quiet buttons in `brand-ink`, always underlined.
- Use `border-strong` for every edge a person needs to find: inputs, buttons, meter tracks, dialogs. Use `border` for decorative hairlines.
- States use four roles, each a solid color on its own `-surface` tint: `positive` (open, approved, public), `caution` (pending, waiting list, nearly full), `critical` (full, error, destructive), `neutral` (cancelled, private, unlisted). `positive` is blue and `critical` is red, and they differ in lightness.
- A state always appears as icon, word and color together. See StatusBadge.
- Put `scrim` behind dialogs.

Contrast. `ink`, `ink-muted` and `brand-ink` hold 4.5:1 on all three surfaces in all three themes. Each state role holds 4.5:1 on its tint, on `surface` and on `surface-raised`. `border-strong` and `focus` hold 3:1 on all three surfaces. `on-brand` on `brand` and `on-critical` on `critical` hold 4.5:1. A new theme passes the same pairs.

Focus. Every interactive element shows a solid 3px `focus` outline with a 2px offset on keyboard focus.

Type. One family, `sans`, the system interface face, so pages load with no font download. `mono` shows addresses. Use `display` for the event name on a public page, `heading-1` to `heading-3` for titles, `body` for copy and inputs, `small` for hints and metadata, `label` for badges and scope lines. Body copy is 16px on a 24px line.

Spacing. A 4px base: `space-1` to `space-12`. Use `space-4` between form fields, `space-6` inside cards and dialogs, `space-8` between page sections.

Radius. `radius-md` for buttons and inputs, `radius-lg` for cards and dialogs, `radius-pill` for badges and meter tracks, `radius-sm` for inset boxes.

Shadow. `shadow-raised` lifts cards from `surface`. `shadow-overlay` lifts dialogs above `scrim`. Borders define edges, and shadows only add depth.

Layout. Controls are at least 44px tall. Forms are one column, with labels above inputs. Cards hold one subject each.

Motion. Still by default. State changes apply at once.

Iconography

Fourteen line icons on a 24px grid with a 2px stroke, in the Icons group. Inline them with `stroke="currentColor"` so each icon takes the color of its label.

- **Levels:** `organization`, `event`, `station`. In `ink`, leading the scope line of announcements, navigation and page titles.
- **States:** `check-circle` (approved, open), `clock` (pending approval), `hourglass` (waiting list), `ban` (full), `x-circle` (cancelled), `alert` (error, warning).
- **Visibility:** `globe` (public), `eye-off` (unlisted), `lock` (private).
- **Links and files:** `external-link` after any link that leaves the application, `paperclip` before an attachment.

Each icon sits beside its word. An icon standing alone takes an `aria-label` with the same word.

Logo

PhoenixEvent has no mark yet. Set the name in `sans` at weight 700, as one word with a capital P and a capital E.

Components

All components are CSS classes in `components/bundle.css`, prefixed `pe-`, and read only tokens. Button, TextField, PasswordField and LoginForm cover account screens. StatusBadge and CapacityMeter cover registration and station capacity. AnnouncementCard and ExternalLinkDialog cover communication. ThemeSampler shows one card in all three themes.

Color tokens

Token	Sunbeam	Moonshadow	Greystone	Usage
`surface`	#fffaf0	#141a2b	#f4f4f3	Page background in every screen.
`surface-raised`	#ffffff	#1e2640	#ffffff	Cards, dialogs, inputs and the login panel, on surface.

Token	Sunbeam	Moonshadow	Greystone	Usage
`surface-sunken`	#f7ecd6	#0e1322	#e6e6e4	Meter tracks, the destination box in the external link warning, disabled controls.
`ink`	#2a2118	#eef1f8	#1c1c1c	Body copy and headings on surface, surface-raised and surface-sunken.
`ink-muted`	#63574a	#a9b2c9	#555555	Hints, metadata and timestamps on surface, surface-raised and surface-sunken.
`border`	#e5d7bd	#333d5c	#c9c9c6	Decorative hairline around cards and between rows. Carries no meaning on its own.
`border-strong`	#8a7758	#7683a8	#6b6b6b	Borders of inputs, buttons, meter tracks and dialogs: every edge a person needs to find. 3:1 on surface, surface-raised and surface-sunken.
`brand`	#f2b632	#b8c4ff	#2b2b2b	Fill of the primary button and the large identity fields. Always paired with on-brand.
`on-brand`	#2a2118	#141a2b	#ffffff	Text and icons on brand.
`brand-ink`	#7a4f00	#c3cdff	#1c1c1c	Links and quiet buttons on surface, surface-raised and surface-sunken. Always underlined, so Greystone reads without hue.
`focus`	#1d4ed8	#ffd166	#000000	Solid 3px focus ring with a 2px offset, on surface, surface-raised and surface-sunken.
`positive`	#0b5394	#7cc4ff	#1c1c1c	Icon, text and meter fill for open, approved and public states. Reads on positive-surface, surface and surface-raised.
`positive-surface`	#e3effa	#12304d	#ededeb	Badge ground behind positive.
`caution`	#7a4f00	#ffcf70	#444444	Icon, text and meter fill for pending, waiting list and nearly full states. Reads on caution-surface, surface and surface-raised.

Token	Sunbeam	Moonshadow	Greystone	Usage
`caution-surface`	#fdf0c8	#40300a	#dededb	Badge ground behind caution.
`critical`	#a3151b	#ff9d94	#000000	Icon, text and meter fill for full stations, errors and destructive actions. Reads on critical-surface, surface and surface-raised. Fill of the danger button.
`critical-surface`	#fde7e4	#4a1a17	#cfcfcc	Badge ground behind critical.
`on-critical`	#ffffff	#141a2b	#ffffff	Text and icons on a critical fill, such as the danger button.
`neutral`	#5a5148	#b4bccf	#555555	Icon and text for cancelled, private, unlisted and draft states. Reads on neutral-surface, surface and surface-raised.
`neutral-surface`	#efe8dc	#2a3350	#f4f4f3	Badge ground behind neutral.
`scrim`	rgba(42,33,24,0.55)	rgba(5,8,16,0.7)	rgba(0,0,0,0.6)	Layer behind the external link warning and any other dialog.

Type styles

Style	Size	Line height	Weight	Usage
`display`	40px	44px	700	Event name at the top of a public event page.
`heading-1`	30px	36px	700	Page title.
`heading-2`	24px	30px	600	Section title.
`heading-3`	19px	26px	600	Card and dialog title, station name.
`body`	16px	24px	400	Body copy, inputs, announcements.
`body-strong`	16px	24px	600	Button labels and emphasis inside body copy.
`small`	14px	20px	400	Hints, metadata, field labels at weight 600.
`label`	13px	20px	600	Status badges and scope labels.
`mono`	14px	20px	400	The destination address in the external link warning.

Font families: `sans` is system-ui, -apple-system, "Segoe UI", "Helvetica Neue", Arial, sans-serif. `mono` is ui-monospace, "SF Mono", Menlo, Consolas, monospace.

Spacing tokens

Token	Value	Usage
`space-1`	4px	Gap between an icon and its label.
`space-2`	8px	Gap between a label and its control, badge padding.
`space-3`	12px	Input padding, gap between list rows.
`space-4`	16px	Button padding, gap between form fields.
`space-6`	24px	Card and dialog padding.
`space-8`	32px	Gap between page sections.
`space-12`	48px	Page margins on wide screens.

Radius tokens

Token	Value	Usage
`radius-sm`	4px	The destination box, small insets.
`radius-md`	8px	Buttons and inputs.
`radius-lg`	16px	Cards, dialogs, the login panel.
`radius-pill`	999px	Status badges and meter tracks.

Shadow tokens

Token	Value	Usage
`shadow-raised`	sunbeam: 0 1px 2px rgba(42,33,24,0.14); moonshadow: 0 1px 2px rgba(0,0,0,0.5); greystone: 0 1px 2px rgba(0,0,0,0.16)	Cards on surface.
`shadow-overlay`	sunbeam: 0 12px 32px rgba(42,33,24,0.24); moonshadow: 0 12px 32px rgba(0,0,0,0.6); greystone: 0 12px 32px rgba(0,0,0,0.28)	Dialogs above the scrim.


Components

Button


Starts a domain action such as Register, Approve, Appoint chair or Join waiting list. Classes: `pe-btn` plus one of `pe-btn--primary`, `pe-btn--secondary`, `pe-btn--quiet`, `pe-btn--danger`.

You provide: the label, the variant, and an optional leading icon (inline SVG with class `pe-icon`).


- One `pe-btn--primary` per view, for the action the screen exists for.
- Label the action with a verb and its object: "Remove from station", "Approve registration".
- `pe-btn--danger` carries the `alert` icon and names what is removed. In Greystone its fill is close to the primary fill, so the words and the icon carry the meaning.
- A button the person lacks permission or entitlement for is left out of the page. Use `aria-disabled="true"` for an action that exists and is waiting on something, such as a station at capacity, and say why beside it.
- Minimum height is 44px in every variant.



Button: Sunbeam



Button: Moonshadow




Button: Greystone

TextField


A labelled single-line input with an optional hint and an error state. Classes: `pe-field` wrapping `pe-field__label`, `pe-input`, and `pe-field__hint` or `pe-field__error`.

You provide: the label text, the input's `id`, `name` and `autocomplete`, and hint or error copy.


- The label sits above the input and is always visible. Placeholder text stays empty.
- For an error, add `pe-field--error` to the wrapper, set `aria-invalid="true"`, and point `aria-describedby` at the error line. The error line leads with the `alert` icon and says how to fix the value.
- When an organization renames Event or Station, the label uses the configured term in its singular or plural form.



TextField: Sunbeam



TextField: Moonshadow




TextField: Greystone

PasswordField


A password input with a Show/Hide button. The password is hidden by default. Classes: `pe-field`, `pe-password` wrapping a `pe-input` and a `pe-btn pe-btn--secondary`.

You provide: the label, the input's `id` and `autocomplete` value (`current-password` at login, `new-password` at reset), and the click handler that swaps the input type.


- The button reads "Show" while hidden and "Hide" while visible. It is a real `button type="button"` with `aria-controls` pointing at the input and `aria-pressed` reflecting the state.
- A `role="status"` line announces "Password is visible." or "Password is hidden." after each press.
- The button keeps a fixed minimum width so the field holds its size when the word changes.



PasswordField: Sunbeam



PasswordField: Moonshadow




PasswordField: Greystone

LoginForm


The login panel: a Username field, a Password field with Show/Hide, a "Forgot password?" link and one primary button. Class: `pe-login` on the `form`, composed from TextField, PasswordField and Button.

You provide: the organization name shown under the title, the form action, and the reset link target.


- Exactly two fields: Username and Password. An email address is accepted in Username.
- The organization name under the title shows which organization the session will belong to. How a person picks the organization is an open decision in the specification, so this panel displays the name and leaves the picker out.
- A failed login shows one message above the fields that covers both fields together, so the response stays the same for every account.



LoginForm: Sunbeam



LoginForm: Moonshadow



LoginForm: Greystone


StatusBadge

A pill that states one state with an icon, a word and a color role. Classes: `pe-badge` plus `pe-badge--positive`, `pe-badge--caution`, `pe-badge--critical` or `pe-badge--neutral`.


You provide: the state. The icon, word and role come from this table.

State	Icon	Role
Approved, Open	`check-circle`	positive
Public	`globe`	positive
Pending approval	`clock`	caution
Waiting list	`hourglass`	caution
Full	`ban`	critical
Cancelled	`x-circle`	neutral
Unlisted	`eye-off`	neutral
Private	`lock`	neutral


- Every badge carries all three: icon, word, color. In Greystone the four roles are greys of different lightness, so the icon and the word identify the state.
- The word is the state itself in sentence case, one or two words.
- One badge per fact. A station that is full and private shows two badges.



StatusBadge: Sunbeam



StatusBadge: Moonshadow




StatusBadge: Greystone

CapacityMeter


Shows how many places of a station or event board are taken. Classes: `pe-meter`, with `pe-meter--caution` or `pe-meter--critical`, wrapping `pe-meter__row`, `pe-meter__track` and `pe-meter__fill`.

You provide: the station or board name, the count taken, the capacity, and the fill width as a percentage.


- The count always appears in words: "9 of 10 places taken". The bar supports the sentence.
- The chair counts toward capacity. Say "Includes the chair" beside the count.
- Fill role: `positive` below 80 percent, `pe-meter--caution` from 80 percent, `pe-meter--critical` at capacity. These thresholds are a starting proposal.
- At capacity, pair the meter with the Full StatusBadge and, where the waiting list is enabled, the number waiting.



CapacityMeter: Sunbeam



CapacityMeter: Moonshadow



CapacityMeter: Greystone

AnnouncementCard


One announcement at organization, event or station level, with its links and attachments. Classes: `pe-card pe-announcement`, with `pe-announcement__scope`, `__title`, `__body`, `__meta` and a `pe-attachments` list.

You provide: the level and its name, the title, the body, the author's name and displayed role title, the date, and the attachment list (file name, type, size).


- The scope line leads with the level icon (`organization`, `event` or `station`) and the configured label for that level.
- The author line shows the role title as displayed for that event: the event override when one exists, the organization title otherwise.
- A link that leaves the application carries the `external-link` icon and opens the ExternalLinkDialog.
- Each attachment row shows the `paperclip` icon, the file name as a link, then type and size. Supported types: jpg, jpeg, png, md, html, pdf, doc, docx.
- Images display inside the body. Uploaded and embedded video sit in a 16:9 frame between the body and the attachments.



AnnouncementCard: Sunbeam



AnnouncementCard: Moonshadow




AnnouncementCard: Greystone

ExternalLinkDialog


The warning shown when a person follows a link that leaves the application. It shows the destination and offers Continue and Cancel. Classes: `pe-scrim` behind a `pe-dialog` with `pe-dialog__title`, `__body`, `__dest` and `__actions`.

You provide: the full destination address and the organization name.


- The destination shows in full in `mono`, wrapping at any character, so the whole address is readable.
- Two actions, in this order: Cancel (secondary), then Continue (primary, with the `external-link` icon). Focus starts on Cancel. Escape cancels.
- Use `role="alertdialog"` with `aria-modal="true"`, labelled by the title and described by the body line.
- Internal links go straight to their target, where the access check runs.



ExternalLinkDialog: Sunbeam



ExternalLinkDialog: Moonshadow




ExternalLinkDialog: Greystone

ThemeSampler

The same card in the three built-in themes, side by side: Sunbeam, Moonshadow and Greystone. Use it to judge a new theme against the built-in ones.


You provide: nothing. To apply a theme, set `data-theme="sunbeam"`, `data-theme="moonshadow"` or `data-theme="greystone"` on the root element or on any container.

- A theme added by a system, organization or event administrator supplies a value for every color token and passes the contrast pairs listed in the brand book before it ships.
- A theme changes color and shadow tokens. Spacing, radius and type tokens stay shared.



ThemeSampler: All three themes side by side

Icons



Fourteen line icons on a 24px grid: 2px stroke, round caps and joins, no fill. The files are drawn in a single ink, `#2a2118` (Sunbeam `ink`). In product code, inline the same paths with `stroke="currentColor"` so the icon takes the color of its label in every theme.

Icon	Meaning	Color role
`organization`	Organization level	`ink`
`event`	Event level	`ink`
`station`	Station level	`ink`
`check-circle`	Approved, open	`positive`
`globe`	Public	`positive`
`clock`	Pending approval	`caution`
`hourglass`	Waiting list	`caution`
`ban`	Full	`critical`
`alert`	Error, warning before leaving the site	`critical`
`x-circle`	Cancelled	`neutral`
`eye-off`	Unlisted	`neutral`
`lock`	Private	`neutral`
`external-link`	A link that leaves the application	color of its link
`paperclip`	Attachment	`ink-muted`

Every icon sits beside a text label. An icon on its own takes an `aria-label` with the same words.