

SUMMARY SHEET					ID# 3759787	cms.helpdesk@ecoonline.com					255670
FACILITY	TRANSLINK	MAIN	BUS	SUB	BUS OPERATIONS	IMC					
Material/Process					Health Hazards		Considerations				
NO.77 HYPERFRESH - TROPICAL MIST											
MEDIUM HAZARD											
AEROSOL											
Supplier Keyword Contents					AUTOGLYM Deodoriser Propane: 10 - 30%, Propan-2-ol: 10 - 30%, n-Butane: 10 - 30%, Signal Word Exp Limit Isobutane: 1 - 10%		Propan-2-ol 999mg/m3 8hTWA 400ppm 8hTWA 1250mg/m3 15mSTEL 500ppm 15mSTEL WEL, Propane 1800mg/m3 8hTWA 7200mg/m3 15mSTEL OEL, n-Butane Danger				
Method	Spraying (Aerosol)	Area	Inside Well Ventilated	Exposure	Up to 1/2 hour per shift		Spillage				
MEDIUM ACUTE RISK - FULL EXPOSURE					MEDIUM CHRONIC RISK - FULL EXPOSURE		Not applicable when intact In case of leakage or loss of containment: Ventilate area and exclude all sources of ignition Wear protective clothing if whole container is split Allow to dissipate Wear polythene or nitrile gloves Ensure area is safe before re-entry				
Control Measures					MEDIUM ACUTE RISK - INDIVIDUAL ACTIVITY		First Aid				
					MEDIUM CHRONIC RISK		Inhalation - remove to fresh air, get immediate medical attention after significant exposure or if feeling ill Ingestion - do not induce vomiting, wash out mouth with water If feeling unwell consult your doctor immediately Eye - rinse thoroughly with water for 20 minutes - take care not to affect uncontaminated eye. If irritation persists then consult a doctor Skin - wash with soap/d cleanser and rinse with water; if irritation persists then consult a doctor				
					WASH AFTER EXPOSURE		Fire				
					IF HEAVILY SOILED		Keep aerosol cans cool, do not burn for disposal Isolated small scale fire: Vapour may spread - distant ignition is possible Inert material - powder - water fog Do not use water jet Large fire: evacuate area, call fire brigade or follow site procedure Wear self-contained breathing apparatus and protective clothing Keep containers cool with water spray Risk of explosion if involved in a fire				
					PRESSURISED						
							Date Printed 11/09/2023				
							Activity Comments Intermittent use of aerosol spray.				
							Assessment Reviewed				
							Latest SDS Reference				
							11/09/2023				
							23/04/2015				
							50				