

Safety Data Sheet

according to 1907/2006/EC, Article 31

Printing date 04.03.2010

Revision: 04.03.2010

1 Identification of the substance/preparation and of the company/undertaking

- **Product details**
- **Trade name:** Long Life Antifreeze
- **Article number:** ST-A.28.02
- **Application of the substance / the preparation** Engine Antifreeze ·
- Manufacturer/Supplier:**
Maxol Lubricants Ltd
Unit D
Airport Business Campus
Santry, Dublin 9
+35318060300
- **Further information obtainable from:** Product safety department - +35318060300.
- **Information in case of emergency:** +35318060300 (9 AM to 4 PM, Monday to Friday)

2 Hazards identification

- **Hazard description:**



Xn Harmful

- **Information concerning particular hazards for human and environment:**
The product has to be labelled due to the calculation procedure of the "General Classification guideline for preparations of the EU" in the latest valid version.
R 22 Harmful if swallowed.
- **Classification system:**
The classification is according to the latest editions of the EU-lists, and extended by company and literature data.
- **GHS label elements**



Warning

- H315 - Causes skin irritation.
- H319 - Causes serious eye irritation.
- **Prevention:**
P280 Wear protective gloves/protective clothing/eye protection/face protection. ·

Response:

- P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
- P321 Specific treatment (see on this label).
- P362 Take off contaminated clothing and wash before reuse.
- P332+P313 If skin irritation occurs: Get medical advice/attention.
- P337+P313 If eye irritation persists: Get medical advice/attention.

3 Composition/information on ingredients

- **Description:** Mixture of substances listed below with nonhazardous additions.

· **Dangerous components:**

CAS: 107-21-1	ethanediol	Xn; R 22	50-100%
EINECS: 203-473-3		Warning: 3.1.O/4	
	Coolant Concentrate	Xi; R 36/38	10-25%
		Warning: 3.2/2, 3.3/2	

(Contd. on page 2)

GB

Safety Data Sheet

according to 1907/2006/EC, Article 31

Printing date 04.03.2010

Revision: 04.03.2010

Trade name: Long Life Antifreeze

(Contd. of page 1)

- **Additional information:** For the wording of the listed risk phrases refer to section 16.

4 First-aid measures

- **General information:**
Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.
- **After inhalation:** Supply fresh air; consult doctor in case of complaints.
- **After skin contact:** Generally the product does not irritate the skin.
- **After eye contact:** Rinse opened eye for several minutes under running water.
- **After swallowing:** Call for a doctor immediately.
- **Information for doctor:**
- **The following symptoms may occur:**
Headache
Nausea
Dizziness
Unconsciousness
- **Treatment** If swallowed or in case of vomiting, danger of entering the lungs.

5 Fire-fighting measures

- **Suitable extinguishing agents:**
Water haze
Alcohol resistant foam
Fire-extinguishing powder
Carbon dioxide
- **For safety reasons unsuitable extinguishing agents:** Water with full jet
- **Special hazards caused by the substance, its products of combustion or resulting gases:**
Formation of toxic gases is possible during heating or in case of fire.
- **Protective equipment:**
Wear self-contained respiratory protective device.
Wear fully protective suit.

6 Accidental release measures

- **Person-related safety precautions:** Wear protective clothing.
- **Measures for environmental protection:**
Dilute with plenty of water.
Do not allow to enter sewers/ surface or ground water.
- **Measures for cleaning/collecting:**
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
Dispose contaminated material as waste according to item 13.
Ensure adequate ventilation.
- **Additional information:**
See Section 7 for information on safe handling.
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.

GB

(Contd. on page 3)

Safety Data Sheet

according to 1907/2006/EC, Article 31

Printing date 04.03.2010

Revision: 04.03.2010

Trade name: Long Life Antifreeze

(Contd. of page 2)

7 Handling and storage

- **Handling:**
- **Information for safe handling:**
Ensure good ventilation/exhaustion at the workplace.
Prevent formation of aerosols.
- **Information about fire - and explosion protection:** No special measures required.
- **Storage:**
- **Requirements to be met by storerooms and receptacles:** Store only in the original receptacle.
- **Information about storage in one common storage facility:** Not required.
- **Further information about storage conditions:**
Store in cool, dry conditions in well sealed receptacles.

8 Exposure controls/personal protection

- **Additional information about design of technical facilities:** No further data; see item 7.

Ingredients with limit values that require monitoring at the workplace:

107-21-1 ethanediol

WEL	Short-term value: 104** mg/m ³ , 40** ppm
	Long-term value: 10* 52** mg/m ³ , 20** ppm
	Sk *particulate **vapour

- **Additional information:** The lists valid during the making were used as basis.
- **Personal protective equipment:**
- **General protective and hygienic measures:** Keep away from foodstuffs, beverages and feed.
- **Respiratory protection:** Not required.
- **Protection of hands:**



Protective gloves

- **Material of gloves**
The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.
- **Penetration time of glove material**
The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.
- **Eye protection:** Goggles recommended during refilling.
- **Body protection:** Protective work clothing

9 Physical and chemical properties

General Information

Form:	Fluid
Colour:	Light red
Odour:	Characteristic

(Contd. on page 4)

GB

Safety Data Sheet

according to 1907/2006/EC, Article 31

Printing date 04.03.2010

Revision: 04.03.2010

Trade name: Long Life Antifreeze

(Contd. of page 3)

- **Change in condition**
 Melting point/Melting range: Undetermined.
 Boiling point/Boiling range: 197°C
- **Flash point:** 111°C
- **Ignition temperature:** 410°C
- **Self-igniting:** Product is not selfigniting.
- **Danger of explosion:** Product does not present an explosion hazard.
- **Explosion limits:**
 Lower: 3.2 Vol %
 Upper: 53.0 Vol %
- **Vapour pressure at 20°C:** 0.1 hPa
- **Density at 20°C:** 1.1 g/cm³
- **Solubility in / Miscibility with water:** Fully miscible.
- **pH-value at 20°C:** 8.6
- **Solvent content:**
 Organic solvents: 0.0 %

10 Stability and reactivity

- **Thermal decomposition / conditions to be avoided:** To avoid thermal decomposition do not overheat.
- **Materials to be avoided:**
- **Dangerous reactions** Reacts with strong oxidizing agents.
- **Dangerous decomposition products:** No dangerous decomposition products known.

11 Toxicological information

- **Acute toxicity:**

- **LD/LC50 values relevant for classification:**

107-21-1 ethanediol

Oral	LD50	5840 mg/kg (rat)
Dermal	LD50	9530 mg/kg (rabit)

- **Primary irritant effect:**
- **on the skin:** No irritant effect.
- **on the eye:** No irritating effect.
- **Sensitization:** No sensitizing effects known.
- **Additional toxicological information:**
 The product shows the following dangers according to the calculation method of the General EU Classification Guidelines for Preparations as issued in the latest version:
 Harmful

12 Ecological information

- **Information about elimination (persistence and degradability):**
- **Other information:** The product is biodegradable.

(Contd. on page 5)

GB

Safety Data Sheet

according to 1907/2006/EC, Article 31

Printing date 04.03.2010

Revision: 04.03.2010

Trade name: Long Life Antifreeze

(Contd. of page 4)

- **Additional ecological information:**
- **General notes:**
Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water
Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

13 Disposal considerations

- **Product:**
- **Recommendation**
Must not be disposed together with household garbage. Do not allow product to reach sewage system.
- **European waste catalogue**
16 01 14 antifreeze fluids containing dangerous substances
- **Uncleaned packaging:**
- **Recommendation:** Disposal must be made according to official regulations.
- **Recommended cleansing agents:** Water, if necessary together with cleansing agents.

14 Transport information

- **Land transport ADR/RID (cross-border)**
- **ADR/RID class:** -
- **Maritime transport IMDG:**
- **IMDG Class:** -
- **Marine pollutant:** No
- **Air transport ICAO-TI and IATA-DGR:**
- **ICAO/IATA Class:** -
- **UN "Model Regulation":** -

15 Regulatory information

- **Labelling according to EU guidelines:**
The product has been classified and marked in accordance with EU Directives / Ordinance on Hazardous Materials.

- **Code letter and hazard designation of product:**



Xn Harmful

- **Hazard-determining components of labelling:**
ethanediol

- **Risk phrases:**
22 Harmful if swallowed.

- **Safety phrases:**
2 Keep out of the reach of children.
24/25 Avoid contact with skin and eyes.

(Contd. on page 6)

GB

Safety Data Sheet

according to 1907/2006/EC, Article 31

Printing date 04.03.2010

Revision: 04.03.2010

Trade name: Long Life Antifreeze

(Contd. of page 5)

46 If swallowed, seek medical advice immediately and show this container or label.

· **National regulations:**· **Waterhazard class:** Water hazard class 1 (Self-assessment): slightly hazardous for water.**16 Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· **Relevant R-phrases**

22 Harmful if swallowed.

36/38 Irritating to eyes and skin.

· **Department issuing MSDS:** Product safety department. ·**Contact:** Product safety department· **Abbreviations and acronyms:**

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)

ICAO: International Civil Aviation Organization

ICAO-TI: Technical Instructions by the "International Civil Aviation Organization" (ICAO)

GHS: Globally Harmonized System of Classification and Labelling of Chemicals

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

· **Sources**

67/548/EEC - Dangerous Substances Directive

99/45/EEC - Dangerous Preparations Directive

· *** Data compared to the previous version altered.**

GB