CASE NUMBER# VN 0027234

		OVER VIIINDED
BILLING ACCOON I NO.	5973 PROME ONLY	12165680
HOSPITAL NAME & ADDRESS	LOCATION	SERVICE TYPE
Tain And Hospital	auf 7 Vwarranty Contract	V Ins Pre-Install Sales Support Training
EQUIPMENT DESCRIPTION	MODEL NO.	SERIAL NUMBERS
MRS 1.5T	Signa Creator	Syra_LX1_MR30.1R01_2322.c.
PROBLEM DESCRIPTION: (reported by customer)	\$2°	DATE TIME DD/MIM/YY HH-MM
CAUSE/DIAGNOSIS:		Call Cust:
RESOLUTION / SERVICE PERFORMED:), \ \ \	E EA
- Carrera how do no birth thirdry	a clay tim how	
RECOMMENDATIONS:		PS FF
		Intial System Status: OF / DOWN / PARTIAL
PART USED DETAILS:		On Completion Status: VP / DOWN / PARTIAL
PART NUMBER QTY	DESCRIPTION	TUBE SLICE READING EXPOSURE
		GANTRY ROTATION READING
		for Internal use only
Von This buy Ruing they	OTT S	FMI No & Code Customer PO#
GEHC SERVICE FE NAME & SIGNATURE	ACCEPTED BY (CUSTOMER NAME, SIGN & STAMP)	

CREATING A WORLD WHERE HEATHCARE HAS NO LIMITS

CASE NUMBER# VN 0027233

BILLING ACCOUNT NO. COUNT	COUNTRY CODE SYSTEM ID SYSTEM ID	CASE NUMBER
HOSPITAL NAME & ADDRESS	LOCATION	SERVICE TYPE
Tan Anh Hospital	Quant V Warranty Contract	V Ins Pre-Install Sales Support Training EMG PM FMI CCC Remote Support
EQUIPMENT DESCRIPTION	MODEL NO.	SERIAL NUMBERS
MRI ST	Signo Hero	Signa LX. MR 30.1 - Ro1 - 2322.C .
PROBLEM DESCRIPTION: (reported by customer)		DATE DEMANAYY HE MIN
CAUSE/DIAGNOSIS:		Cust Call: Page FE: Call Cust:
		EA 27 08 24 1 200.
RESOLUTION / SERVICE PERFORMED:		EA 2 7 0 8 2 4 1 5 3 0
- Church Noise reduction	- Church Noise reduction than their and care corners	E E A
- then triging dop soc dusc	cal shugh	E EA
RECOMMENDATIONS:		PS
		Intial System Status: DOWN / PARTIAL
PART USED DETAILS:		On Completion Status: Ub / DOWN / PARTIAL
PART NUMBER QTY	DESCRIPTION	TUBE SLICE READING EXPOSURE
		GANTRY ROTATION READING
	22.40	for Internal use only
Very Their Duy Hury Hung	Manuson Ton Ton	FMI No & Code Customer PO#
GEHC SERVICE FE NAME & SIGNATURE		