

Single Use Aspiration Needle

EZ Shot 2™

Excellent Puncture Capability in a Complete Selection of Sizes and Styles



With Excellent Puncture Capability in a Complete Selection of Sizes and Styles, Olympus EZ Shot 2™ Needles Offer Outstanding Puncturing Performance and Excellent Tip Visibility

Complete lineup

The EZShot2 is available in a variety of sizes to suit the needs of each case: 19G, 22G, 25G and 22G with a sideport.

Sideport design

The NA-230H model is designed with a sideport to draw tissue from both the tip and side of the needle.



EZ Shot 2™


Excellent puncture capability

The EZ Shot 2's sharp needle tip offers outstanding puncturing performance.




Adjustable sheath design

The adjustable sheath function is designed to help physicians more accurately approach the targeted site.





Echogenic dimpled tip

The surface of the EZ Shot 2 is designed with unique dimples to ensure it is clearly visible in ultrasound images.



Single Use Aspiration Needle NA-220H/230H


Specifications

Model	NA-220H-8019	NA-220H-8022	NA-220H-8025	NA-230H-8022
Maximum Insertion Portion Diameter	1.85 mm			
Working Length	1400*1 mm			
Needle Diameter	19 G	22 G	25 G	22 G
Maximum Needle Length	80*2 mm			
Stylet Tip Shape				
Stylet Knob Shape				
With a Sideport	NO	NO	NO	YES
Compatible Olympus Ultrasound Endoscopes	Model and working length		GF 1244-1265 mm	
	Channel diameter (Color code)		2.8 mm (Yellow) / 3.7 mm (Orange)	
	Ultrasound scanning direction		Parallel to the insertion direction	

*1 Working length indicates the same length as when it is packed.
 *2 Maximum needle length indicates an approximate length of the needle tube extended from the distal end of the needle sheath.

Standard Set Contents

- A set: Needle — 5, Syringe — 5
- B set: Needle — 1, Syringe — 1



Specifications, design and accessories are subject to change without any notice or obligation on the part of the manufacturer.