

Movabls

Application Name

Media Name

Interface Name

Function Name

Some Detail View

Current Item (x)

site.movabls.com [manage](#)[Community](#) [My Movabls](#) [\(Account\)](#)[Help!](#)

All Apps

AppOne

AppTwo [meta](#)

AppThree

AppFour

[New App](#)

Filter/Jump_

[Library Search](#)[Autocomplete...](#)[New Place](#)
[Import File](#)Media ([New](#)) ([Import File](#))[Media Label](#)[Media Label](#)[Media Label](#)[Media Label](#)[Media Label](#)[Media Label](#)[Media Label](#)[Media Label](#)Functions ([New](#))[Function Label](#)[Function Label](#)[Function Label](#)[Function Label](#)[Function Label](#)Interfaces ([New](#))✓ [Interface Label](#)✓ [Interface Label](#)✓ [Interface Label](#)✓ [Interface Label](#)✗ [Interface Label](#)



Movabls

Application Name

Media Name

Interface Name

Function Name

Some Detail View

Current Item (x)

Media Name [meta](#)+ [Inputs](#): newarray, anotherInput, aThirdInput[create interface](#)**B** **I** **U** **abc** style

for

if

else if

else

text/html

```
1 <!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Strict//EN"
2 "http://www.w3.org/TR/xhtml1/DTD/xhtml1-strict.dtd">
3 <html xmlns="http://www.w3.org/1999/xhtml">
4 <head>
5   <meta http-equiv="Content-Type" content="text/html; charset=utf-8" />
6   <title>The Juicy Bunch</title>
7   <script type="text/javascript" src="/js/myjs"></script>
8   <link href="/css/mycss" media="screen" rel="stylesheet" type="text/css" />
9 </head>
10
11 <body>
12   <div id="content">
13     {for newarray as newtag}
14     <div>{newtag['name']} : {newtag[0]}</div>
15   {endfor}
16 </div>
17 </body>
18 </html>
```

Places That Use This Media

✓ [/URL](#)✓ [Place Label](#)✗ [/URL](#)✓ [Place Label](#)✓ [/URL](#)✓ [Place Label](#)✓ [/URL](#)

Interfaces That Use This Media

✓ [Interface Label](#)✓ [Interface Label](#)✗ [Interface Label](#)

Code

WYSIWYG

Last Saved 15 Minutes Ago

Save Media

<http://site.movabls.com///>

Movabls

Application Name

Media Name

Interface Name

Function Name

Some Detail View

Current Item (x)

Media Name [meta](#)

Inputs

[create interface](#)

Name	Type	Description
newarray	Array	Lorem Ipsum Dolor Sit Amet
<input type="text" value="anotherInput_"/>	Int	Lorem Ipsum Dolor Sit Amet
aThirdInput	String	Lorem Ipsum Dolor Sit Amet

B *I* U

for

if

else if

else

text/html

```
1 <!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Strict//EN"
2 "http://www.w3.org/TR/xhtml1/DTD/xhtml1-strict.dtd">
3 <html xmlns="http://www.w3.org/1999/xhtml">
4 <head>
5   <meta http-equiv="Content-Type" content="text/html; charset=utf-8" />
6   <title>The Juicy Bunch</title>
7   <script type="text/javascript" src="/js/myjs"></script>
8   <link href="/css/mycss" media="screen" rel="stylesheet" type="text/css" />
9 </head>
10
11 <body>
12   <div id="content">
13     {for newarray as newtag}
14     <div>{newtag['name']} : {newtag[0]}</div>
15   {endfor}
```

Code

WYSIWYG

Places That Use This Media

✓ [/URL](#)✓ [Place Label](#)✗ [/URL](#)✓ [Place Label](#)✓ [/URL](#)✓ [Place Label](#)✓ [/URL](#)

Interfaces That Use This Media

✓ [Interface Label](#)✓ [Interface Label](#)✗ [Interface Label](#)

Last Saved 15 Minutes Ago

[Save And Close](#)[Save Media](#)



Movabls

Application Name

Media Name

Interface Name

Function Name

Some Detail View

Current Item (x)

Function Name meta

+ Arguments: newarray,anotherInput,aThirdInput

[create interface](#)

```

1 $query = $this->get_query('media');
2 $query->execute(array($media_id));
3 $media = $query->fetch(PDO::FETCH_ASSOC);
4 if (empty($media))
5     throw new Exception ("Media $media_id not found",500);
6 if (empty($this->mimetype)) {
7     $this->mimetype = $media['mimetype'];
8     header("Content-type: {$media['mimetype']}");
9 }
10 if (!empty($interfaces))
11     $tags = $this->run_interfaces($interfaces);
12 else
13     $tags = array();
14 //Create the media function if it doesn't exist yet, then run it
15 if (!isset($this->lambdas['media-' . $media['media_id']])) {
16     $render = new MovablsMediaRender($media['content'],array_keys($tags));
17     $code = ">\n". $render->output."<\n?";
18     $argstring = $this->create_argstring(array_keys($tags));
19     $this->lambdas['media-' . $media['media_id']] = create_function($argstring,$code);
20 }
21 return call_user_func_array($this->lambdas['media-' . $media['media_id']], $tags);
22
23

```

Places That Use This Function

✓	/URL	
✓	Place Label	
✗	/URL	
✓	Place Label	
✓	/URL	
✓	Place Label	
✓	/URL	

Interfaces That Use This Function

✓	Interface Label
✓	Interface Label
✗	Interface Label

Code

Unit Test

Last Saved 15 Minutes Ago

Save Function



Movabls

Application Name

Media Name

Interface Name

Function Name

Some Detail View

Current Item (x)

Function Name [meta](#)☐ Arguments[create interface](#)

Name	Type	Description	Actions
newarray	Array	Lorem Ipsum Dolor Sit Amet	remove
<input type="text" value="anotherInput_"/>	Int	Lorem Ipsum Dolor Sit Amet	remove
aThirdInput	String	Lorem Ipsum Dolor Sit Amet	remove
New Argument			

Places That Use This Function

- ✓ [/URL](#)
- ✓ [Place Label](#)
- ✗ [/URL](#)
- ✓ [Place Label](#)
- ✓ [/URL](#)
- ✓ [Place Label](#)
- ✓ [/URL](#)

Interfaces That Use This Function

- ✓ [Interface Label](#)
- ✓ [Interface Label](#)
- ✗ [Interface Label](#)

```
1 $query = $this->get_query('media');
2 $query->execute(array($media_id));
3 $media = $query->fetch(PDO::FETCH_ASSOC);
4 if (empty($media))
5     throw new Exception ("Media $media_id not found",500);
6 if (empty($this->mimetype)) {
7     $this->mimetype = $media['mimetype'];
8     header("Content-type: {$media['mimetype']}");
9 }
10 if (!empty($interfaces))
11     $tags = $this->run_interfaces($interfaces);
12 else
13     $tags = array();
14 //Create the media function if it doesn't exist yet, then run it
15 if (!isset($this->lambdas['media-'. $media['media_id']])) {
```

Code

Unit Test

Last Saved 15 Minutes Ago

[Save And Close](#)[Save Function](#)

Site.Movabls.Com///

←

→

×

🏠

http://site.movabls.com///

🔍

Movabls

Application Name

Media Name

Interface Name

Function Name

Some Detail View

Current Item (x)

Interface Name [meta](#)

[Add A Tag](#)

✗ [Set All Tags](#)

<div><div>MyFirstTag</div><div>Int</div><div>Random Number</div><div>meta</div></div>	<div><div>[-] MyMagicNumberGeneratorThatUsesMyLogoFunction (edit,change,remove) <div><div><div><div></div></div><div>Movabl</div></div><div><div><div></div></div><div>Expression</div></div></div></div><div><div>[-] SomeSubTag = Foo Block</div><div>SubTagFooBlockInputx = Little Simple Media</div></div><div><div>ASubTagInFocus=</div><div><div><div>🔍 search</div><div>Set</div></div></div></div><div>MyLogo = Your Logo</div></div>
<div><div>MySecondTag</div><div>Set Meta</div></div>	<div><div><div><div>🔍 search</div><div>Se</div></div><div><div><div></div></div><div>Movabl</div></div><div><div><div></div></div><div>Expression</div></div></div></div>
<div><div>Your Logo</div><div>PNG File</div></div>	<div><div><div>🗑</div><div>A Place Linking to a File</div></div></div>
<div><div>Expressive</div><div>String</div><div>Something useful</div><div>meta</div></div>	<div><div><div>"Foo Does someone have to know to type the quotes in here? bar because that's rather annoying and will definately confuse people. Also, is there a character limit?"</div><div><div><div></div></div><div>Movabl</div></div><div><div><div></div></div><div>Expression</div></div></div></div> <div><div>Help with Expressions</div><div>Cancel</div><div>Save</div></div>

| [Expressive](#) [Set Meta](#) | 5 |
| [MySecondTag](#) [Set Meta](#) | 🔍 search Set |

Places That Use This Interface

✓ [/URL](#)

✓ [Place Label](#)

✓ [/URL](#)

✗ [Place Label](#)

✓ [/URL](#)

Media In This Interface

🗑

[Media Label](#)

🗑

[Media Label](#)

🗑

[Media Label](#)

🗑

[Media Label](#)

Functions In This Interface

[Function](#)

[Movabl](#)

[Movabl](#)

so it's a table with a bunch of hover and click states.

use the paper clip to replace all instances of a movabl in this interface. opens the set scrim.

<http://site.movabls.com///>

Movabls

Application Name

Media Name

Interface Name

Function Name

Some Detail View

Current Item (x)

Interface Name Set "Your Logo"

[cancel](#)[Add A Tag](#)

MyFirstTag

Int

Random Number

[meta](#)

ASu

MySecondTag

[Set Meta](#)

Your Logo

PNG File

Expressive

String

Something useful

[meta](#)

Expressive

[Set Meta](#)

MySecondTag

[Set Meta](#)

Create Media

Create Media From File

Create Function

Create Place

Add From Site Library

Add From Community

Placeholder

Expression

Quick Search



Media



Function



Place



Media



Media



Media



Media



Media



Media



Media

Use



Media



Media



Media



Media



Media



Media



Media



Media



Media



Media

Filter Results By:

- ☒ Attached to Interface:
MyInterface
- ☐ Interface *myInterface*
fulfils input requirements
- ☒ Unused
- ☒ Media
- ☒ Functions
- ☒ Places



Grid



Details

the set scrim
is used
whenever the
autocomplete
isn't helpful,
the user clicks
the box or
there isn't
room for the
box to appear
(i.e. the
paperclip)

Movabls

Application Name

Media Name

Interface Name

Function Name

Some Detail View

Current Item (x)

Interface Name Set "Your Logo"

[cancel](#)[Add A Tag](#)

MyFirstTag

Int

Random Number

[meta](#)

ASu

[MySecondTag](#)[Set Meta](#)[Your Logo](#)[PNG File](#)[Expressive](#)[String](#)[Something useful](#)[meta](#)[Expressive](#)[Set Meta](#)[MySecondTag](#)[Set Meta](#)

Add From Site Library

Add From Community

Placeholder

Expression

Quick Search

Foo Media

Bar Media

Baz Media

Foobar Media



Type: HTML

Description: Lorem ipsum dolor sit amet, consectetur adipisicing elit, sed do eiusmod tempor incididunt ut labore et dolore magna aliqua. Ut enim ad minim... [more](#)

[Use This Media](#)

Media Item One

Create Media

Create Media From File

Create Function

Create Place

Filter Results By:

☒ Attached to Interface:
MyInterface☐ Interface *myInterface*
fulfils input requirements☒ Unused☒ Media☒ Functions☒ Places[Grid](#)

Details