



Movabs

Application Name

Media Name

Interface Name

Function Name

[travis.movabs.com/ settings](http://travis.movabs.com/settings)

Apps

[App](#)[App](#)[App](#)[App](#)[App](#)[App](#)[App](#)

Places

Places

Application	Place Label	Place URL	
My App	Home Page	OK /my/place	
My App	Blank	Inputs /my/broken/place	
Your App	My Logo	file.png	

enter/your/place/url - Use % as a wildcard

Create Place

[Permissions](#)[People](#)[Groups](#)[Create App](#)[Find App](#)

Movabs

Search Movabs

Movabs

Usage

	file.png	As Place: My Logo
	Home Page	As Place: Home Page
	Broken MDA	As Place: /my/broken/place
	An Interface	3 Places & 2 Inputs
	A Function!	As Input: Home Page

[Movabl](#)

Edit

Create Place



Usage

In Interface:[Home Page Interface](#)

Edit

As Place:[Profile Page](#)

Edit

[Create Media](#) [Create Media from File](#) [Create Function](#)



Movabls

Application Name

Media Name

Interface Name

Function Name

[travis.movabls.com/ settings](http://travis.movabls.com/settings)[Permissions](#)[People](#)[Groups](#)[Create App](#)[Find App](#)

Apps

[App](#)[App](#)

Places

[Application](#)[Place](#)[My App](#)[Home](#)[My App](#)[Blank](#)[Your App](#)[My Lc](#)

Create a Place for "MediaMovabl"

Place Label:

travis.movabls.com/

Application:

--

My Application

Foo Application

[Create Application](#)

[Cancel](#)[Create](#)[Create Place](#)As Place: [Profile Page](#)[Edit](#)[Edit](#)[Create Media](#)[Create Media from File](#)[Create Function](#)

Movabls

Application Name

Media Name

Interface Name

Function Name

[This Site \(z\)](#)

Browse:

[Places \(b+p\)](#)[Media \(b+m\)](#)[Functions \(b+f\)](#)[Interfaces \(b+i\)](#)

Create:

[Place \(c+p\)](#)[Media \(c+m\)](#)[Function \(c+f\)](#)[Interface \(c+i\)](#)[Permissions \(p\)](#)[My Dashboard \(x\)](#)

App



App



App



App

Places

Place URL

✓ OK </my/place>✗ Inputs </my/broken/place>

edit >

[file.png](#)Place Label [meta](#)

View Place


URL: </my/broken/place>Application: [My Application](#)

✗ Inputs

Media: [MyMediaAtThisPlace](#)

Edit

Change



Description/other metadata

Interface: [ThisInterfaceLabel](#)

Edit

Change

Accessible: Public, LikeStripes, Customers [edit](#)Editable: LikeStripes [edit](#)

enter/your/place/url - Use % as a wildcard

Create Place

Movabls

Application Name

Media Name

Interface Name

Function Name



App

[Meta](#)[Publish](#)[Permissions](#)[People](#)[Groups](#)[Uninstall](#)[Create App](#)[Find App](#)

Places in this App

[Places](#)

Application	Place Label	Place URL
My App	Home Page	✓ OK /my/place
My App	Blank	✗ Inputs /my/broken/place edit >

enter/your/place/url - Use % as a wildcard

[Create Place](#)

Movabls in this App

[Movabls](#)

Movabls	Usage
file.png	As Place: My Logo
Home Page	As Place: Home Page
Broken MDA	As Place: /my/broken/place
An Interface	3 Places & 2 Inputs
A Function!	As Input: Home Page
Movabl	Edit Create Place
Usage	
In Interface: Home Page Interface	Edit
As Place: Profile Page	Edit
	Delete



Movabls

Application Name

Media Name

Interface Name

Function Name

Manage Permsnsions

[People](#)[Groups](#)

Apps

[App](#)[App](#)[App](#)[App](#)[App](#)[App](#)[App](#)

Places in this App

Application	Place Label	URL	
My App	Home Page	/my/place	edit >
My App	Blank	/my/broken/place	

Home Page [/my/place](#)[Close](#)

Group	Permission
Public	<input type="checkbox"/> Edit <input checked="" type="checkbox"/> View
Like Stripes	<input checked="" type="checkbox"/> Edit <input checked="" type="checkbox"/> View

Add Group



Movabls

Application Name

Media Name

Interface Name

Function Name

Manage Permissions

[People](#)[Groups](#)

Apps



Places in this App

Application	Place Label	URL	
My App	Home Page	/my/place	edit >
My App	Blank	/my/broken/place	

Full Site Permissions

Group	Permission
Public	<input type="checkbox"/> Edit <input checked="" type="checkbox"/> View
Like Stripes	<input checked="" type="checkbox"/> Edit <input checked="" type="checkbox"/> View

Add Group

http://travis.movabls.com/!



Movabls

Application Name

Media Name

Interface Name

Function Name

Current Item (x)

Media Name meta

Import File

text/html

Code

WYSIWYG

Menu Item

Menu Item

+ Inputs Required: newarray, anotherInput, aThirdInput

[create interface](#)

for

if

else if

else

```

1 <!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Strict//EN"
2 "http://www.w3.org/TR/xhtml1/DTD/xhtml1-strict.dtd">
3 <html xmlns="http://www.w3.org/1999/xhtml">
4 <head>
5   <meta http-equiv="Content-Type" content="text/html; charset=utf-8" />
6   <title>The Juicy Bunch</title>
7   <script type="text/javascript" src="/js/myjs"></script>
8   <link href="/css/mycss" media="screen" rel="stylesheet" type="text/css" />
9 </head>
10
11 <body>
12   <div id="content">
13     {for newarray as newtag}
14     <div>{newtag['name']} : {newtag[0]}</div>
15   {endfor}
16 </div>
17 </body>
18 </html>
19
20
21
22

```

Site Library Browser

Search Site Library

Movabl	Usage
file.png	As Place: My Logo
Home Page	As Place: Home Page
Broken MDA	
Another MDA	3 Places & 2 Inputs
A Function!	As Input: Home Page

[Create Media](#) [Create Media from File](#) [Create Function](#)

Places This Media Is Used

Interfaces Attached to This Media

Last Saved 15 Minutes Ago

[Save And Close](#)

Save Media

[http://travis.movabls.com/!](http://travis.movabls.com/)

Movabls

Application Name

Media Name

Interface Name

Function Name

Current Item (x)

Media Name [meta](#)

Import File

text/html

Code

WYSIWYG

[Menu Item](#)[Menu Item](#)

+ Inputs Required: newarray, anotherInput, aThirdInput

[create interface](#)**B** **I** **U** **abc** style **≡** **≡** **↶** **↷** **🔗** **😊** **for** **if** **else if** **else**

```
1 <!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Strict//EN"
2 "http://www.w3.org/TR/xhtml1/DTD/xhtml1-strict.dtd">
3 <html xmlns="http://www.w3.org/1999/xhtml">
4 <head>
5   <meta http-equiv="Content-Type" content="text/html; charset=utf-8" />
6   <title>The Juicy Bunch</title>
7   <script type="text/javascript" src="/js/myjs"></script>
8   <link href="/css/mycss" media="screen" rel="stylesheet" type="text/css" />
9 </head>
10
11 <body>
12   <div id="content">
13     {for newarray as newtag}
14     <div>{newtag['name']} : {newtag[0]}</div>
15   {endfor}
16 </div>
17 </body>
18 </html>
```

Site Library Browser

Places This Media Is Used

Place Label	Place URL	
Home Page	/	
Foo Page	/foo	Edit Preview
Bar Page	/bar/%	
Broken Page	/broken/page	

[Create New Place With This Media](#)

Last Saved 15 Minutes Ago

[Save And Close](#)[Save Media](#)

Interfaces Attached to This Media

Media Name meta

Import File

```
text/html
```

Code

WYSIWYG

 [Menu Item](#)

 [Menu Item](#)

Inputs Required: newarray, anotherInput, aThirdInput

create interface

B I U         **for** **if** **else if** **else**

for

if

```
else if
```

else

```
1 <!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Strict//EN"
2 "http://www.w3.org/TR/xhtml1/DTD/xhtml1-strict.dtd">
3 <html xmlns="http://www.w3.org/1999/xhtml">
4 <head>
5     <meta http-equiv="Content-Type" content="text/html; charset=utf-8" />
6     <title>The Juicy Bunch</title>
7     <script type="text/javascript" src="/js/myjs"></script>
8     <link href="/css/mycss" media="screen" rel="stylesheet" type="text/css" />
9 </head>
10
11 <body>
12     <div id="content">
13         {for newarray as newtag}
14         <div>{newtag['name']} : {newtag[0]}</div>
15         {endfor}
16     </div>
17 </body>
18 </html>
```

Last Saved 15 Minutes Ago

Save And Close

Save Media

Site Library Browser

Places This Media Is Used

Interfaces Attached to This Media

My Interface Name

Edit

+ This Interface Is Attached to 5 Movables

Tag

Actions

+ myarg1

< insert, edit

+ myarg2

< insert, edit

```
myarg5 (rename)
```

< insert



A Media

An Interface

Edit

Change

Edit

Change

Add A Tag

 My Media and *My Interface* used in 2 Places:

[Home Page](#)

preview

My Place

preview

Create New Interface For This Media



Movabls

Application Name

Media Name

Interface Name

Function Name

Current Item (x)

Function Name meta

Code

Unit Test

Menu Item

Menu Item ▼

+ Inputs Required: newarray, anotherInput, aThirdInput

[create interface](#)

```

1 $query = $this->get_query('media');
2 $query->execute(array($media_id));
3 $media = $query->fetch(PDO::FETCH_ASSOC);
4 if (empty($media))
5     throw new Exception ("Media $media_id not found",500);
6 if (empty($this->mimetype)) {
7     $this->mimetype = $media['mimetype'];
8     header("Content-type: {$media['mimetype']}");
9 }
10 if (!empty($interfaces))
11     $tags = $this->run_interfaces($interfaces);
12 else
13     $tags = array();
14 //Create the media function if it doesn't exist yet, then run it
15 if (!isset($this->lambdas['media-'. $media['media_id']])) {
16     $render = new MovablsMediaRender($media['content'], array_keys($tags));
17     $code = ">\n". $render->output. "<\n?";
18     $argstring = $this->create_argstring(array_keys($tags));
19     $this->lambdas['media-'. $media['media_id']] = create_function($argstring, $code);
20 }
21 return call_user_func_array($this->lambdas['media-'. $media['media_id']], $tags);
22
23

```

Site Library Browser

Places This Function Is Used

Interfaces Attached to This Function

My Interface Name ▼

Edit

+ This Interface Is Attached to [5 Movabls](#)

Tag

Actions

+ myarg1

< [insert](#), [edit](#)

+ myarg2

< [insert](#), [edit](#)

+ myarg3

< [insert](#), [edit](#)- myarg5 ([rename](#))< [insert](#)

A Media

- An Interface

Edit

Change

Edit

Change

Add A Tag

+ My Func and My Interface used in 2 Places:

Create New Interface For This Function

Last Saved 15 Minutes Ago

[Save And Close](#)

Save Function



Movabls

Application Name

Media Name

Interface Name

Function Name

Current Item (x)

InterfaceName [meta](#)**X Inputs**[Menu Item](#)[Menu Item](#) ▼

Edit Interface

Browse Functional Tree

Tag	Movabl	Interface
myarg1	<input checked="" type="checkbox"/> My Media	My Interface
myarg2 (rename)	My Function (edit) , (change)	An Interface (edit) , (change)
myarg3	Set Movabl	Set Interface

Add A Tag

Site Library Browser

Places This Interface Is Used

Place Label	Place URL	
Home Page	/	
Foo Page	/foo	Edit Preview
Bar Page	/bar/%	
Broken	/broken/page	

Create New Place With This Interface

Movabls Attached to This Interface

InterfaceName [meta](#)

X Inputs

 Menu Item

 [Menu Item](#)

Edit Interface

[Browse Functional Tree](#)


[illegible]

Site Library Browser

Places This Interface Is Used

Movables Attached to This Interface

Movabl

 My Media My Function Foo Media

Edit



Movabls

Application Name

Media Name

Interface Name

Function Name

Current Item (x)

InterfaceName [meta](#)**X Inputs**

Application Browser: My App

Places This Interface Is Used

Edit Interface

Set Interface for Tag "myTag5"

[cancel](#)

Add From Site Library

Add From Community

Add Placeholder

Create New Interface

Quick Search Interface Library

InterfaceOne

InterfaceTwo

InterfaceThree

InterfaceFour

Lorem ipsum dolor sit amet, consectetur adipisicing elit, sed do eiusmod tempor incididunt ut labore et dolore magna aliqua. Ut enim ad... [more](#)

Input	Movabl	Interface
myarg1	My Media	My Interface
myarg2	My Function	A Interface
myarg3	Foo Function	

Add This Interface

✓ This interface fulfills 3/3 input requirements

InterfaceFive

Filter Results By:

- ☒ Attached to media *my media*
- ☐ Fulfills input requirements
- ☐ Unused

Edit

Preview

Interface

Movabls Attached to This Interface

Movabls

Application Name

Media Name

Interface Name

Function Name

[travis.movabls.com/ settings](http://travis.movabls.com/settings)

Site Library

Search Site Library

Apps



App



App

Places in this Site

enter/your/place/

Application

My App

My App

Your App

Pla

Ho

Blo

My

Set Movabl for Place "myPlace5"

[cancel](#)

Add From Site Library

Add From Community

Add Placeholder

Create Media

Create Media From File

Create Function

Create Place

Quick Search



Media



Function



Place



Media



Media



Media



Media



Media



Media



Media

Use



Media



Media



Media



Media



Media



Media



Media



Media



Media



Media

Filter Results By:

- ☒ Attached to Interface:
MyInterface
- ☐ Interface *myInterface*
fulfils input requirements
- ☒ Unused
- ☒ Media
- ☒ Functions
- ☒ Places



Grid



Details

[Create Media](#)[Create Media from File](#)[Create Function](#)



Movabls

Application Name

Media Name

Interface Name

Function Name

[travis.movabls.com/](#) [Create Place](#)

Site Library

Places in this Site

Set Movabl for Place "myPlace5"

[cancel](#)[Application](#)[Pla](#)

My App

[Ho](#)


My App

[Blc](#)

Your App

[My](#)[Add From Site Library](#)[Add From Community](#)[Add Placeholder](#)[Create Media](#)[Create Media From File](#)[Create Function](#)[Create Place](#)☐ Foo Media☐ Bar Media☐ Baz Media

Foobar Media



Type: HTML

Description: Lorem ipsum dolor sit amet, consectetur adipisicing elit, sed do eiusmod tempor incididunt ut labore et dolore magna aliqua. Ut enim ad minim... [more](#)

[Use This Media](#)☐ Media Item One

Filter Results By:

- ☒ Attached to Interface: *MyInterface*
- ☐ Interface *myInterface* fulfils input requirements
- ☒ Unused

- ☒ Media
- ☐ Functions
- ☐ Places

[Grid](#)[Details](#)[Create Media](#)[Create Media from File](#)[Create Function](#)