

Function Name meta

+ Inputs: newarray, anotherInput, aThirdInput

[create interface](#)

```

1 $query = $this->get_query('media');
2 $query->execute(array($media_id));
3 $media = $query->fetch(PDO::FETCH_ASSOC);
4 if (empty($media))
5     throw new Exception ("Media $media_id not found",500);
6 if (empty($this->mimetype)) {
7     $this->mimetype = $media['mimetype'];
8     header("Content-type: {$media['mimetype']}");
9 }
10 if (!empty($interfaces))
11     $tags = $this->run_interfaces($interfaces);
12 else
13     $tags = array();
14 //Create the media function if it doesn't exist yet, then run it
15 if (!isset($this->lambdas['media-'. $media['media_id']])) {
16     $render = new Movabls/MediaRender($media['content'], array_keys($tags));
17     $code = ">\n". $render->output. "\n<?";
18     $argstring = $this->create_argstring(array_keys($tags));
19     $this->lambdas['media-'. $media['media_id']] = create_function($argstring, $code);
20 }
21 return call_user_func_array($this->lambdas['media-'. $media['media_id']], $tags);
22
23

```

Places That Use This Function

✓	/URL	
✓	Place Label	
✗	/URL	
✓	Place Label	
✓	/URL	
✓	Place Label	
✓	/URL	

Interfaces That Use This Function

✓	Interface Label
✓	Interface Label
✗	Interface Label

Code

Unit Test

Last Saved 15 Minutes Ago

[Save And Close](#)

Save Function

Function Name [meta](#)

Inputs

[create interface](#)

Name	Type	Description	
newarray	Array	Lorem Ipsum Dolor Sit Amet	edit
anotherInput_ (?)	Int	Some text A second line of text	Save Cancel
aThirdInput	String	Lorem Ipsum Dolor Sit Amet	
New Argument			

```

1 $query = $this->get_query('media');
2 $query->execute(array($media_id));
3 $media = $query->fetch(PDO::FETCH_ASSOC);
4 if (empty($media))
5     throw new Exception ("Media $media_id not found",500);
6 if (empty($this->mimetype)) {
7     $this->mimetype = $media['mimetype'];
8     header("Content-type: {$media['mimetype']}");
9 }
10 if (empty($interfaces))
11     $tags = $this->run_interfaces($interfaces);
12 else
13     $tags = array();
14 //Create the media function if it doesn't exist yet, then run it

```

[Code](#) [Unit Test](#)

Last Saved 15 Minutes Ago

[Save And Close](#)[Save Function](#)

Places That Use This Function

✓	/URL	edit
✓	Place Label	edit
✗	/URL	edit
✓	Place Label	edit
✓	/URL	edit
✓	Place Label	edit
✓	/URL	edit

Interfaces That Use This Function

✓	Interface Label
✓	Interface Label
✗	Interface Label



Movabls

Application Name

Media Name

Interface Name

Function Name

Some Detail View

Current Item (x)



Q

Interface Name [meta](#)This interface uses 3 placeholders. [Need help with those?](#)[Add A Tag](#)

X Incomplete: Set All Tags

Tag	Content	
FirstTag	My Media Item (2 inputs)	✓
SecondTag	My Function (3 inputs)	✓
- FooTag	"My Favorite Food Is Hamburgers"	✓
- BarTag	Other Media Item (1 input)	✓
- BazTag	(date('m') == '12' ? 'Christmas!' : 'Boring')	✓
ThirdTag	set ThirdTag	X
FourthTag	Foo Function (5 inputs) + Bar Interface	✓

Places That Use This Interface

✓	/URL	
✓	Place Label	
✓	/URL	
X	Place Label	

Media In This Interface

Media Label	Media Label
Media Label	Media Label

Functions In This Interface

abl
abl
Interfaces In This Interface
Interface
Interface

Tag Name: (?) [delete tag](#)

FifthTag

Type:

string

Description:

This is the description of the tag - we can edit this and tag name if this is a toplevel tag.

Movabl

Value

Tag

Quick Search Movabls

Browse

New

Selected Movabl: [My Function](#) (3 inputs)

Please Select an Interface

Quick Search Interfaces

Browse

New

[cancel](#)[save](#)

Select an interface only appears when a movabl requiring inputs is used.

Interface Name [meta](#)This interface uses 3 placeholders. [Need help with those?](#)[Add A Tag](#)

X Incomplete: Set All Tags

	Tag	Content	
	FirstTag	My Media Item (2 inputs) ✓	
	SecondTag	My Function (3 inputs) ✓	
<div> <div> Tag Name: <i>FooTag</i> Parent: <i>My Function</i> Type: <i>string</i> Description: <i>This is the description for this tag, as specified in the inputs of its parent function</i> </div> <div> <div>Movabl Value Tag</div> <div> <div></div> <div>Use PHP expressions: help with expressions <input type="checkbox"/> This is just a placeholder</div> </div> </div> <div> </div> </div>			
	- BarTag	Other Media Item (1 input) ✓	
	- BazTag	(date('m') == '12' ? 'Christmas!' : 'Boring') ✓	
	ThirdTag	set ThirdTag ✗	
	FourthTag	Foo Function (5 inputs) + Bar Interface ✓	

Places That Use This Interface

✓	/URL	
✓	Place Label	
✓	/URL	
✗	Place Label	

Media In This Interface

	Media Label		Media Label
	Media Label		Media Label

Functions In This Interface

Movabl
Movabl

Interfaces In This Interface

Interface
Interface
Interface

Interface Name [meta](#)This interface uses 3 placeholders. [Need help with those?](#)[Add A Tag](#)**X Incomplete: Set All Tags**

	Tag	Content	
	FirstTag	My Media Item (2 inputs) ✓	
	SecondTag	My Function (3 inputs) ✓	
<div> <div> Tag Name: <i>FooTag</i> Parent: <i>My Function</i> Type: <i>string</i> Description: <i>This is the description for this tag, as specified in the inputs of its parent function</i> </div> <div> <div>Movabl Value Tag</div> <div> You may re-use the content generated for a top-level tag in this interface. <input type="text" value="FirstTag"/> </div> <div> cancel save </div> </div> </div>			
	- BarTag	Other Media Item (1 input) ✓	
	- BazTag	(date('m') == '12' ? 'Christmas!' : 'Boring') ✓	
	ThirdTag	set ThirdTag ✗	
	FourthTag	Foo Function (5 inputs) + Bar Interface ✓	

Places That Use This Interface

✓	/URL	
✓	Place Label	
✓	/URL	
✗	Place Label	

Media In This Interface

	Media Label		Media Label
	Media Label		Media Label

Functions In This Interface

Movabl
Movabl

Interfaces In This Interface

Interface
Interface
Interface

Places in Package 2



Places expand
on click

[New Place](#)
[Import File](#)Media ([New](#)) ([Import File](#))

Filter/Jump_

Media Label	Media Label	Media Label	Media Label
Media Label	Media Label	Media Label	Media Label

Functions ([New](#))

Filter/Jump_

[Library Search](#)
[Autocomplete...](#)

Function Label
Function Label
Function Label
Function Label

Interfaces ([New](#))

Filter/Jump_

Interface Label
Interface Label
Interface Label
Interface Label
Interface Label

http://site.movabls.com///



Movabls

Application Name

Media Name

Interface Name


Function Name

Some Detail View

Current Item (x)

Media Name [meta](#)

Inputs: newarray, anotherInput, aThirdInput

[create interface](#)

for

if

else if

else

text/html

```

1 <!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Strict//EN"
2 "http://www.w3.org/TR/xhtml1/DTD/xhtml1-strict.dtd">
3 <html xmlns="http://www.w3.org/1999/xhtml">
4 <head>
5     <meta http-equiv="Content-Type" content="text/html; charset=utf-8" />
6     <title>The Juicy Bunch</title>
7     <script type="text/javascript" src="/js/myjs"></script>
8     <link href="/css/mycss" media="screen" rel="stylesheet" type="text/css" />
9 </head>
10
11 <body>
12     <div id="content">
13         {for newarray as newtag}
14         <div>{newtag['name']} : {newtag[0]}</div>
15         {endfor}
16     </div>
17 </body>
18 </html>
19
20
21
22

```

Places That Use This Media

✓ [/URL](#)✓ [Place Label](#)✗ [/URL](#)✓ [Place Label](#)✓ [/URL](#)✓ [Place Label](#)✓ [/URL](#)

Interfaces That Use This Media

✓ [Interface Label](#)✓ [Interface Label](#)✗ [Interface Label](#)

Code

WYSIWYG

Last Saved 15 Minutes Ago

[Save And Close](#)

Save Media

http://site.movabls.com///

Movabls

Application Name

Media Name

Interface Name

Function Name

Some Detail View

Current Item (x)

Media Name meta

Inputs

Name

newarray

anotherInput_

Int

Some text

A second line of text

Save

[Delete](#)[Cancel](#)

aThirdInput

String

Lorem Ipsum Dolor Sit Amet

[create interface](#)

Input names can only contain letters, numbers, hyphens, and underscores (no spaces) and must begin with a letter or underscore

Places That Use This Media

✓ [/URL](#)✓ [Place Label](#)✗ [/URL](#)✓ [Place Label](#)✓ [/URL](#)✓ [Place Label](#)✓ [/URL](#)

B **I** **U** **abc** **style** **≡** **↶** **↷** **🖼️** **😊**

for

if

else if

else

text/html

```

1 <!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Strict//EN"
2 "http://www.w3.org/TR/xhtml1/DTD/xhtml1-strict.dtd">
3 <html xmlns="http://www.w3.org/1999/xhtml">
4 <head>
5   <meta http-equiv="Content-Type" content="text/html; charset=utf-8" />
6   <title>The Juicy Bunch</title>
7   <script type="text/javascript" src="/js/myjs"></script>
8   <link href="/css/mycss" media="screen" rel="stylesheet" type="text/css" />
9 </head>
10
11 <body>
12   <div id="content">
13     {for newarray as newtag}

```

Code

WYSIWYG

Last Saved 15 Minutes Ago

[Save And Close](#)

Save Media

Media Name

Set Meta Data for "Media Name"

[cancel](#)

Name: Media Name

Description: Some text
A second line of textCustom Fields ([New Custom Field](#))

Name	Value	
Grandma	Foo Value	edit
Grandpa	Lorem ipsum dolor sit amet consectetur adipisicing elit sed do eiusmod...	

Aunt

Uncle

[new field name](#)Some text
A second line of text[delete field](#)[cancel](#)[save](#)[cancel](#)[Save Meta](#)


Fields already used
in this media do not
show up in the
dropdown - all
other fields used
on the site do.

Code WYSIWYG

Last Saved 15 Minutes Ago

[Save And Close](#)[Save Media](#)

Places in Package 2

Label: URL: Parent: [meta](#)[permissions](#)☐ HTTPS (?)[Browse](#)[New](#)Selected Movabl:  [My Function](#) (3 inputs)[Browse](#)[New](#)Selected Interface:  [My Interface](#)[delete place](#)[cancel](#)[Save](#)

✓	Place Label /URL	✓	Plac /
✓	/URL		
✗	Place Label /URL		

[New Place](#)
[Import File](#)Media ([New](#)) ([Import File](#))[Media Label](#)[Media Label](#)[Media Label](#)[Media Label](#)[Media Label](#)[Media Label](#)[Media Label](#)[Media Label](#)Functions ([New](#))[Library Search](#)
[Autocomplete...](#)[Function Label](#)[Function Label](#)[Function Label](#)Interfaces ([New](#))[Interface Label](#)[Interface Label](#)[Interface Label](#)[Interface Label](#)[Interface Label](#)

Movabls

Application Name

Media Name

Interface Name

Function Name

Some Detail View

Current Item (x)

Interface Name Set Content for Tag "MyTag"

[cancel](#)[Add A Tag](#)

Site Library

Movabls Community

Create New:

Media

Function

Place

Place from File

Quick Search



Media



Function



Place



Media



Media



Media



Media



Media



Media



Media

Use



Media



Media



Media



Media



Media



Media



Media



Media



Media



Media

Filter Results By:

☒ Attached to Interface:
MyInterface☐ Interface *myInterface*
fulfils input requirements☒ Unused☒ Media☒ Functions☒ Places

Grid



Details

Tag Name: (?)

FifthTag

Type:

string

Description:

This is the description of the tag - we can edit the name if this is a reusable tag.

[cancel](#)

save

[Interface](#)

Interface Name Set Content for Tag "MyTag" [cancel](#)[Add A Tag](#)

	Tag
+	FirstTag
-	SecondTag
	- FooTag
+	- BarTag
	- BazTag
	ThirdTag
	FourthTag

Tag Name: (?)

FifthTag

Type:

string

Description:

This is the description of the tag - we can edit the name if this is a reusable tag.

[< Use an existing Movabl](#)

Create Media

[Media](#)[Function](#)[Place](#)[Place from File](#)

Choose a name

Name_

[Create](#)[Create and Edit](#)[cancel](#)[save](#)[Interface](#)



Movabls

Application Name

Media Name

Interface Name

Function Name

Some Detail View

Current Item (x)

Interface Name Set Content for Tag "MyTag" [cancel](#)[Add A Tag](#)

	Tag
	FirstTag
	SecondTag
	- FooTag
	- BarTag
	- BazTag
	ThirdTag
	FourthTag

Tag Name: (?)

FifthTag

Type:

string

Description:

This is the description of the tag - we can edit the name if this is a reusable tag.

[Use an existing Movabl](#)

Create a Place From a File

Media

Function

Place

Place from File

Choose a name

Name_

Choose a location

/Package/Public URL



Select File

Create

Create and Edit

[cancel](#)

save

[Interface](#)

Interface Name Set Content for Tag "MyTag" [cancel](#)[Add A Tag](#)

Site Library

Movabls Community

Create New:

Media

Function


Place

Place from File

Quick Search

☐ Foo Media☐ Bar Media☐ Baz Media

Foobar Media



Type: HTML

Description: Lorem ipsum dolor sit amet, consectetur adipisicing elit, sed do eiusmod tempor incididunt ut labore et dolore magna aliqua. Ut enim ad minim... [more](#)

[Use This Media](#)☐ Media Item One

Filter Results By:

☒ Attached to Interface:*MyInterface*☐ Interface *myInterface*
fulfils input requirements☒ Unused☒ Media☒ Functions☒ Places 
[Grid](#) [Details](#)[Interface](#)