

App

file.png

Create Function

Movabls

Application Name

Media Name

Interface Name

Function Name



App

Publish

People

Groups

Uninstall

Create App

Find App

Meta

Details

App Creator

[Name](#)

License

[MIT License](#)

Derived From

[Parent App](#)[More Meta](#)

Places in this App

enter/your/place/url - Use % as a wildcard

Create Place

| Application | Place Label | Place URL |
|------------------------|---------------------------|---|
| My App | Home Page | ✓ OK /my/place |
| My App | Blank | ✗ Inputs /my/broken/place edit > |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |

App Library

Movabls

Usage

| | | |
|--|------------------------------|---|
| | file.png | As Place: My Logo |
| | Home Page | As Place: Home Page |
| | Broken MDA | As Place: /my/broken/place |
| | An Interface | 3 Places & 2 Inputs |
| | A Function! | As Input: Home Page |

[Movabl](#) [Edit](#) [Create Place](#)

Usage

In Interface: [Home Page Interface](#) [Edit](#)As Place: [Profile Page](#) [Edit](#)[Delete](#) [Create Media](#) [Create Media from File](#) [Create Function](#)

Movabls

Application Name

Media Name

Interface Name

Function Name

[My Dashboard](#)

travi

your/place/url - Use % as a wildcard

Create Place

Browse:

[Places](#)[Media](#)[Functions](#)[Interfaces](#)

Create:

[Place](#)[Media](#)[Function](#)[Interface](#)

Place URL

✓ OK [/my/place](#)✗ Inputs [/my/broken/place](#)

edit >

[file.png](#)Place Label [meta](#)

View Place


URL: [/my/broken/place](#)Application: [My Application](#)

✗ Inputs

Media: [MyMediaAtThisPlace](#)

Edit

Change



Description/other metadata

Interface: [ThisInterfaceLabel](#)

Edit

Change

http://travis.movabls.com/!



Movabls

Application Name

Media Name

Interface Name

Function Name

Current Item (x)

Media Name meta

Import File

text/html

Code

WYSIWYG

+ Inputs Required: newarray, anotherInput, aThirdInput

[create interface](#)

for

if

else if

else

```

1 <!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Strict//EN"
2 "http://www.w3.org/TR/xhtml1/DTD/xhtml1-strict.dtd">
3 <html xmlns="http://www.w3.org/1999/xhtml">
4 <head>
5   <meta http-equiv="Content-Type" content="text/html; charset=utf-8" />
6   <title>The Juicy Bunch</title>
7   <script type="text/javascript" src="/js/myjs"></script>
8   <link href="/css/mycss" media="screen" rel="stylesheet" type="text/css" />
9 </head>
10
11 <body>
12   <div id="content">
13     {for newarray as newtag}
14     <div>{newtag['name']} : {newtag[0]}</div>
15   {endfor}
16 </div>
17 </body>
18 </html>
19
20
21
22

```

Last Saved 15 Minutes Ago

[Save And Close](#)

Save Media

Site Library Browser

Search Site Library

[Movabl](#)[Usage](#)

| | | |
|---|-----------------------------|---|
| + | file.png | As Place: My Logo |
| + | Home Page | As Place: Home Page |
| + | Broken MDA | |
| + | Another MDA | 3 Places & 2 Inputs |
| + | A Function! | As Input: Home Page |

Prev

Next

[Create Media](#) [Create Media from File](#) [Create Function](#)

Places This Media Is Used

Interfaces Attached to This Media



Movabls

Application Name

Media Name

Interface Name

Function Name

Current Item (x)

Media Name meta

Import File

text/html

Code

WYSIWYG

+ Inputs Required: newarray, anotherInput, aThirdInput

[create interface](#)

for

if

else if

else

```

1 <!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Strict//EN"
2 "http://www.w3.org/TR/xhtml1/DTD/xhtml1-strict.dtd">
3 <html xmlns="http://www.w3.org/1999/xhtml">
4 <head>
5   <meta http-equiv="Content-Type" content="text/html; charset=utf-8" />
6   <title>The Juicy Bunch</title>
7   <script type="text/javascript" src="/js/myjs"></script>
8   <link href="/css/mycss" media="screen" rel="stylesheet" type="text/css" />
9 </head>
10
11 <body>
12   <div id="content">
13     {for newarray as newtag}
14     <div>{newtag['name']} : {newtag[0]}</div>
15   {endfor}
16   </div>
17 </body>
18 </html>
19
20
21

```

Last Saved 15 Minutes Ago

[Save And Close](#)

Save Media

Site Library Browser

Places This Media Is Used

Interfaces Attached to This Media

My Interface Name

Edit

+ This Interface Is Attached to [5 Movabls](#)

Tag

Actions

+ myarg1

[< insert](#), [edit](#)

+ myarg2

[< insert](#), [edit](#)

+ myarg3

[< insert](#), [edit](#)

+ myarg4

[< insert](#), [set](#)- myarg5 ([rename](#))[< insert](#)

A Media



An Interface

Edit

Change

Edit

Change

Add A Tag

- My Media and My Interface used in 2 Places:

Home Page

[preview](#)

My Place

[preview](#)

Create New Interface For This Media

[http://travis.movabls.com/!](http://travis.movabls.com/)

Movabls

Application Name

Media Name

Interface Name

Function Name

Current Item (x)

Media Name [meta](#)

Import File

text/html

Code

WYSIWYG

+ Inputs Required: newarray, anotherInput, aThirdInput

[create interface](#)**B** **I** **U** **abc** style **≡** **≡** **↶** **↷** **🔗** **😊**

for

if

else if

else

```
1 <!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Strict//EN"
2 "http://www.w3.org/TR/xhtml1/DTD/xhtml1-strict.dtd">
3 <html xmlns="http://www.w3.org/1999/xhtml">
4 <head>
5   <meta http-equiv="Content-Type" content="text/html; charset=utf-8" />
6   <title>The Juicy Bunch</title>
7   <script type="text/javascript" src="/js/myjs"></script>
8   <link href="/css/mycss" media="screen" rel="stylesheet" type="text/css" />
9 </head>
10
11 <body>
12   <div id="content">
13     {for newarray as newtag}
14     <div>{newtag['name']} : {newtag[0]}</div>
15   {endfor}
16 </div>
17 </body>
18 </html>
```

Application Browser: My App

Places This Media Is Used

| Place Label | Place URL | | |
|-------------|--------------|------|---------|
| Home Page | / | | |
| Foo Page | /foo | Edit | Preview |
| Bar Page | /bar/% | | |
| Broken Page | /broken/page | | |

Create New Place With This Media

Last Saved 15 Minutes Ago

[Save And Close](#)

Save Media

Interfaces Attached to This Media



Movabls

Application Name

Media Name

Interface Name

Function Name

Current Item (x)

Function Name meta

Code

Unit Test

+ Inputs Required: newarray, anotherInput, aThirdInput

[create interface](#)

```

1 $query = $this->get_query('media');
2 $query->execute(array($media_id));
3 $media = $query->fetch(PDO::FETCH_ASSOC);
4 if (empty($media))
5     throw new Exception ("Media $media_id not found",500);
6 if (empty($this->mimetype)) {
7     $this->mimetype = $media['mimetype'];
8     header("Content-type: {$media['mimetype']}");
9 }
10 if (!empty($interfaces))
11     $tags = $this->run_interfaces($interfaces);
12 else
13     $tags = array();
14 //Create the media function if it doesn't exist yet, then run it
15 if (isset($this->lambdas['media-'. $media['media_id']])) {
16     $render = new MovablsMediaRender($media['content'], array_keys($tags));
17     $code = ">\n". $render->output. "\n<?";
18     $argstring = $this->create_argstring(array_keys($tags));
19     $this->lambdas['media-'. $media['media_id']] = create_function($argstring, $code);
20 }
21 return call_user_func_array($this->lambdas['media-'. $media['media_id']], $tags);
22
23

```

Last Saved 15 Minutes Ago

[Save And Close](#)

Save Function

Site Library Browser

Places This Function Is Used

Interfaces Attached to This Function

My Interface Name

Edit

+ This Interface Is Attached to [5 Movabls](#)

| Tag | Actions |
|----------|--|
| + myarg1 | < insert , edit |
| + myarg2 | < insert , edit |
| + myarg3 | < insert , edit |
| + myarg4 | < insert , set |

myarg5 ([rename](#))

[< insert](#)

A Media

An Interface

Edit

Change

Edit

Change

Add A Tag

+ My Func and My Interface used in 2 Places:

Create New Interface For This Function



Movabls

Application Name

Media Name

Interface Name

Function Name

Current Item (x)

InterfaceName [meta](#)**X Inputs**

Edit Interface

Browse Functional Tree

| Tag | Movabl | Interface |
|---------------------------------|---|--|
| myarg1 | <input checked="" type="checkbox"/> My Media | My Interface |
| myarg2 (rename) | My Function (edit) , (change) | An Interface (edit) , (change) |
| myarg3 | Set Movabl | Set Interface |

Add A Tag

Application Browser: My App

Places This Interface Is Used

| Place Label | Place URL | |
|-------------|--------------|--|
| Home Page | / | |
| Foo Page | /foo | Edit Preview |
| Bar Page | /bar/% | |
| Broken | /broken/page | |

[Create New Place With This Interface](#)

Movabls Attached to This Interface


X Inputs

[Browse Functional Tree](#)

Movables Attached to This Interface

Movabl

 My Media

 My Function

Edit

 Foo Media



Movabls

Application Name

Media Name

Interface Name

Function Name

Current Item (x)

InterfaceName [meta](#)**X Inputs**

Application Browser: My App

Places This Interface Is Used

Edit Interface

Set Interface for Tag "myTag5"

[cancel](#)

Add From Site Library

Add From Community

Add Placeholder

Create New Interface

Quick Search Interface Library

InterfaceOne

InterfaceTwo

InterfaceThree

InterfaceFour

Lorem ipsum dolor sit amet, consectetur adipisicing elit, sed do eiusmod tempor incididunt ut labore et dolore magna aliqua. Ut enim ad... [more](#)

| Input | Movabl | Interface |
|--------|--------------|--------------|
| myarg1 | My Media | My Interface |
| myarg2 | My Function | A Interface |
| myarg3 | Foo Function | |

Add This Interface

✓ This interface fulfills 3/3 input requirements

InterfaceFive

Filter Results By:

- ☒ Attached to media *my media*
- ☐ Fulfills input requirements
- ☐ Unused

Edit

Preview

Interface

Movabls Attached to This Interface



Movabls

Application Name

Media Name

Interface Name

Function Name

[travis.movabls.com/ settings](http://travis.movabls.com/settings)

Site Library

Search Site Library

Apps



App



App

Places in this Site

enter/your/place/

[Application](#)[Place](#)[My App](#)[Home](#)[My App](#)[Block](#)[Your App](#)[My](#)

Set Movabl for Place "myPlace5"

[cancel](#)[Add From Site Library](#)[Add From Community](#)[Add Placeholder](#)[Create Media](#)[Create Media From File](#)[Create Function](#)[Create Place](#)

Quick Search



Media



Function



Place



Media



Media



Media



Media



Media



Media



Media

Use



Media



Media



Media



Media



Media



Media



Media



Media



Media



Media

Filter Results By:

- ☒ Attached to Interface:
MyInterface
- ☐ Interface *myInterface*
fulfils input requirements
- ☒ Unused
- ☒ Media
- ☒ Functions
- ☒ Places



Grid



Details

[Create Media](#)[Create Media from File](#)[Create Function](#)



Movabls

Application Name

Media Name

Interface Name

Function Name

[travis.movabls.com/](#) [Create Place](#)

Site Library

Places in this Site

Set Movabl for Place "myPlace5"

[cancel](#)[Application](#)[Pla](#)

My App

[Ho](#)

My App

[Blc](#)

Your App

[My](#)[Add From Site Library](#)[Add From Community](#)[Add Placeholder](#)[Create Media](#)[Create Media From File](#)[Create Function](#)[Create Place](#)☐ Foo Media☐ Bar Media☐ Baz Media

Foobar Media



Type: HTML

Description: Lorem ipsum dolor sit amet, consectetur adipisicing elit, sed do eiusmod tempor incididunt ut labore et dolore magna aliqua. Ut enim ad minim... [more](#)

[Use This Media](#)☐ Media Item One

Filter Results By:

- ☒ Attached to Interface: *MyInterface*
- ☐ Interface *myInterface* fulfils input requirements
- ☒ Unused

- ☒ Media
- ☐ Functions
- ☐ Places

[Grid](#)[Details](#)[Create Media](#)[Create Media from File](#)[Create Function](#)



Movabls

Application Name

Media Name

Interface Name

Function Name

travis.movabls.com/enter/your/place/url - Use % as a wildcard

Create Place

Site Library

Search Site Library

Places in this Site

[Application](#)[Place](#)

My App

[Home](#)

My App

[Blank](#)

Your App

[My Lc](#)

Create a Place for "MediaMovabl"

Place Label:

travis.movabls.com/enter/your/place/url - Use % as a wildcard.

Application:

--

My Application

Foo Application

[Create Application](#)[Cancel](#)

Create

ite Place

Edit

Edit

[Create Media](#)[Create Media from File](#)[Create Function](#)