









## Places in Package 2



Places expand  
on click

Media [\(New\)](#) [\(Import File\)](#)

Filter/Jump\_

			
<a href="#">Media Label</a>	<a href="#">Media Label</a>	<a href="#">Media Label</a>	<a href="#">Media Label</a>
			
<a href="#">Media Label</a>	<a href="#">Media Label</a>	<a href="#">Media Label</a>	<a href="#">Media Label</a>

Functions [\(New\)](#)

Filter/Jump\_

[Library Search](#)  
[Autocomplete...](#)

<a href="#">Function Label</a>
<a href="#">Function Label</a>
<a href="#">Function Label</a>
<a href="#">Function Label</a>

Interfaces [\(New\)](#)

Filter/Jump\_

<a href="#">Interface Label</a>
<a href="#">Interface Label</a>
<a href="#">Interface Label</a>
<a href="#">Interface Label</a>
<a href="#">Interface Label</a>

## Places in Package 2

Label: URL: Parent: [meta](#)[permissions](#)☐ HTTPS (?)[Browse](#)[New](#)Selected Movabl:  [My Function](#) (3 inputs)[Browse](#)[New](#)Selected Interface:  [My Interface](#)[delete place](#)[cancel](#)[Save](#)

✓	Place Label /URL	✓	Plac /
✓	/URL		
✗	Place Label /URL		

[New Place](#)  
[Import File](#)Media ([New](#)) ([Import File](#))  
[Media Label](#)  
[Media Label](#)  
[Media Label](#)  
[Media Label](#)  
[Media Label](#)  
[Media Label](#)  
[Media Label](#)  
[Media Label](#)Functions ([New](#))[Library Search](#)  
[Autocomplete...](#)[Function Label](#)[Function Label](#)[Function Label](#)Interfaces ([New](#))[Interface Label](#)[Interface Label](#)[Interface Label](#)[Interface Label](#)[Interface Label](#)

http://site.movabls.com///



Movabls

Application Name

Media Name

Interface Name


Function Name

Some Detail View

Current Item (x)

Media Name [meta](#)

Inputs: newarray, anotherInput, aThirdInput

[create interface](#)

for

if

else if

else

text/html

```

1 <!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Strict//EN"
2 "http://www.w3.org/TR/xhtml1/DTD/xhtml1-strict.dtd">
3 <html xmlns="http://www.w3.org/1999/xhtml">
4 <head>
5     <meta http-equiv="Content-Type" content="text/html; charset=utf-8" />
6     <title>The Juicy Bunch</title>
7     <script type="text/javascript" src="/js/myjs"></script>
8     <link href="/css/mycss" media="screen" rel="stylesheet" type="text/css" />
9 </head>
10
11 <body>
12     <div id="content">
13         {for newarray as newtag}
14         <div>{newtag['name']} : {newtag[0]}</div>
15         {endfor}
16     </div>
17 </body>
18 </html>
19
20
21
22

```

## Places That Use This Media

✓ [/URL](#)✓ [Place Label](#)✗ [/URL](#)✓ [Place Label](#)✓ [/URL](#)✓ [Place Label](#)✓ [/URL](#)

## Interfaces That Use This Media

✓ [Interface Label](#)✓ [Interface Label](#)✗ [Interface Label](#)

Code

WYSIWYG

Last Saved 15 Minutes Ago

[Save And Close](#)

Save Media



http://site.movabls.com///

Movabls

Application Name

Media Name

Interface Name

Function Name

Some Detail View

Current Item (x)

Media Name meta

Inputs

Name

newarray

anotherInput\_

Int

Some text

A second line of text

Save

[Delete](#)[Cancel](#)

aThirdInput

String

Lorem Ipsum Dolor Sit Amet

[create interface](#)

Input names can only contain letters, numbers, hyphens, and underscores (no spaces) and must begin with a letter or underscore

## Places That Use This Media

✓ [/URL](#)✓ [Place Label](#)✗ [/URL](#)✓ [Place Label](#)✓ [/URL](#)✓ [Place Label](#)✓ [/URL](#)

**B** **I** **U** **abc** **style** **≡** **↶** **↷** **🔗** **😊**

for

if

else if

else

text/html

```

1 <!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Strict//EN"
2 "http://www.w3.org/TR/xhtml1/DTD/xhtml1-strict.dtd">
3 <html xmlns="http://www.w3.org/1999/xhtml">
4 <head>
5   <meta http-equiv="Content-Type" content="text/html; charset=utf-8" />
6   <title>The Juicy Bunch</title>
7   <script type="text/javascript" src="/js/myjs"></script>
8   <link href="/css/mycss" media="screen" rel="stylesheet" type="text/css" />
9 </head>
10
11 <body>
12   <div id="content">
13     {for newarray as newtag}

```

Code

WYSIWYG

Last Saved 15 Minutes Ago

[Save And Close](#)

Save Media

## Media Name

Set Meta Data for "Media Name"

[cancel](#)

Name: Media Name

Description: Some text  
A second line of textCustom Fields ([New Custom Field](#))

Name	Value	
Grandma	Foo Value	<a href="#">edit</a>
Grandpa	Lorem ipsum dolor sit amet consectetur adipisicing elit sed do eiusmod...	

Aunt

Uncle

[new field name](#)[delete field](#)Some text  
A second line of text[cancel](#)[save](#)


[cancel](#)[Save Meta](#)

+ Inputs: newwarra

B I U abc style

```
1 <!DOCTYPE ht
2 "http://www.v
3 <html xmlns="h
4 <head>
5 <meta ht
6 <title>Th
7 <script t
8 <link hre
9 </head>
```

Fields already used  
in this media do not  
show up in the  
dropdown - all  
other fields used  
on the site do.

```
18 </html>
19
20
21
22
```

Code WYSIW

Last Saved 15 Minutes Ago

[Save And Close](#)[Save Media](#)

Function Name meta

+ Inputs: newarray, anotherInput, aThirdInput

[create interface](#)

```

1 $query = $this->get_query('media');
2 $query->execute(array($media_id));
3 $media = $query->fetch(PDO::FETCH_ASSOC);
4 if (empty($media))
5     throw new Exception ("Media $media_id not found",500);
6 if (empty($this->mimetype)) {
7     $this->mimetype = $media['mimetype'];
8     header("Content-type: {$media['mimetype']}");
9 }
10 if (!empty($interfaces))
11     $tags = $this->run_interfaces($interfaces);
12 else
13     $tags = array();
14 //Create the media function if it doesn't exist yet, then run it
15 if (!isset($this->lambdas['media-' . $media['media_id']])) {
16     $render = new Movabls/MediaRender($media['content'], array_keys($tags));
17     $code = ">\n". $render->output. "\n<?";
18     $argstring = $this->create_argstring(array_keys($tags));
19     $this->lambdas['media-' . $media['media_id']] = create_function($argstring, $code);
20 }
21 return call_user_func_array($this->lambdas['media-' . $media['media_id']], $tags);
22
23

```

## Places That Use This Function

✓	<a href="#">/URL</a>	
✓	<a href="#">Place Label</a>	
✗	<a href="#">/URL</a>	
✓	<a href="#">Place Label</a>	
✓	<a href="#">/URL</a>	
✓	<a href="#">Place Label</a>	
✓	<a href="#">/URL</a>	

## Interfaces That Use This Function

✓	<a href="#">Interface Label</a>
✓	<a href="#">Interface Label</a>
✗	<a href="#">Interface Label</a>

Code

Unit Test

Last Saved 15 Minutes Ago

[Save And Close](#)

Save Function



Function Name [meta](#)

## Inputs

[create interface](#)

Name	Type	Description	
newarray	Array	Lorem Ipsum Dolor Sit Amet	<a href="#">edit</a>
anotherInput_ (?)	Int	Some text A second line of text	<a href="#">Save</a> <a href="#">Cancel</a>
aThirdInput	String	Lorem Ipsum Dolor Sit Amet	
<a href="#">New Argument</a>			

```

1 $query = $this->get_query('media');
2 $query->execute(array($media_id));
3 $media = $query->fetch(PDO::FETCH_ASSOC);
4 if (empty($media))
5     throw new Exception ("Media $media_id not found",500);
6 if (empty($this->mimetype)) {
7     $this->mimetype = $media['mimetype'];
8     header("Content-type: {$media['mimetype']}");
9 }
10 if (empty($interfaces))
11     $tags = $this->run_interfaces($interfaces);
12 else
13     $tags = array();
14 //Create the media function if it doesn't exist yet, then run it

```

[Code](#) [Unit Test](#)

Last Saved 15 Minutes Ago

[Save And Close](#)[Save Function](#)

## Places That Use This Function

✓	<a href="#">/URL</a>	<a href="#">edit</a>
✓	<a href="#">Place Label</a>	<a href="#">edit</a>
✗	<a href="#">/URL</a>	<a href="#">edit</a>
✓	<a href="#">Place Label</a>	<a href="#">edit</a>
✓	<a href="#">/URL</a>	<a href="#">edit</a>
✓	<a href="#">Place Label</a>	<a href="#">edit</a>
✓	<a href="#">/URL</a>	<a href="#">edit</a>

## Interfaces That Use This Function

✓	<a href="#">Interface Label</a>
✓	<a href="#">Interface Label</a>
✗	<a href="#">Interface Label</a>

Movabls

Application Name

Media Name

Interface Name

Function Name

Some Detail View

Current Item (x)

Interface Name [meta](#)X [Incomplete: Set All Tags](#)

This interface uses 3 placeholders.

[Need help with those?](#)Background Tags ([Add A Background Tag](#))

	Tag	Content		Order
	FirstTag	<a href="#">My Function</a> (3 inputs)	✓	▲ ▼
	- BarTag	<a href="#">Other Media Item</a> (1 input)	✓	
	- BazTag	(date('m') == '12' ? 'Christmas!' : 'Boring')	✓	

Output Tags ([Add An Output Tag](#))

	Tag	Content	
	SecondTag	<a href="#">My Media Item</a> (2 inputs)	✓
	ThirdTag	<a href="#">set ThirdTag</a>	X
	FourthTag	<a href="#">Foo Function</a> (5 inputs) + <a href="#">Bar Interface</a>	✓

Tag Name: (?) [delete tag](#)

FifthTag

Type:

string

Description:

This is the description of the tag - we can edit this and tag name if this is a toplevel tag.

Movabl

Value

Background Tag

Quick Search Movabls

Browse

New

Selected Movabl: [My Function](#) (3 inputs)

Select an Interface (Optional ?)

Quick Search Interfaces

You can also set the inputs for this Movabl right here in this interface.

Select an interface only appears when a movabl requiring inputs is used.

save

Places That Use This Interface

✓ [/URL](#)✓ [Place Label](#)✓ [/URL](#)X [Place Label](#)

Media In This Interface

[Media Label](#) [Media Label](#) [Media Label](#) [Media Label](#)

Functions In This Interface

[Movabl](#)[Movabl](#)

Interfaces In This Interface

[Interface](#)[Interface](#)[Interface](#)



Tag Name: *FooTag*  
Parent: *My Function*  
Type: *string*  
Description: *This is the description for this tag, as specified in the inputs of its parent function*

MovablValueBackground Tag

—

Use PHP expressions: [help with expressions](#)☐ This is just a placeholder

[cancel](#)

save

Tag Name: *FooTag*  
Parent: *My Function*  
Type: *string*  
Description: *This is the description for this tag, as specified in the inputs of its parent function*

MovablValueBackground Tag

You may re-use the content generated by any of the background tags in this interface.

FirstTag

▼

[cancel](#)

save

Movabls

Application Name

Media Name

Interface Name

Function Name

Some Detail View

Current Item (x)

## Interface Name Set Content for Tag "MyTag"

[cancel](#)[Add A Tag](#)

Site Library

Movabls Community

Create New:

Media

Function

Place

Place from File

Quick Search



Media



Function



Place



Media



Media



Media



Media



Media



Media



Media



Media



Media



Media



Media



Media



Media



Media



Media



Media



Media

Filter Results By:

☒ Attached to Interface:  
*MyInterface*☐ Interface *myInterface*  
fulfils input requirements☒ Unused☒ Media☒ Functions☒ Places[Grid](#)[Details](#)

Tag Name: (?)

FifthTag

Type:

string

Description:

This is the description of the tag - we can edit the name if this is a reusable tag.

[cancel](#)

save

[Interface](#)

## Interface Name Set Content for Tag "MyTag"

[cancel](#)[Add A Tag](#)

Site Library

Movabls Community

Create New:

Media

Function


Place

Place from File

Quick Search

☐ Foo Media☐ Bar Media☐ Baz Media

Foobar Media



Type: HTML

Description: Lorem ipsum dolor sit amet, consectetur adipisicing elit, sed do eiusmod tempor incididunt ut labore et dolore magna aliqua. Ut enim ad minim... [more](#)

[Use This Media](#)☐ Media Item One

Filter Results By:

☒ Attached to Interface:*MyInterface*☐ Interface *myInterface*  
fulfils input requirements☒ Unused☒ Media☒ Functions☒ Places   
[Grid](#) [Details](#)[Interface](#)



Interface Name Set Content for Tag "MyTag" [cancel](#)[Add A Tag](#)

	Tag
<a href="#">+</a>	FirstTag
<a href="#">-</a>	SecondTag
	- FooTag
<a href="#">+</a>	- BarTag
	- BazTag
	ThirdTag
	FourthTag

Tag Name: (?)

FifthTag

Type:

string

Description:

This is the description  
tag - we can edit the  
name if this is a reusable tag.

[< Use an existing Movabl](#)

## Create Media

[Media](#)[Function](#)[Place](#)[Place from File](#)

Choose a name

Name\_

[Create](#)[Create and Edit](#)[cancel](#)[save](#)[Interface](#)



Movabls

Application Name

Media Name

Interface Name

Function Name

Some Detail View

Current Item (x)

Interface Name Set Content for Tag "MyTag" [cancel](#)[Add A Tag](#)

	Tag
	FirstTag
	SecondTag
	- FooTag
	- BarTag
	- BazTag
	ThirdTag
	FourthTag

Tag Name: (?)

FifthTag

Type:

string

Description:

This is the description of the tag - we can edit the name if this is a reusable tag.

[Use an existing Movabl](#)

## Create a Place From a File

Media

Function

Place

Place from File

Choose a name

Name\_

Choose a location

/Package/Public URL



Select File

Create

Create and Edit

[cancel](#)

save

[Interface](#)