

Movabls

Application Name

Media Name

Interface Name

Function Name



App

[Meta](#) [Publish](#) [Permissions](#) [People](#) [Groups](#) [Uninstall](#) [Create App](#) [Find App](#)

Places in this App

Application	Place Label	Place URL
My App	Home Page	✓ OK /my/place
My App	Blank	✗ Inputs /my/broken/place edit >

[Create Place](#)

Movabls in this App

Movabls	Usage
file.png	As Place: My Logo
Home Page	As Place: Home Page
Broken MDA	As Place: /my/broken/place
An Interface	3 Places & 2 Inputs
A Function!	As Input: Home Page
Movabl	Edit Create Place
Usage	
In Interface: Home Page Interface	Edit
As Place: Profile Page	Edit
	Delete



Movabls

Application Name

Media Name

Interface Name

Function Name

travis.movabls.com/ [settings](#)[Permissions](#)[People](#)[Groups](#)[Create App](#)[Find App](#)

Apps

[App](#)[App](#)

Places

[Application](#)[Place](#)[My App](#)[Home](#)[My App](#)[Blank](#)[Your App](#)[My Lc](#)

Create a Place for "MediaMovabl"

Place Label:

travis.movabls.com/

Application:

My Application

Foo Application

[Create Application](#)[Cancel](#)[Create](#)[Create Place](#)As Place: [Profile Page](#)[Edit](#)[Edit](#)[Create Media](#)[Create Media from File](#)[Create Function](#)

Movabls

Application Name

Media Name

Interface Name

Function Name

[This Site \(z\)](#)

Browse:

[Places \(b+p\)](#)[Media \(b+m\)](#)[Functions \(b+f\)](#)[Interfaces \(b+i\)](#)

Create:

[Place \(c+p\)](#)[Media \(c+m\)](#)[Function \(c+f\)](#)[Interface \(c+i\)](#)[Permissions \(p\)](#)[My Dashboard \(x\)](#)

App



App



App



App

Places

Place URL

✓ OK </my/place>✗ Inputs </my/broken/place>

edit >

[file.png](#)Place Label [meta](#)

View Place


URL: </my/broken/place>Application: [My Application](#)

✗ Inputs

Media: [MyMediaAtThisPlace](#)

Edit

Change



Description/other metadata

Interface: [ThisInterfaceLabel](#)

Edit

Change

Accessible to: Public, LikeStripes, Customers [edit](#)

enter/your/place/url - Use % as a wildcard

Create Place



Movabls

Application Name

Media Name

Interface Name

Function Name

Current Item (x)

Manage Permissions

[People](#)[Groups](#)Site Permissions
(Selected)

Apps on this Site

[App](#)[App](#)[App](#)[App](#)[App](#)[App](#)

Places in this Site

Application	Place Label	URL	
My App	Home Page	/my/place	edit >
My App	Blank	/my/broken/place	

Full Site Permissions

Group	Permission	
Public	<input type="checkbox"/> Active <input checked="" type="checkbox"/> Disabled	Remove
Like Stripes	<input checked="" type="checkbox"/> Active <input type="checkbox"/> Disabled	Remove

Add Group

☒ Your Memberships☐ Global

Group	Details
Public	Lorem ipsum blah blah blah more
Like Stripes	Lorem ipsum blah blah blah more



Movabls

Application Name

Media Name

Interface Name

Function Name

Current Item (x)

Manage Permsions

[People](#)[Groups](#)[Site Permissions](#)

Apps on this Site

[App](#)[Selected App](#)[App](#)[App](#)[App](#)[App](#)

Places in this App

[Places](#)

Application	Place Label	URL	
My App	Home Page	/my/place	edit >
My App	Blank	/my/broken/place	

Home Page [/my/place](#)[Close](#)

Group	Permission	
Public	<input type="checkbox"/> Active <input checked="" type="checkbox"/> Disabled	Remove
Like Stripes	<input checked="" type="checkbox"/> Active <input type="checkbox"/> Disabled	Remove

Add Group

[Like_](#)☒ Your Memberships ☒ This Site ☒ Global

Group	Details	
Like Kites	Lorem ipsum blah blah blah more	Add
Like Stripes	Lorem ipsum blah blah blah more	

http://travis.movabls.com/!



Movabls

Application Name

Media Name

Interface Name

Function Name

Current Item (x)

Media Name [meta](#)

Import File

text/html

Code

WYSIWYG

[Menu Item](#) [Menu Item](#) ▼

+ Inputs Required: newarray, anotherInput, aThirdInput

[create interface](#)

for

if

else if

else

```

1 <!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Strict//EN"
2 "http://www.w3.org/TR/xhtml1/DTD/xhtml1-strict.dtd">
3 <html xmlns="http://www.w3.org/1999/xhtml">
4 <head>
5   <meta http-equiv="Content-Type" content="text/html; charset=utf-8" />
6   <title>The Juicy Bunch</title>
7   <script type="text/javascript" src="/js/myjs"></script>
8   <link href="/css/mycss" media="screen" rel="stylesheet" type="text/css" />
9 </head>
10
11 <body>
12   <div id="content">
13     {for newarray as newtag}
14     <div>{newtag['name']} : {newtag[0]}</div>
15   {endfor}
16 </div>
17 </body>
18 </html>
19
20
21

```

Site Library Browser

Places This Media Is Used

Interfaces Attached to This Media

My Interface Name

Edit

+ This Interface Is Attached to [5 Movabls](#)

Tag

Actions

+

myarg1

< [insert](#), [edit](#)

+

myarg2

< [insert](#), [edit](#)

-

myarg5 ([rename](#))< [insert](#)

A Media



An Interface

Edit

Change

Edit

Change

Add A Tag

- My Media and My Interface used in 2 Places:

Home Page

[preview](#)

My Place

[preview](#)

Create New Interface For This Media

Last Saved 15 Minutes Ago

[Save And Close](#)

Save Media

[http://travis.movabls.com/!](http://travis.movabls.com/)

Movabls

Application Name

Media Name

Interface Name

Function Name

Current Item (x)

Media Name [meta](#)

Import File

text/html

Code

WYSIWYG

[Menu Item](#)[Menu Item](#)

Inputs Required: newarray, anotherInput, aThirdInput

[create interface](#)**B** **I** **U** **abc** style **≡** **≡** **↶** **↷** **🔗** **😊** **for** **if** **else if** **else**

```
1 <!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Strict//EN"
2 "http://www.w3.org/TR/xhtml1/DTD/xhtml1-strict.dtd">
3 <html xmlns="http://www.w3.org/1999/xhtml">
4 <head>
5   <meta http-equiv="Content-Type" content="text/html; charset=utf-8" />
6   <title>The Juicy Bunch</title>
7   <script type="text/javascript" src="/js/myjs"></script>
8   <link href="/css/mycss" media="screen" rel="stylesheet" type="text/css" />
9 </head>
10
11 <body>
12   <div id="content">
13     {for newarray as newtag}
14     <div>{newtag['name']} : {newtag[0]}</div>
15   {endfor}
16 </div>
17 </body>
18 </html>
```

Site Library Browser

Places This Media Is Used

Place Label	Place URL
Home Page	/
Foo Page	/foo
Bar Page	/bar/%
Broken Page	/broken/page

Edit



Create New Place With This Media

Interfaces Attached to This Media

Last Saved 15 Minutes Ago

[Save And Close](#)

Save Media

http://travis.movabls.com/!



Movabls

Application Name

Media Name

Interface Name

Function Name

Current Item (x)

Media Name meta

Import File

text/html

Code

WYSIWYG

Menu Item

Menu Item ▼

+ Inputs Required: newarray, anotherInput, aThirdInput

[create interface](#)

for

if

else if

else

```

1 <!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Strict//EN"
2 "http://www.w3.org/TR/xhtml1/DTD/xhtml1-strict.dtd">
3 <html xmlns="http://www.w3.org/1999/xhtml">
4 <head>
5   <meta http-equiv="Content-Type" content="text/html; charset=utf-8" />
6   <title>The Juicy Bunch</title>
7   <script type="text/javascript" src="/js/myjs"></script>
8   <link href="/css/mycss" media="screen" rel="stylesheet" type="text/css" />
9 </head>
10
11 <body>
12   <div id="content">
13     {for newarray as newtag}
14     <div>{newtag['name']} : {newtag[0]}</div>
15   {endfor}
16 </div>
17 </body>
18 </html>
19
20
21
22

```

Site Library Browser

Search Site Library

Movabl	Usage
file.png	As Place: My Logo
Home Page	As Place: Home Page
Broken MDA	
Another MDA	3 Places & 2 Inputs
A Function!	As Input: Home Page

[Create Media](#) [Create Media from File](#) [Create Function](#)

Places This Media Is Used

Interfaces Attached to This Media

Last Saved 15 Minutes Ago

[Save And Close](#)

Save Media



Movabls

Application Name

Media Name

Interface Name

Function Name

Current Item (x)

Function Name meta

Code

Unit Test

Menu Item

Menu Item ▼

+ Inputs Required: newarray, anotherInput, aThirdInput

[create interface](#)

```

1 $query = $this->get_query('media');
2 $query->execute(array($media_id));
3 $media = $query->fetch(PDO::FETCH_ASSOC);
4 if (empty($media))
5     throw new Exception ("Media $media_id not found",500);
6 if (empty($this->mimetype)) {
7     $this->mimetype = $media['mimetype'];
8     header("Content-type: {$media['mimetype']}");
9 }
10 if (!empty($interfaces))
11     $tags = $this->run_interfaces($interfaces);
12 else
13     $tags = array();
14 //Create the media function if it doesn't exist yet, then run it
15 if (!isset($this->lambdas['media-'. $media['media_id']])) {
16     $render = new MovablsMediaRender($media['content'], array_keys($tags));
17     $code = ">\n". $render->output. "<\n?";
18     $argstring = $this->create_argstring(array_keys($tags));
19     $this->lambdas['media-'. $media['media_id']] = create_function($argstring, $code);
20 }
21 return call_user_func_array($this->lambdas['media-'. $media['media_id']], $tags);
22
23

```

Site Library Browser

Places This Function Is Used

Interfaces Attached to This Function

My Interface Name ▼

Edit

+ This Interface Is Attached to [5 Movabls](#)

Tag

Actions

+ myarg1

< [insert](#), [edit](#)

+ myarg2

< [insert](#), [edit](#)

+ myarg3

< [insert](#), [edit](#)- myarg5 ([rename](#))< [insert](#)

A Media

- An Interface

Edit

Change

Edit

Change

Add A Tag

+ My Func and My Interface used in 2 Places:

Create New Interface For This Function

Last Saved 15 Minutes Ago

[Save And Close](#)

Save Function



Movabls

Application Name

Media Name

Interface Name

Function Name

Current Item (x)

InterfaceName [meta](#)**X Inputs**[Menu Item](#)[Menu Item](#) ▼

Edit Interface

Browse Functional Tree

Tag	Movabl	Interface
myarg1	<input checked="" type="checkbox"/> My Media	My Interface
myarg2 (rename)	My Function (edit) , (change)	An Interface (edit) , (change)
myarg3	Set Movabl	Set Interface

Add A Tag

Site Library Browser

Places This Interface Is Used

Place Label	Place URL	
Home Page	/	
Foo Page	/foo	Edit
Bar Page	/bar/%	
Broken	/broken/page	

Create New Place With This Interface

Movabls Attached to This Interface

 [Menu Item](#)

Browse Functional Tree

[illegible]

Site Library Browser

Places This Interface Is Used

Movables Attached to This Interface

The screenshot shows a mobile application interface titled 'Movabl'. It features a list of three items: 'My Media' with a media icon, 'My Function' with a gear icon, and 'Foo Media' with a media icon. An 'Edit' button is located to the right of the 'My Function' item. The interface has a light green background with alternating white and light green horizontal stripes for the list items.



Movabls

Application Name

Media Name

Interface Name

Function Name

Current Item (x)

InterfaceName [meta](#)**X Inputs**

Application Browser: My App

Places This Interface Is Used

Edit Interface

Set Interface for Tag "myTag5"

[cancel](#)

Add From Site Library

Add From Community

Add Placeholder

Create New Interface

Quick Search Interface Library

InterfaceOne

InterfaceTwo

InterfaceThree

InterfaceFour

Lorem ipsum dolor sit amet, consectetur adipisicing elit, sed do eiusmod tempor incididunt ut labore et dolore magna aliqua. Ut enim ad... [more](#)

Input	Movabl	Interface
myarg1	My Media	My Interface
myarg2	My Function	A Interface
myarg3	Foo Function	

Add This Interface

✓ This interface fulfills 3/3 input requirements

InterfaceFive

Filter Results By:

- ☒ Attached to media *my media*
- ☐ Fulfills input requirements
- ☐ Unused

Edit

Preview

Interface

Movabls Attached to This Interface



Movabls

Application Name

Media Name

Interface Name

Function Name

[travis.movabls.com/ settings](http://travis.movabls.com/settings)

Site Library

Search Site Library

Apps



App



App

Places in this Site

enter/your/place/

[Application](#)[Place](#)[My App](#)[Home](#)[My App](#)[Block](#)[Your App](#)[My](#)

Set Movabl for Place "myPlace5"

[cancel](#)[Add From Site Library](#)[Add From Community](#)[Add Placeholder](#)[Create Media](#)[Create Media From File](#)[Create Function](#)[Create Place](#)

Quick Search



Media



Function



Place



Media



Media



Media



Media



Media



Media



Media

Use



Media



Media



Media



Media



Media



Media



Media



Media



Media



Media

Filter Results By:

- ☒ Attached to Interface:
MyInterface
- ☐ Interface *myInterface*
fulfils input requirements
- ☒ Unused
- ☒ Media
- ☒ Functions
- ☒ Places



Grid



Details

[Create Media](#)[Create Media from File](#)[Create Function](#)



Movabls

Application Name

Media Name

Interface Name

Function Name

[travis.movabls.com/](#) [Create Place](#)

Site Library

Places in this Site

Set Movabl for Place "myPlace5"

[cancel](#)[Application](#)[Pla](#)

My App

[Ho](#)

My App

[Blc](#)

Your App

[My](#)[Add From Site Library](#)[Add From Community](#)[Add Placeholder](#)[Create Media](#)[Create Media From File](#)[Create Function](#)[Create Place](#)☐ Foo Media☐ Bar Media☐ Baz Media

Foobar Media



Type: HTML

Description: Lorem ipsum dolor sit amet, consectetur adipisicing elit, sed do eiusmod tempor incididunt ut labore et dolore magna aliqua. Ut enim ad minim... [more](#)

[Use This Media](#)☐ Media Item One

Filter Results By:

- ☒ Attached to Interface: *MyInterface*
- ☐ Interface *myInterface* fulfils input requirements
- ☒ Unused

- ☒ Media
- ☐ Functions
- ☐ Places

[Grid](#)[Details](#)[Create Media](#)[Create Media from File](#)[Create Function](#)



Movabs

Application Name

Media Name

Interface Name

Function Name

[travis.movabs.com/ settings](http://travis.movabs.com/settings)

Apps

[App](#)[App](#)[App](#)[App](#)[App](#)[App](#)[App](#)

Places

Places

Application	Place Label	Place URL	
My App	Home Page	OK /my/place	
My App	Blank	Inputs /my/broken/place	edit >
Your App	My Logo	file.png	

enter/your/place/url - Use % as a wildcard

Create Place

[Permissions](#) [People](#) [Groups](#) [Create App](#) [Find App](#)

Movabs

Search Movabs

Movabs

Usage

	file.png	As Place: My Logo
	Home Page	As Place: Home Page
	Broken MDA	As Place: /my/broken/place
	An Interface	3 Places & 2 Inputs
	A Function!	As Input: Home Page

	Movabl	Edit	Create Place	
Usage				
In Interface: Home Page Interface				Edit
As Place: Profile Page				Edit

[Create Media](#) [Create Media from File](#) [Create Function](#)