

Movabls

Application Name

Media Name

Interface Name

Function Name

Some Detail View

Current Item (x)

site.movabls.com [manage](#)

Hello, Bennett

[Community](#)[My Movabls](#)[\(Account\)](#)[Help!](#)


All

Package

Package2

PackageThree

PackageFour

[Create Package](#)[Find a Package](#)[New Place](#)
[Import File](#)Media ([New](#)) ([Import File](#))

Filter/Jump_

[Media Label](#)[Media Label](#)[Media Label](#)[Media Label](#)[Media Label](#)[Media Label](#)[Media Label](#)[Media Label](#)Functions ([New](#))

Filter/Jump_

[Library Search](#)[Autocomplete...](#)[Function Label](#)[Function Label](#)[Function Label](#)Interfaces ([New](#))

Filter/Jump_

[Interface Label](#)[Interface Label](#)[Interface Label](#)[Interface Label](#)[Interface Label](#)



Movabls

Application Name

Media Name

Interface Name

Function Name

Some Detail View

Current Item (x)

Media Name [meta](#)+ [Inputs](#): newarray, anotherInput, aThirdInput[create interface](#)**B** **I** **U** **abc** style

for

if

else if

else

text/html

```
1 <!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Strict//EN"
2 "http://www.w3.org/TR/xhtml1/DTD/xhtml1-strict.dtd">
3 <html xmlns="http://www.w3.org/1999/xhtml">
4 <head>
5   <meta http-equiv="Content-Type" content="text/html; charset=utf-8" />
6   <title>The Juicy Bunch</title>
7   <script type="text/javascript" src="/js/myjs"></script>
8   <link href="/css/mycss" media="screen" rel="stylesheet" type="text/css" />
9 </head>
10
11 <body>
12   <div id="content">
13     {for newarray as newtag}
14     <div>{newtag['name']} : {newtag[0]}</div>
15   {endfor}
16 </div>
17 </body>
18 </html>
```

Places That Use This Media

✓ [/URL](#)✓ [Place Label](#)✗ [/URL](#)✓ [Place Label](#)✓ [/URL](#)✓ [Place Label](#)✓ [/URL](#)

Interfaces That Use This Media

✓ [Interface Label](#)✓ [Interface Label](#)✗ [Interface Label](#)

Code

WYSIWYG

Last Saved 15 Minutes Ago

[Save And Close](#)

Save Media



Movabls

Application Name

Media Name

Interface Name

Function Name

Some Detail View

Current Item (x)

Media Name [meta](#)

Inputs

[create interface](#)

Name	Type	Description
newarray	Array	Lorem Ipsum Dolor Sit Amet
<input type="text" value="anotherInput_"/>	<input type="text" value="Int"/>	<div>Some text A second line of text</div>
Delete		<div>Save Cancel</div>
aThirdInput	String	Lorem Ipsum Dolor Sit Amet

B *I* U abc style

for

if

else if

else

text/html

```
1 <!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Strict//EN"
2 "http://www.w3.org/TR/xhtml1/DTD/xhtml1-strict.dtd">
3 <html xmlns="http://www.w3.org/1999/xhtml">
4 <head>
5   <meta http-equiv="Content-Type" content="text/html; charset=utf-8" />
6   <title>The Juicy Bunch</title>
7   <script type="text/javascript" src="/js/myjs"></script>
8   <link href="/css/mycss" media="screen" rel="stylesheet" type="text/css" />
9 </head>
10
11 <body>
12   <div id="content">
13     {for newarray as newtag}
```

Code

WYSIWYG

Last Saved 15 Minutes Ago

[Save And Close](#)

Save Media

Places That Use This Media

✓ [/URL](#)✓ [Place Label](#)✗ [/URL](#)✓ [Place Label](#)✓ [/URL](#)✓ [Place Label](#)✓ [/URL](#)

Interfaces That Use This Media

✓ [Interface Label](#)✓ [Interface Label](#)✗ [Interface Label](#)



Movabls

Application Name

Media Name

Interface Name

Function Name

Some Detail View

Current Item (x)

Function Name [meta](#)+ [Inputs](#): newarray, anotherInput, aThirdInput[create interface](#)

```

1 $query = $this->get_query('media');
2 $query->execute(array($media_id));
3 $media = $query->fetch(PDO::FETCH_ASSOC);
4 if (empty($media))
5     throw new Exception ("Media $media_id not found",500);
6 if (empty($this->mimetype)) {
7     $this->mimetype = $media['mimetype'];
8     header("Content-type: {$media['mimetype']}");
9 }
10 if (!empty($interfaces))
11     $tags = $this->run_interfaces($interfaces);
12 else
13     $tags = array();
14 //Create the media function if it doesn't exist yet, then run it
15 if (!isset($this->lambdas['media-' . $media['media_id']])) {
16     $render = new MovablsMediaRender($media['content'], array_keys($tags));
17     $code = ">\n". $render->output. "\n<?";
18     $argstring = $this->create_argstring(array_keys($tags));
19     $this->lambdas['media-' . $media['media_id']] = create_function($argstring, $code);
20 }
21 return call_user_func_array($this->lambdas['media-' . $media['media_id']], $tags);
22
23

```

Places That Use This Function

✓ [/URL](#)✓ [Place Label](#)✗ [/URL](#)✓ [Place Label](#)✓ [/URL](#)✓ [Place Label](#)✓ [/URL](#)

Interfaces That Use This Function

✓ [Interface Label](#)✓ [Interface Label](#)✗ [Interface Label](#)

Code

Unit Test

Last Saved 15 Minutes Ago

[Save And Close](#)[Save Function](#)



Movabls

Application Name

Media Name

Interface Name

Function Name

Some Detail View

Current Item (x)

Function Name [meta](#)

Inputs

[create interface](#)

Name	Type	Description	Actions
newarray	Array	Lorem Ipsum Dolor Sit Amet	edit
<input type="text" value="anotherInput_"/>	<input type="text" value="Int"/>	Some text A second line of text	<input type="button" value="Save"/> <input type="button" value="Cancel"/>
aThirdInput	String	Lorem Ipsum Dolor Sit Amet	edit
New Argument			

```

1 $query = $this->get_query('media');
2 $query->execute(array($media_id));
3 $media = $query->fetch(PDO::FETCH_ASSOC);
4 if (empty($media))
5     throw new Exception ("Media $media_id not found",500);
6 if (empty($this->mimetype)) {
7     $this->mimetype = $media['mimetype'];
8     header("Content-type: {$media['mimetype']}");
9 }
10 if (!empty($interfaces))
11     $tags = $this->run_interfaces($interfaces);
12 else
13     $tags = array();
14 //Create the media function if it doesn't exist yet, then run it

```

Code

Unit Test

Last Saved 15 Minutes Ago

[Save And Close](#)

Places That Use This Function

✓ [/URL](#)

✓ [Place Label](#)

✗ [/URL](#)

✓ [Place Label](#)

✓ [/URL](#)

✓ [Place Label](#)

✓ [/URL](#)

Interfaces That Use This Function

✓ [Interface Label](#)

✓ [Interface Label](#)

✗ [Interface Label](#)



Movabls

Application Name

Media Name

Interface Name

Function Name

Some Detail View

Current Item (x)

Interface Name meta[Add A Tag](#)[X Set All Tags](#)

MyFirstTag_

☐ MyMagicNumberGeneratorThatUsesMyLogoFunction ([edit](#), [change](#), [remove](#))☒ Movabl
☐ Expression
☐ Reuse Tag☐ SomeSubTag = [Foo Block](#)SubTagFooBlockInputx = [Set This](#)

Int

Random Number

ASubTagInFocus=

search

Set

☒ Movabl
☐ Expression
☐ Reuse TagMyLogo = [Your Logo](#)

MySec

Meta

Set Meta

Delete

search

Set

☒ Movabl
☐ Expression
☐ Reuse Tag[Your Logo](#)

PNG File

[A Place Linking to a File](#)[Expressive](#)

String

Something useful

"Foo Does someone have to know to type the quotes in here? bar because that's rather annoying and will definately confuse people. Also, is there a character limit?"

☐ Movabl
☒ Expression
☐ Reuse Tag[Help with Expressions](#)[Cancel](#)[Save](#)[Expressive](#)

Set Meta

5

[ReuseATLTag](#)

Set Meta

Top Level Tags

☐ Movabl
☐ Expression
☒ Reuse Tag[MySecondTag](#)

Set Meta

search

Set

Places That Use This Interface

✓ [/URL](#)✓ [Place Label](#)✓ [/URL](#)✗ [Place Label](#)✓ [/URL](#)

Media In This Interface

[Media Label](#)[Media Label](#)[Media Label](#)[Media Label](#)

Functions In This Interface

[Function](#)[Movabl](#)[Movabl](#)

use the paper clip to replace all instances of a movabl in this interface. opens the set scrim.

<http://site.movabls.com///>

Movabls

Application Name

Media Name

Interface Name

Function Name

Some Detail View

Current Item (x)

Interface Name Set "Your Logo"

[cancel](#)[Add A Tag](#)

MyFirstTag

Int

Random Number

[meta](#)

ASu

MySecondTag

[Set Meta](#)

Your Logo

PNG File

Expressive

String

Something useful

[meta](#)

Expressive

[Set Meta](#)

MySecondTag

[Set Meta](#)

Create Media

Create Function

Create Place

Create Place From File

Add From Site Library

Add From Community

Placeholder

Expression

Quick Search



Media



Function



Place




Media



Media



Media



Media



Media



Media



Media

Use



Media



Media



Media



Media



Media



Media



Media



Media



Media



Media

Filter Results By:

☒ Attached to Interface:
MyInterface☐ Interface *myInterface*
fulfils input requirements☒ Unused☒ Media☒ Functions☒ Places

Grid



Details

the set scrim
is used
whenever the
autocomplete
isn't helpful,
the user clicks
the box or
there isn't
room for the
box to appear
(i.e. the
paperclip)

Movabls

Application Name

Media Name

Interface Name

Function Name

Some Detail View

Current Item (x)

Interface Name Set "Your Logo"

[cancel](#)[Add A Tag](#)

MyFirstTag

Int

Random Number

[meta](#)

ASu

[MySecondTag](#)[Set Meta](#)[Your Logo](#)[PNG File](#)[Expressive](#)[String](#)[Something useful](#)[meta](#)[Expressive](#)[Set Meta](#)[MySecondTag](#)[Set Meta](#)

Create Media

Create Function

Create Place

Create Place From File

Add From Site Library

Add From Community

Placeholder

Expression

Quick Search

Foo Media

Bar Media

Baz Media

Foobar Media



Type: HTML

Description: Lorem ipsum dolor sit amet, consectetur adipisicing elit, sed do eiusmod tempor incididunt ut labore et dolore magna aliqua. Ut enim ad minim... [more](#)

Use This Media

Media Item One

Filter Results By:

☒ Attached to Interface:
MyInterface☐ Interface *myInterface*
fulfils input requirements☒ Unused☒ Media☒ Functions☒ Places[Grid](#)

Details