

Movabls

Application Name

Media Name

Interface Name

Function Name

Some Detail View

Current Item (x)

site.movabls.com [manage site](#) | [manage permissions](#)Hello Bennett [My Account](#) [Community](#) [Help!](#)

Sitemap

All Places

[\(New Place\)](#)[\(Import File\)](#)

Search / Filter Site Content

View Packages

Places expand  
on click✓  
Place Label  
/URL✕ [My Media](#) (3 Inputs)☰ [My Interface](#)

Edit Place

✓  
Place Label  
/URL✓  
Place Label  
/URL✓  
/URL✕  
Place Label  
/URLMedia [\(New\)](#) [\(Import File\)](#) [Media Label](#) [Media Label](#) [Media Label](#) [Media Label](#) [Media Label](#) [Media Label](#) [Media Label](#) [Media Label](#)Functions [\(New\)](#)[Function Label](#)[Function Label](#)[Function Label](#)[Function Label](#)[Function Label](#)Interfaces [\(New\)](#)[Interface Label](#)[Interface Label](#)[Interface Label](#)[Interface Label](#)[Interface Label](#)



Movabls

Application Name

Media Name

Interface Name

Function Name

Some Detail View

Current Item (x)

site.movabls.com [manage site](#) | [manage permissions](#)Hello Bennett [My Account](#) [Community](#) [Help!](#)


Sitemap

All Places

[\(New Place\)](#)[\(Import File\)](#)[View Packages](#)

Parent field  
shows up when  
"Show In  
Sitemap" is  
checked.

Label: URL: ☒ Show In SitemapParent: [Browse](#)[New](#)Selected Movabl:  [My Function](#) (3 inputs)[Browse](#)[New](#)Selected Interface:  [My Interface](#)[delete place](#)[cancel](#)[Save](#)[meta](#)[permissions](#)☐ HTTPS (?)




























HTTPS encrypts data for  
secure pages. It gives your  
place a  icon in browsers.

Plac  
/





/URL

Place Label  
/URLMedia [\(New\)](#) [\(Import File\)](#)[Media Label](#)[Media Label](#)[Media Label](#)[Media Label](#)[Media Label](#)[Media Label](#)[Media Label](#)[Media Label](#)Functions [\(New\)](#)[Function Label](#)[Function Label](#)[Function Label](#)[Function Label](#)[Function Label](#)Interfaces [\(New\)](#)[Interface Label](#)[Interface Label](#)[Interface Label](#)[Interface Label](#)[Interface Label](#)



| Place Label ▼ | URL                 | Media   | Interface   | HTTPS   |   |
|---------------|---------------------|---|---|---|---|
| My Place      | /the/place/url/here |  <a href="#">Media Label</a>   |  <a href="#">Interface Label</a>   |    |    |
| My Place      | /the/place/url/here |  <a href="#">Media Label</a>   |  <a href="#">Interface Label</a>   |    |    |
| My Place      | /the/place/url/here |  <a href="#">Media Label</a>   |  <a href="#">Interface Label</a>   |    |    |
| My Place      | /the/place/url/here |  <a href="#">Media Label</a>   |  <a href="#">Interface Label</a>   |    |    |
| My Place      | /the/place/url/here |  <a href="#">Media Label</a>   |  <a href="#">Interface Label</a>   |    |    |
| My Place      | /the/place/url/here |  <a href="#">Media Label</a> |  <a href="#">Interface Label</a> |  |  |
| My Place      | /the/place/url/here |  <a href="#">Media Label</a> | -   |  |  |
| My Place      | /the/place/url/here |  <a href="#">Media Label</a> | -   |  |  |

## Packages In This Site

[\(New Package\)](#) [\(Find Packages\)](#)[Package Label](#)☒ Show[Package Label](#)☒ Show[Package Label](#)☒ Show[Package Label](#)☒ Show[Package Label](#)☒ Show

Unpackaged Items

☐ ShowMedia [\(New\)](#) [\(Import File\)](#)

-  [Media Label](#)
-  [Media Label](#)
-  [Media Label](#)
-  [Media Label](#)
-  [Media Label](#)

Functions [\(New\)](#)

- [Function Label](#)
- [Function Label](#)
- [Function Label](#)
- [Function Label](#)
- [Function Label](#)

Interfaces [\(New\)](#)

- [Interface Label](#)
- [Interface Label](#)
- [Interface Label](#)
- [Interface Label](#)
- [Interface Label](#)



Movabls

Application Name

Media Name

Interface Name

Function Name

Some Detail View






























Current Item (x)

Package Name [meta](#) | [permissions](#)

Sitemap

All Places

Search This Package

| Place Label ▼ | URL                 | Media   | Interface   | HTTPS   |   |
|---------------|---------------------|---|---|---|---|
| My Place      | /the/place/url/here |  <a href="#">Media Label</a>   |  <a href="#">Interface Label</a>   |    |    |
| My Place      | /the/place/url/here |  <a href="#">Media Label</a>   |  <a href="#">Interface Label</a>   |    |    |
| My Place      | /the/place/url/here |  <a href="#">Media Label</a>   |  <a href="#">Interface Label</a>   |    |    |
| My Place      | /the/place/url/here |  <a href="#">Media Label</a>   |  <a href="#">Interface Label</a>   |    |    |
| My Place      | /the/place/url/here |  <a href="#">Media Label</a>   |  <a href="#">Interface Label</a>   |    |    |
| My Place      | /the/place/url/here |  <a href="#">Media Label</a> |  <a href="#">Interface Label</a> |  |  |
| My Place      | /the/place/url/here |  <a href="#">Media Label</a> | -   |  |  |
| My Place      | /the/place/url/here |  <a href="#">Media Label</a> | -   |  |  |

Add Movabls to Package

Create New Movabl In Package:

Media

Media From File

Function

Interface

Place

Place from File

Media

-  [Media Label](#)
-  [Media Label](#)
-  [Media Label](#)
-  [Media Label](#)
-  [Media Label](#)

Functions

- [Function Label](#)
- [Function Label](#)
- [Function Label](#)
- [Function Label](#)
- [Function Label](#)

Interfaces

- [Interface Label](#)
- [Interface Label](#)
- [Interface Label](#)
- [Interface Label](#)
- [Interface Label](#)



Movabls

Application Name

Media Name

Interface Name

Function Name

Some Detail View

Current Item (x)

Media Name [meta](#) | [permissions](#)+ [Inputs](#): newarray, anotherInput, aThirdInput[create interface](#)**B** **I** **U** **abc** style 

for

if

else if

else

text/html

```
1 <!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Strict//EN"
2 "http://www.w3.org/TR/xhtml1/DTD/xhtml1-strict.dtd">
3 <html xmlns="http://www.w3.org/1999/xhtml">
4 <head>
5   <meta http-equiv="Content-Type" content="text/html; charset=utf-8" />
6   <title>The Juicy Bunch</title>
7   <script type="text/javascript" src="/js/myjs"></script>
8   <link href="/css/mycss" media="screen" rel="stylesheet" type="text/css" />
9 </head>
10
11 <body>
12   <div id="content">
13     {for newarray as newtag}
14     <div>{newtag['name']} : {newtag[0]}</div>
15   {endfor}
16 </div>
17 </body>
18 </html>
```

Places That Use This Media

✓ [/URL](#)✓ [Place Label](#)✗ [/URL](#)✓ [Place Label](#)✓ [/URL](#)✓ [Place Label](#)✓ [/URL](#)

Interfaces That Use This Media

✓ [Interface Label](#)✓ [Interface Label](#)✗ [Interface Label](#)

Code

WYSIWYG

Last Saved 15 Minutes Ago

[Save And Close](#)

Save Media



<http://site.movabls.com///>

Movabls

Application Name

Media Name

Interface Name

Function Name

Some Detail View

Current Item (x)

## ☒ Media Name [meta](#) | [permissions](#)

Input names can only contain letters, numbers, hyphens, and underscores (no spaces) and must begin with a letter or underscore

### ☐ Inputs

Name

newarray

anotherInput\_

Int

Some text

A second line of text

Save

[Delete](#)[Cancel](#)

aThirdInput

String

Lorem Ipsum Dolor Sit Amet

[create interface](#)

### Places That Use This Media

✓ [/URL](#)✓ [Place Label](#)✗ [/URL](#)✓ [Place Label](#)✓ [/URL](#)✓ [Place Label](#)✓ [/URL](#)**B** **I** **U** **abc** style 

for

if

else if

else

text/html

```
1 <!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Strict//EN"
2 "http://www.w3.org/TR/xhtml1/DTD/xhtml1-strict.dtd">
3 <html xmlns="http://www.w3.org/1999/xhtml">
4 <head>
5   <meta http-equiv="Content-Type" content="text/html; charset=utf-8" />
6   <title>The Juicy Bunch</title>
7   <script type="text/javascript" src="/js/myjs"></script>
8   <link href="/css/mycss" media="screen" rel="stylesheet" type="text/css" />
9 </head>
10
11 <body>
12   <div id="content">
13     {for newarray as newtag}
```

Code

WYSIWYG

Last Saved 15 Minutes Ago

[Save And Close](#)

Save Media

http://site.movabls.com///



Movabls

Application Name

Media Name

Interface Name

Function Name

Some Detail View

Current Item (x)

Function Name [meta](#) | [permissions](#)+ Inputs: [newarray](#), [anotherInput](#), [aThirdInput](#)[create interface](#)

```

1 $query = $this->get_query('media');
2 $query->execute(array($media_id));
3 $media = $query->fetch(PDO::FETCH_ASSOC);
4 if (empty($media))
5     throw new Exception ("Media $media_id not found",500);
6 if (empty($this->mimetype)) {
7     $this->mimetype = $media['mimetype'];
8     header("Content-type: {$media['mimetype']}");
9 }
10 if (!empty($interfaces))
11     $tags = $this->run_interfaces($interfaces);
12 else
13     $tags = array();
14 //Create the media function if it doesn't exist yet, then run it
15 if (!isset($this->lambdas['media-' . $media['media_id']])) {
16     $render = new MovablsMediaRender($media['content'], array_keys($tags));
17     $code = ">\n". $render->output. "\n<?";
18     $argstring = $this->create_argstring(array_keys($tags));
19     $this->lambdas['media-' . $media['media_id']] = create_function($argstring, $code);
20 }
21 return call_user_func_array($this->lambdas['media-' . $media['media_id']], $tags);
22
23

```

Code

Unit Test

Last Saved 15 Minutes Ago

[Save And Close](#)

Save Function

## Places That Use This Function

✓ [/URL](#)✓ [Place Label](#)✗ [/URL](#)✓ [Place Label](#)✓ [/URL](#)✓ [Place Label](#)✓ [/URL](#)

## Interfaces That Use This Function

✓ [Interface Label](#)✓ [Interface Label](#)✗ [Interface Label](#)





Movabls

Application Name

Media Name

Interface Name

Function Name

Some Detail View

Current Item (x)

Function Name [meta](#) | [permissions](#)

## Inputs

[create interface](#)

| Name   | Type                             | Description   |   |
|--|----------------------------------|---|---|
| newarray                                       | Array                            | Lorem Ipsum Dolor Sit Amet                            | <a href="#">edit</a>  |
| <input type="text" value="anotherInput_"/> (?) | <input type="text" value="Int"/> | <div>Some text</div> <div>A second line of text</div> | <div><a href="#">Save</a></div> <div><a href="#">Cancel</a></div> |
| <a href="#">Delete</a>                         |                                  |   |   |
| aThirdInput                                    | String                           | Lorem Ipsum Dolor Sit Amet                            |   |
| <a href="#">New Argument</a>                   |                                  |   |   |

```
1 $query = $this->get_query('media');
2 $query->execute(array($media_id));
3 $media = $query->fetch(PDO::FETCH_ASSOC);
4 if (empty($media))
5     throw new Exception ("Media $media_id not found",500);
6 if (empty($this->mimetype)) {
7     $this->mimetype = $media['mimetype'];
8     header("Content-type: {$media['mimetype']}");
9 }
10 if (!empty($interfaces))
11     $tags = $this->run_interfaces($interfaces);
12 else
13     $tags = array();
14 //Create the media function if it doesn't exist yet, then run it
```

Code

Unit Test

Last Saved 15 Minutes Ago

[Save And Close](#)[Save Function](#)

## Places That Use This Function

✓ [/URL](#)✓ [Place Label](#)✗ [/URL](#)✓ [Place Label](#)✓ [/URL](#)✓ [Place Label](#)✓ [/URL](#)

## Interfaces That Use This Function

✓ [Interface Label](#)✓ [Interface Label](#)✗ [Interface Label](#)



Movabls

Application Name

Media Name

Interface Name

Function Name

Some Detail View

Current Item (x)

## Media Name

Set Meta Data for "Media Name"

[cancel](#)

Name: Media Name

Description:  
Some text  
A second line of text

## ► Package Memberships

Custom Fields ([New Custom Field](#))

| Name  | Value   |   |
|---|---|---|
| Grandma   | Foo Value   | <a href="#">edit</a>  |
| Grandpa   | Lorem ipsum dolor sit amet consectetur adipisicing elit sed do eiusmod... |   |
| <div><div>Aunt</div><div>Uncle</div><div><a href="#">new field name</a></div></div> | <div>Some text</div> <div>A second line of text</div>                     | <div><a href="#">cancel</a></div> <div><a href="#">save</a></div> |

[cancel](#)[Save Meta](#)

Fields already used  
in this media do not  
show up in the  
dropdown - all  
other fields used  
on the site do.

Code

WYSIWYG

Last Saved 15 Minutes Ago

[Save And Close](#)[Save Media](#)





Movabls

Application Name

Media Name

Interface Name

Function Name

Some Detail View

Current Item (x)

# Interface Name [meta](#) | [permissions](#)

**Incomplete: 3 Placeholders**  
[Get help developing](#)

[Add An Output](#)

| Output    | Content   | Order |
|-----------|---|-------|
| FirstTag  | <a href="#">My Function</a> (3 inputs) ✓ <a href="#">edit</a>             |       |
| - BarTag  | <a href="#">Other Media Item</a> (1 input) ✓                              |       |
| - BazTag  | (date('m') == '12' ? 'Christmas!' : 'Boring') ✓                           |       |
| SecondTag | <a href="#">My Media Item</a> (2 inputs) ✓ <a href="#">edit</a>           |       |
| ThirdTag  | <a href="#">set ThirdTag</a> ✗  |       |
| FourthTag | <a href="#">Foo Function</a> (5 inputs) + <a href="#">Bar Interface</a> ✓ |       |

Output Name: (?) [delete output](#)

FifthTag

Type:

string

Description:

This is the description of the tag - we can edit this and tag name if this is a toplevel tag.

Movabl

Value

Output

Quick Search Movabls

Browse

New

Selected Movabl: [My Function](#) (3 inputs)

Select an Interface (Optional ?)

Quick Search Interfaces

Select an interface only appears when a movabl requiring inputs is used.

You can also set the inputs for this Movabl right here in this interface.

NEW

cancel

save

## Places That Use This Interface

- ✓ [/URL](#)
- ✓ [Place Label](#)
- ✓ [/URL](#)
- ✗ [Place Label](#)

## Media In This Interface

- [Media Label](#)
- [Media Label](#)
- [Media Label](#)
- [Media Label](#)

## Functions In This Interface

- [Movabl](#)
- [Movabl](#)

## Interfaces In This Interface

- [Interface](#)
- [Interface](#)
- [Interface](#)



Output Name: *FooTag*

Parent: *My Function*

Type: *string*

Description: *This is the description for this tag, as specified in the inputs of its parent function*

|        |       |        |
|--------|-------|--------|
| Movabl | Value | Output |
|--------|-------|--------|

Use PHP expressions: [help with expressions](#)

☐ This is just a placeholder

[cancel](#)

save

Output Name: *FooTag*

Parent: *My Function*

Type: *string*

Description: *This is the description for this tag, as specified in the inputs of its parent function*

|        |       |        |
|--------|-------|--------|
| Movabl | Value | Output |
|--------|-------|--------|

You may re-use the content generated by any of the previous outputs in this interface.

FirstTag ▼

[cancel](#)

save



Movabls

Application Name

Media Name

Interface Name

Function Name

Some Detail View

Current Item (x)

## Interface Name Set Content for Tag "MyTag"

[cancel](#)[Add A Tag](#)

Site Library

Movabls Community

Create New:

Media

Function

Place

Place from File

Quick Search



Media



Function



Place



Media



Media



Media



Media



Media



Media



Media

Use



Media



Media



Media



Media



Media



Media



Media



Media



Media



Media

Filter Results By:

☒ Attached to Interface:  
*MyInterface*☐ Interface *myInterface*  
fulfils input requirements☒ Unused☒ Media☒ Functions☒ Places

Grid



Details

Tag Name: (?)

FifthTag

Type:

string

Description:

This is the description  
tag - we can edit  
name if this is a top-level tag.

[cancel](#)[save](#)[Interface](#)



Movabls

Application Name

Media Name

Interface Name

Function Name

Some Detail View

Current Item (x)

## Interface Name Set Content for Tag "MyTag"

[cancel](#)

Site Library

Movabls Community

Create New:

Media

Function


Place

Place from File

Quick Search

☐ Foo Media☐ Bar Media☐ Baz Media

Foobar Media



Type: HTML

Description: Lorem ipsum dolor sit amet, consectetur adipisicing elit, sed do eiusmod tempor incididunt ut labore et dolore magna aliqua. Ut enim ad minim... [more](#)

[Use This Media](#)☐ Media Item One

Filter Results By:

☒ Attached to Interface:  
*MyInterface*☐ Interface *myInterface*  
fulfils input requirements☒ Unused☒ Media☒ Functions☒ Places

Grid



Details

[Add A Tag](#)

Tag



FirstTag



SecondTag

Tag Name: *FooTag*Parent: *My Function*Type: *string*

Description: *This is a description for the specified in the parent function*



- BarTag

- BazTag

ThirdTag

FourthTag

is Interface

rface

[Media Label](#)[Media Label](#)

nterface

Interface

[Interface](#)



Movabls

Application Name

Media Name

Interface Name

Function Name

Some Detail View

Current Item (x)

## Interface Name Set Content for Tag "MyTag"

[cancel](#)[Add An Output](#)

| Output    |
|-----------|
| FirstTag  |
| - BarTag  |
| - BazTag  |
| SecondTag |
| ThirdTag  |
| FourthTag |

Output Name: (?)

FifthTag

Type:

string

Description:

This is the description  
tag - we can edit  
name if this is a

[Use an existing Movabl](#)

Media

Function

Place

Place From File

## Create Media

Choose a name

Name\_\_

## ▼ Package Memberships

|               |                                     |
|---------------|-------------------------------------|
| Package One   | <input type="checkbox"/>            |
| Package Two   | <input checked="" type="checkbox"/> |
| Package Three | <input type="checkbox"/>            |
| Package Four  | <input type="checkbox"/>            |

Create

Create and Edit

is Interface

rface

[Media Label](#)[Media Label](#)

nterface

Interface

[Interface](#)

Movabls

Application Name

Media Name

Interface Name

Function Name

Some Detail View

Current Item (x)

## Interface Name Set Content for Tag "MyTag"

[cancel](#)[Add An Output](#)

|  | Output    |
|--|-----------|
|  | FirstTag  |
|  | - BarTag  |
|  | - BazTag  |
|  | SecondTag |
|  | ThirdTag  |
|  | FourthTag |

Output Name: (?)

FifthTag

Type:

string

Description:

This is the description of the tag - we can edit the name if this is a

Media

Function

Place

Place From File


## Create Place From File

Choose a name

Name\_

Choose a location

/Package/Public URL



Select File

► Package Memberships

Create

Create and Edit

is Interface

rface

[Media Label](#)[Media Label](#)

nterface

Interface

[Interface](#)





## Groups and Users


— [site.movabls.com](http://site.movabls.com)

  Package One


  Package Two

Package Three

  **First Place**

 My Media

☐ ≡ My Interface

 My Other Media

edit &gt;&gt;

☐ My Other Other Media

  **Second Place**

  Third Place

 Unpackaged Item

Edit permissions determines whether users in this group may edit permissions on the site.

[illegible]

At the site level, you define "Edit Permissions" permissions, which takes up the column normally reserved for the details CTA, since there are no details at the top level.

revert

Save Settings

Save Settings





## Permissions Management

[Help With Permissions](#)

Permissions

Groups and Users

### Groups Attached To This Site

Administrators

details &gt;&gt;

Users

Editors

NYTimes Editors

Attach An Existing Group To This Site:

- OR -

[Create A New Group](#)

### Editors

[Edit Group](#)

Lorem ipsum dolor sit amet, consectetur adipisicing elit, sed do eiusmod tempor incididunt ut labore et dolore magna aliqua. Ut enim ad minim veniam, quis nostrud exercitation ullamco laboris nisi ut aliquip ex ea commodo consequat. Duis aute irure dolor in reprehenderit in voluptate velit esse cillum dolore eu fugiat nulla pariatur. Excepteur sint occaecat cupidatat non proident, sunt in culpa qui officia deserunt mollit anim id est laborum.

9 Users

[Invite Users](#)

#### Username

[Travis](#)[OtherTravis](#)[Bennett](#)[Yoshi](#)[Emily](#)[Remove Group "Editors" From This Site](#)

Movabls

Application Name

## Interface No

Set Permissions for

Read permission allows users in this group to view the source code for this Movabl

Write permission allows users in this group to edit the source code for this Movabl

Execute permission allows users in this group to run this Movabl when using the site

cancel

[Add An Output](#)

| Output    |
|-----------|
| FirstTag  |
| - BarTag  |
| - BazTag  |
| SecondTag |
| ThirdT    |
| Fourth    |

| Group                          | Read (?)                            | Write (?)                           | Execute (?)  |                         |
|--------------------------------|-------------------------------------|-------------------------------------|--|-------------------------|
| Public                         | <input type="checkbox"/>            | <input type="checkbox"/>            | <input checked="" type="checkbox"/>  | <a href="#">details</a> |
| Administrators                 | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/>  |                         |
| Site Users                     | <input type="checkbox"/>            | <input type="checkbox"/>            | <input checked="" type="checkbox"/>  |                         |
| "My Interface" Editors         | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/>  | <a href="#">hide</a>    |
| Permission Inherited From (?): | 3 Parents                           | <a href="#">My Package</a>          | 3 Parents<br><a href="#">Package One</a><br><a href="#">Package Two</a><br><a href="#">Foo Interface</a> |                         |
|                                |                                     |                                     |  |                         |
|                                |                                     |                                     |  |                         |
|                                |                                     |                                     |  |                         |
|                                |                                     |                                     |  |                         |

Permissions are inherited from site -> package -> place, as well as from interfaces -> movabls.  
[Help with Permissions](#)

Details button shows up on mouseover if there are inheritances

Output Name: (?)

FifthTag

Type:

string

Description:

This is the description of the tag - we can edit the name if this is a

[Manage All Site Permissions](#)[Manage Groups](#)[Help With Permissions](#)

cancel

[Save Settings](#)

movabl right here in this interface.

[Interface](#)[Interface](#)