

Explore our website


[www.icwusa.com](http://www.icwusa.com)



icwusa.com

2016

## ICW Featured Products



Wall Mounts  
2-23, 38-39

Ceiling Mounts  
24-29

Undercabinet  
30-32

Pole, Low Profile  
36-39, 41

Desk Mounts  
1, 34-35

Accessories  
40-43

**ICW** [icwusa.com](http://icwusa.com)

1-800-558-4435



MADE IN USA

Smart Mounts. Ergonomic Comfort. Solid Support.

# Enhance comfort and increase your productivity with our ergonomic mounts.

## ICW MOUNTS ARE:

**Customizable** – Our standard mounts have been modularly designed to integrate with each other and they fit most customer applications. If you have a special mounting need, call us for a customized design. ICW offers onsite design, engineering and manufacturing services so we can quickly respond to your unique requirements.

**Flexible** – We design our mounts to move and adjust with fingertip control. You can easily position your monitor and keyboard exactly where you want them.

**Stowable** – Our products are designed to stow close to the wall so they tuck out of the way when your workspace is tight.

**Extendable** – When you need a mounting solution with maximum reach, contact us. Several of our products provide reach that equals the longest in the industry.

**Durable** – Arms and mounting systems are ruggedly designed and tested for commercial use. Our finishes are easy to clean and were developed to withstand sanitation required in healthcare and dental facilities.

**Manageable** – Our mounts are designed with optimum cable management, extending the safety and service life of your electronic devices and making sanitation easier.


**Reliable** – Thorough testing and field experience prove that ICW products stand up to the rigors of repeated commercial use. They are guaranteed to last! See our warranty on page 45.

## Available colors


Custom colors available on request



Gloss **White** gives equipment a spotlessly clean appearance that's easy to sanitize.




Writable **Black** is a satin finish that matches most black computer equipment.



Gloss **Putty** coordinates with products from other equipment suppliers.



Low luster **Tan** matches products from other equipment suppliers.



**Quartz Gray** has a textured finish that matches most classic gray computer gear.

ICW's **White** and **Black** finishes are writable and erasable using dry erase pens.

# 2016 New Product



## Tablet Mount - Professional

**TABSDM:** Tamper Resistant Desk Mount  
**TABCC:** Clamp Mount

**\$249**



**TAB:** Tablet mounting plate only, no stand

**\$129**




Maximum height: 16.6" (42 cm)  
Stowed height: 26" (66 cm)  
Minimum tablet size: 6.5"x9.5" (16.5x24 cm)  
Maximum tablet size: 8"x11.5" (20.3x29 cm)

## Universal Tablet Mount with Tamper Resistant Fastener

ICW's versatile Tablet Mount securely holds tablets and provides exceptional range of motion. It's an excellent solution for retail points of sale, healthcare, dental and industrial applications.

- Spring loaded cradle expands and contracts to fit many tablet sizes.
- Tamper resistant TABSDM model locks tablet securely in place.
- Rotates easily from portrait to landscape mode.
- Adjusts 16.6" (42 cm) vertically, swivels 360°, tilts to any viewing angle.
- Attaches to a counter or desk with either a clamp or desk mount.
- Commercial grade quality. 5 year warranty.



\* Color swatches are not an exact match due to variations in printing. Please ask your ICW representative for a paint chip sample.

## Overhead Arm

**UL182iOHAT Wall TRACK Mount**

- 26" of Vertical Adjustability
- 360° of Monitor Swivel
- 77" of Horizontal Reach
- 360° of Ultra 182 Arm Pivot

**OHAT Wall Track Mount  
OHAP Wall Plate Mount**


The **NEW** Overhead Arm is attached to the wall on a track or plate, or can be mounted above a cabinet.

- 180° of horizontal rotation for a monitor on either wall mount.
- Up to 360° of horizontal rotation for a monitor
- The monitor can be pulled down when required, then stowed up and out of the way.
- Up to 26" (66 cm) of vertical adjustment with a maximum reach of 77" (196 cm).
- Supports up to 28 lbs (12.7 kg)
- Effortless movement.

Load capacity: 28 lbs (12.7 kg)  
 Vert. adjust range: 26" (66 cm)  
 Maximum reach: 77" (196 cm)  
 Stowed depth: 8" (20 cm)



Arm swivel at mount: 180°  
 Ultra 182 arm swivel: 360°  
 Monitor swivel: 360°  
 Monitor tilt: 90°  
 VESA interface: 75 mm and 100 mm

**\$1499**



For more options visit our website or call your customer service representative

**UL182iOHAP Wall PLATE Mount**



**Wall Plate**



**Range of Motion Video**



**Color Options**

Medical White (MW), Writable Black (WB), Putty (P), Tan (T), Quartz Gray (QG)  
 Custom colors available on request

AVAILABLE IN THREE MODELS: VT21, VTLP, VTTM

## VT21 Workstation

**Low profile SIT-STAND workstation in three models**

**INDUSTRY LEADING**  
21" of vertical movement.

**INDUSTRY LEADING**  
4" of stowed depth.

**TRUE SIT-STAND WORKSTATION.**

- All models are available with either our **WorkSurface Tray** or **Flip Up Keyboard Tray**.
- Load capacity: 25 lbs (11.3 kg)

*The doctor noticed  
the stowed unit  
didn't stick out much  
further than the  
hand sanitizer.*

Range  
of Motion  
Video



For more options visit our website or call your customer service representative

**NEW**

VT21



Extended depth: 17" (43 cm)  
Stowed depth: 5.5" (14 cm)  
Monitor swivel and tilt

\$939




90°  
Flip up  
keyboard  
tray



**TRUE SIT-STAND workstation with  
42" of vertical movement**

VTLP Low Profile



Extended depth: 17" (43 cm)  
Stowed depth: 4" (10 cm)  
Mounts flat against wall

\$939



13.5"  
(34.3 cm)  
unit width  
90°  
Flip up  
keyboard  
tray

VTTM Tandem Arm



Extended depth with  
extension arms: 28" (71 cm)  
Stowed depth: 7" (17.8 cm)  
Horizontal swivel at mount: 180°  
Monitor swivel and tilt

\$1149

WorkSurface Tray  
stows underneath  
monitor



7"  
(17.8 cm)  
stowed

**Color Options**

Medical White (MW), Writable Black (WB), Putty (P), Tan (T), Quartz Gray (QG)  
Custom colors available on request

# Elite 5216 Wall Mount


**Our popular Elite series has a NEW addition**

The Elite 5216 has all the features of the 5220 while being 10" shorter.

The Elite 5216 is:

- Compact
- Powerful
- Versatile

**\$1064**  
as shown



**Load capacity:** 28 lbs (12.7 kg) LCD only  
22 lbs (9.9 kg) LCD and keyboard

**Vert. adjustment range:** 30" (76 cm)

**Maximum reach:** 43" (109 cm) LCD only,  
58" (147 cm) LCD and keyboard  
64" (162.6 cm) LCD and Keyboard Ultra Slide

**Stowed depth:** 10.5" (26.7 cm)


**Arm swivel at mount:** 180°

**Screen swivel:** 360°

**Screen tilt:** 50°



**TRUE SIT-STAND workstation with  
42" of vertical movement**



Also available with Flip Up  
Keyboard Tray and optional  
Service Tray

## Color Options

Medical White (MW), Writable Black (WB), Putty (P), Tan (T), Quartz Gray (QG)  
Custom colors available on request

ELP5220-WT-KUP

## Elite 5220 Wall Mount

**Experience effortless movement and optimum viewing angle**

Ideal in medical operating rooms and dental operatories, the double arm Elite with Paralink supports up to 28 lbs (12.7 kg) while providing effortless movement. The Elite allows an LCD to be suspended and pulled out to a maximum reach of 68.25" (173.4 cm).

### Specifications

**Load capacity:** 28 lbs (12.7 kg) LCD only  
22 lbs (9.9 kg) LCD and keyboard

**Vert. adjustment range:** 42" (106.7 cm)

**Maximum reach:** 56.25" (122.9 cm) LCD only,  
68.25" (173.4 cm) LCD and keyboard

**Stowed depth:** 10.5" (26.7 cm)

**Arm swivel at mount:** 180°

**Screen swivel:** 360°

**Screen tilt:** 50°

**VESA interface:** 75 mm and 100 mm

*Monitor, keyboard and mouse not included.*

**\$914**



**Service Tray size:** 16.25" x 5.625"  
(48.9 cm x 24.3 cm)

**Tray swivel:** 180°

**Stows:** Completely under monitor

ELP5220-WT2-KUB  
SRVCTRY

**\$1039**

### Keyboard options

See page 40 for details.



For more options visit our website or call your customer service representative

**TRUE SIT-STAND workstation with  
42" of vertical movement**


**Elite Double Arm  
Laptop Mount  
EL5220LT-WT**

**\$714**



**Elite Double Arm  
Monitor Mount  
ELQ5280-WT**

**\$779**




### Mounting options

- Mounts to wall as shown
- Desk mount, part #DT \$100
- Pole mount, page 41
- Wall tracks, page 37

**STOWED**



**EXTENDED**



**Range of Motion Video**



### Color Options

Medical White (MW), Writable Black (WB), Putty (P), Tan (T), Quartz Gray (QG)  
Custom colors available on request

# Titan Elite Wall Mount

**TRUE SIT-STAND workstation with  
21" of vertical movement**

## Unparalleled reach, compact when stowed

The Titan Elite enables an LCD and keyboard to extend up to 54.25" (137.8 cm) when needed, then stows the entire workstation just 11" (27.9 cm) from the wall. This arm is ideal for tight spaces in today's healthcare environments.

### Specifications

**Load capacity:** 28 lbs (12.7 kg) LCD only,  
22 lbs (9.9 kg) LCD and keyboard

**Vertical adj. range:** 21" (53.3 cm)

**Horizontal adj. range:** 34" (86.4 cm)

**Maximum reach:** 54.25" (137.8 cm)

**Stowed depth:** 11" (27.9 cm)

**Arm swivel:** 360°

**Screen swivel:** 270°

**Screen tilt:** 50°

**VESA interface:**

75 mm and 100 mm

Monitor, keyboard and mouse  
not included.

**\$900**

**Range  
of Motion  
Video**



### Ceiling Mount

also available.  
See page 24.

**\$757**

**Accommodates**  
all keyboards and  
monitors

**Built-in**  
wrist rest

**Flip up**  
keyboard tray




**up to 360°**  
swivel      **up to 360°**  
swivel

**Mouse tray**  
slides out on both right and  
left sides



### Keyboard options

See page 40 for details.



### Mounting options

- Mounts to wall as shown
- Desk mount, part #DT2 \$100
- Ceiling mount, page 22
- Wall tracks, page 37



### Color Options

Medical White (MW), Writable Black (WB), Putty (P), Tan (T), Quartz Gray (QG)  
Custom colors available on request

# Single Elite Wall Mount

**Enjoy effortless movement and optimum viewing angle**

The single arm Elite with Paralink Swivel enables an LCD and keyboard to be suspended from the wall and pulled out effortlessly when needed. The arm adjusts vertically, horizontally and rotates 180° so you can position it exactly where you want it.

## Specifications

**Load capacity:** 28 lbs (12.7 kg) LCD only, 22 lbs (9.9 kg) LCD and keyboard

**Vert. adjustment range:** 21" (53.3 cm)

**Maximum reach:** 33.6" (85.3 cm) LCD only, 43.75" (111 cm) LCD and keyboard

**Stowed depth:** 11.2" (28.5 cm)

**Arm swivel at mount:** 360°

**Screen swivel:** 360°

**Screen tilt:** 180°

**VESA interface:** 75 mm and 100 mm  
Monitor, keyboard and mouse not included.

**\$724**

Built in  
wrist rest

Keyboard  
tilt

## Keyboard options

See page 40.

Accommodates  
all keyboards and  
monitors

Mouse tray slides  
out on both right and  
left sides

Ceiling Mount  
also available.  
See page 26.

**\$593**



**5" parallel**  
forward monitor  
adjustment  
5" (12.7 cm)

**6" vertical**  
monitor adjustment  
6" (15.3 cm)

**up to 360°**  
swivel  
**up to 360°**  
swivel

**Gas spring assisted**  
for effortless  
movement

**21"** of vertical  
and horizontal  
adjustment from  
mount to tray

**Adjustable rotation stops**  
protect your equipment  
and facility

**180°** swivel

**Internal cable management**  
creates a neater appearance,  
protects wires, simplifies cleaning

**Elite Single Arm  
Monitor Mount  
ELQ5120-WT**

**\$589**

## Mounting options

- Mounts to wall as shown
- Desk mount, part #DT \$100
- Ceiling mount, page 24
- Wall tracks, page 37

**STOWED**



**Range  
of Motion  
Video**



**TRUE SIT-STAND workstation with  
21" of vertical movement**



**\$589**

## Color Options

Medical White (MW), Writable Black (WB), Putty (P), Tan (T), Quartz Gray (QG)  
Custom colors available on request

UL550-W3-KUB-A2

## Ultra 550 Wall Mount

### Ultimate flexibility with Paralink

The Ultra 550 LCD arm with Paralink interface lets you easily adjust both monitor and keyboard to the most ergonomic and comfortable position for you. This arm reaches up to 37.5" and stows compactly just 9.75" from the wall. DESK MOUNT ALSO AVAILABLE. SEE PAGE 34.

\$519

### Specifications

**Load capacity:** 28 lbs (12.7 kg)  
**Maximum reach:** 37.5" (95.4 cm)

#### Stowed depth:

4.5" (11.4 cm) LCD only,  
 9.75" (24.8 cm) LCD  
 and keyboard

#### Arm swivel:


360°

#### Screen tilt:

50°

#### VESA interface:

75 mm and 100 mm  
 Monitor, keyboard and  
 mouse not included.



Range  
of Motion  
Video



### Mount options

**W3** Wall mount 9.5" included

**T19** Wall track 19" add \$33

**T36** Wall track 36" add \$53

For more options visit our website or call your customer service representative

UL510-W3-KUB-A2

## Ultra 510 Wall Mount

### Move components together—adjust them separately

Widely used in medical and dental environments, the Ultra 510 LCD arm allows full articulation of the flat panel monitor and keyboard. It has two articulating joints together offering 90° of tilt adjustment with safety stops, plus two handles that lock positions. This system can be mounted with two articulating extension arms, allowing for up to 37.5" of reach with a keyboard tray. DESK MOUNT ALSO AVAILABLE. SEE PAGE 35.

\$519

### Specifications

**Load capacity:** 18 lbs (8.2 kg)

**Maximum reach:** 37.5" (95.4 cm)

**Stowed depth:** 4.5" (11.4 cm) LCD only,  
 10" (25.4 cm) LCD and keyboard

#### Arm swivel:

360°

#### Screen tilt:

90°

#### VESA interface:

75 mm and 100 mm  
 Monitor, keyboard and mouse not included.



### Color Options

Medical White (MW), Writable Black (WB), Putty (P), Tan (T), Quartz Gray (QG)

Custom colors available on request

# Titan Arm Wall Mount

## Components move together and adjust separately

The Titan with Paralink is the premier rigid LCD arm mount providing smooth horizontal articulation and long reach. With full internal cable management from the wall to the monitor and keyboard, this arm moves effortlessly. Available in desk, wall, wall track and pole mount options.

**\$700**

## Specifications

**Load capacity:** 28 lbs (12.7 kg)

**Keyboard tray size:** 19" x 10" (48.3 cm x 25.4 cm)

**Maximum reach:** 63" (160 cm) with keyboard

**Stowed depth:** 11.8" (30 cm)

**Arm swivel at mount:** 180°

**Screen swivel:** 360°

**Screen tilt:** 50°

**VESA interface:**



75 mm and 100 mm

Monitor, keyboard and mouse not included.



**Monitor only  
Pole mount shown  
T2P2020-PT2**

**\$505**



## Color Options

Medical White (MW), Writable Black (WB), Putty (P), Tan (T), Quartz Gray (QG)  
Custom colors available on request

For more options visit our website or call your customer service representative

## Arm extension options

Titan arms can be ordered in 12" and 20" extensions. See page 41.

## Mounting options

- Mounts to wall as shown
- Desk mount, part #DT2 \$100
- Wall tracks, page 37
- Pole mount, page 41



## Range of Motion Video



## MDP18-WMD-KUW

## MD Arm Wall Mount

**Heavy duty workstation holds up to 35 lbs.**

The MD is a space-saving arm created specifically for environments that demand flexibility in positioning, ease of use, strength and durability. Users are comfortable either sitting or standing at this workstation, increasing their productivity. The MD is offered in a wide variety of configurations to meet your specific needs.

Available in two models:  
MD12 and MD18

**\$890**



**Load capacity:** 35 lbs (15.9 kg) LCD only, 29 lbs (13.2 kg) LCD and keyboard tray, 27 lbs (12.25 kg) LCD and WorkSurface Tray

**WorkSurface tray size:** 20.75" x 10.5" (52.7 cm x 26.7 cm)

**Maximum reach:** MD18: 42" (106.7 cm); MD12: 29" (73.7 cm)

**Vertical movement:** MD18: 25" (63.5 cm); MD12: 17" (43.2 cm)

**Stowed depth:** 12" (30.5 cm)

**Arm swivel at mount:** 180°

**Screen swivel:** 180°

**Screen tilt:** 50°

**VESA interface:** 75 mm and 100 mm

Monitor, keyboard and mouse not included.

**TRUE SIT-STAND workstation with 25" of vertical movement**

### Keyboard options

See page 40 for details.

### Mounting options

- Mounts to wall as shown
- Wall tracks, page 37

**Vertical movement**  
25" (63.5 cm)

**Gas spring assisted**  
for effortless movement

**180° swivel**


**Internal cable management**  
protects wires and  
simplifies cleaning

**Adjustable**  
rotation stops

**Range of Motion**  
Video



**WorkSurface Tray stowed**



For more options visit our website or call your customer service representative

## UL500i-T36D-KPB-A3

## Ultra 500i Wall Track Workstation

**Inverted monitor workstation easily fits into small spaces**

The Ultra 500i workstation is an ideal choice for healthcare environments where space is at a premium. The ultra maneuverable LCD and keyboard mounting system fits on a slim wall track, reaches up to 42" (106.7 cm) with two arms and folds to a compact 5.5" (14 cm) against the wall. Available in many configurations. Contact your customer service representative for configuration options not shown on this page.

**Starting at**  
**\$688**



**Mouse tray**  
slides out on both right and left sides

**Flip up**  
Keyboard tray

**Tray height**  
adjustment of 7.5" (19 cm)

**Easy**  
monitor tilt adjustment

**Internal cable management**  
creates a neater appearance,  
protects wires, simplifies  
cleaning

**up to**  
**360°**  
swivel

**Height**  
adjustable wall track

**Range of Motion**  
Video

### Specifications

**Load capacity:** 18 lbs (8.2 kg) LCD only, 28 lbs (12.7 kg) LCD and keyboard

**Maximum reach:** 42" (106.7 cm)

**Stowed depth:** 5.5" (14 cm)

**Arm swivel:** 180° at mount  
360° at first and second joints

**Screen tilt:** 180°

**VESA interface:** 75 mm and 100 mm  
Monitor, keyboard and mouse not included.

**Keyboard options**  
See page 40.



### Track options

**T19**

Wall track 19"

**T36**

Wall track 36"

**subtract \$20**

**included**

### Color Options

Medical White (MW), Writable Black (WB), Putty (P), Tan (T), Quartz Gray (QG)  
Custom colors available on request

## Ultra 182 Arm

The popular Ultra 180 has a new big brother that's 4" longer for greater reach.

The patent-pending Ultra 182 adjusts 24" (61 cm) vertically and provides 180° of vertical and horizontal rotation.

- Versatile
- Powerful
- Stows compactly

**\$686**

Load capacity: 32 lbs (14.5 kg)  
Vert. adjust range: 24" (61 cm)

Maximum reach: 21" (53.3 cm) LCD only  
35" (89 cm) LCD and Flip Up Tray  
45" (114 cm) LCD, Flip Up Tray, A1 arm

Stowed depth: 10" (25.4 cm)

Vertical rotation: 180°

Horizontal rotation: 180°

Screen swivel: 360°


Screen tilt: 50°

VESA interface: 75 mm and 100 mm  
Monitor, keyboard and mouse not included

Range of Motion Video



**INDUSTRY LEADING**  
**Full 180° and 24"** of vertical adjustability



A true sit-stand workstation with 24" of vertical movement



5" (12.7 cm) parallel forward monitor adjustment

50° screen tilt

6 WAY  
TILT & ROTATE

90°  
Flip up keyboard tray

6" (15.2 cm) vertical monitor adjust

24" (61 cm)

Adjustable rotation stops

Counter balanced

extension arm with adjustable tension

180° arm swivel

Internal cable management creates a neater appearance, protects wires, simplifies cleaning

**Color Options**

Medical White (MW), Writable Black (WB), Putty (P), Tan (T), Quartz Gray (QG)  
Custom colors available on request

UL180EV7-W3-KUB-A1


## Ultra 180 Arm



**The best and most versatile short arm in the world.**

The unique and patent pending Ultra 180 arm offers full articulation of your monitor and keyboard while supporting up to 32 lbs (14.5 kg). Fully cable managed, it provides 180° of vertical arm rotation and up to 360° of horizontal rotation. The Ultra 180 stows close to the wall, making it the perfect choice for tight spaces.

**\$636**



For more options visit our website or call your customer service representative

### Specifications

**Load capacity:** 32 lbs (14.5 kg)

**Stowed depth:** 10" (25.4 cm)

**Vert. adjustment range:** 16" (40.6 cm)

**Vert. arm rotation:** 180°

**Arm swivel:** up to 360°

**The ONLY arm with full 180° of vertical rotation!**

**Mini PC Mount**  
mounts behind the monitor on VESA plate



**The Ultra 180 arm**  
is the perfect mount for any medical device.

**Starting at**  
**\$290**

**SRVCTRY**  
NEW flip-up Service Tray  
stows under monitor

**UL180iEV7-W3-KUB-A1**  
Inverted Ultra 180

**Range of Motion Video**



**6 WAY**  
TILT & ROTATE



**UL180EV6-W3-A1**  
(top)

**\$441**

**UL180-W3-KUW-A1**  
(bottom)

**\$617**

Track and track adapters sold separately.

### Color Options

Medical White (MW), Writable Black (WB), Putty (P), Tan (T), Quartz Gray (QG)

Custom colors available on request

T2EQ-C8X5

## Titan Elite Ceiling Mount


Ideal for operatories, this LCD arm provides effortless positioning

The Titan Elite allows an LCD to be securely mounted from the ceiling or headwall shelf, pulled down when needed, then stowed up and out of the way. With multiple pivot points, this arm enables vertical and horizontal adjustments along with 360° of rotation.

### Specifications

**Load capacity:** 28 lbs (12.7 kg)  
**Lift distance:** 21" (53.3 cm)  
**Maximum reach:** 42" (106.7 cm)  
**Arm swivel at mount:** 360°  
**Screen swivel:** 360°  
**Screen tilt:** 50°  
**VESA interface:** 75 mm and 100 mm  
**Extension pipe:** 5" included  
*Monitor not included.*


\$757



### Titan arm option

The Titan Arm can be ordered in a 12" length to fit smaller spaces. The 20" length is shown here. See page 41.

Brake and adjustable rotation stops protect your equipment and facility



### Range of Motion Video



### Color Options

Medical White (MW), Writable Black (WB), Putty (P), Tan (T), Quartz Gray (QG)  
Custom colors available on request

For more options visit our website or call your customer service representative

# Single Elite Ceiling Mount


Ideal for monitor viewing, this LCD arm can be positioned with one hand

The Single Elite was designed to move with a feather-light touch. It features 90° of tilt at each joint with the Quicklink push button adjustment plus 50° monitor tilt and pivot at its compact ball joint.

## Specifications

**Load capacity:** 28 lbs (12.7 kg)  
**Lift distance:** 21" (53.3 cm)  
**Maximum reach:** 27" (68.6 cm)  
**Arm swivel at mount:** 360°  
**Screen swivel:** 360°  
**Screen tilt:** 50°  
**VESA interface:** 75 mm and 100 mm  
*Monitor not included.*


**\$593**



For more options visit our website or call your customer service representative

## Color Options

Medical White (MW), Writable Black (WB), Putty (P), Tan (T), Quartz Gray (QG)  
Custom colors available on request




UL95-CU

## Ultra 95 Ceiling Mount

**Position your monitor to exactly the height you need**

The Ultra 95 mounts securely from the ceiling with a telescoping pipe, making it an excellent choice for healthcare environments.


**\$225** Contact your ICW Dental rep for final pricing.



### Specifications

**Load capacity:** 18 lbs (8.2 kg)  
**Lift distance:** 18.5" (47 cm)  
**Screen swivel:** 360° at the ceiling  
**Screen tilt:** 180°  
**VESA interface:** 75 mm and 100 mm  
*Monitor not included.*

**6 WAY**  
TILT & ROTATE



### Ultra Secure

The Ultra 95 ceiling mount is secured to a stud in the ceiling using four countersunk wood screws that are provided with the unit.



For more options visit our website or call your customer service representative

UL500i-C8X12

## Ultra 500i Ceiling Mount

**Offering a wide range of tilt and pivot options**

The Ultra 500i mounts from the ceiling on an extension pipe made of true 2" o.d. structural tubing for side load support. Choose the length that best meets your needs.

**\$269** Contact your ICW Dental rep for final pricing.



### Specifications

**Load capacity:** 18 lbs (8.2 kg)  
**Screen swivel:** 360° at bottom of pipe  
**Screen tilt:** 180° forward or down  
**VESA interface:** 75 mm and 100 mm  
*Monitor not included.*

**6 WAY**  
TILT & ROTATE



### Color Options

Medical White (MW), Writable Black (WB), Putty (P), Tan (T), Quartz Gray (QG)  
Custom colors available on request

# Undercabinet Workstation

## Make use of undercabinet space

Our Undercabinet workstation mounts beneath overhead cabinets, pulls out when needed and folds out of the way when not in use. Personalize your workstation with a stowable worksurface tray or a flip up keyboard tray and choose the color that complements your decor.

\$562



## Specifications

**Load capacity:** 28 lbs. (12.7 kg)  
**Maximum reach:** 29.5" (74.9 cm)  
**Stowed depth:** 11.8" (30 cm)  
**Horizontal slide:** 28" (71 cm)  
**Arm swivel at mount:** 180°  
**Screen swivel:** 360°  
**Screen tilt:** 50°  
**VESA interface:** 75 mm and 100 mm  
*Monitor, keyboard and mouse not included.*



ULBV-TS28-KUW-A1

\$662

## Keyboard options


See page 40 for details.

KPP-TS28D1-A1

## Undercabinet keyboard mount

The Ultra undercabinet keyboard mount provides ergonomic Paralink keyboard height adjustment to make your workspace more comfortable.

\$532



## Color Options

Medical White (MW), Writable Black (WB), Putty (P), Tan (T), Quartz Gray (QG)  
Custom colors available on request


# Ultra 180 Undercabinet Monitor Mount

Monitor glides 28" horizontally on undercabinet track. Three range of motion options:

- Desk puck
- Short extension arm
- Standard extension arm



Load capacity: 32 lbs (14.5 kg)  
Horizontal glide: 28" (71 cm)  
Ultra 180 arm reach: 16" (40.6 cm)  
Stowed depth: 10" (25.4 cm)  
Arm swivel: up to 360°  
VESA interface: 75mm and 100mm



Ultra 180 arm mounted to  
12" STANDARD A1 Arm  
UL180i-BV-TS28-D1-A1 **\$636**

The unique and patent pending Ultra 180 undercabinet mount offers full range of motion for your monitor. This arm provides up to 180° of vertical arm rotation and 360° of horizontal rotation. The Ultra 180 tucks away under the cabinet when not in use, making it the perfect choice for tight spaces.



Ultra 180 arm mounted to  
6" SHORT AS1 Arm  
UL180i-BV-TS28-D1-AS1 **\$636**

## Wall Tracks

### For MD, Elite and Titan Series Mounts

With the MD wall tracks, the load of all your wall mounted workstation components can be distributed along the length of the track. Most ICW wall mounts can connect to the MD track. Tracks include wire management covers, mounting hardware and track end caps.

Custom sizing and headwall models available.



### Track Adapter Cross Reference

Product	Ultra	Horizontal MD	MD
Ultra arm on W2			TAW2KIT
Ultra arm on W3			TAW3KIT
MD arm			TAMD18KIT
T2 & Elite arms			TAMDT2KIT
Frame CPU mount	TAICWCPUKIT	TAHZMTKIT	TACPUKIT
Clamp CPU mount	TAICWCPUKIT		TAEZMTKIT

Track adapter kits are available to fit most tracks from other major suppliers. Call our product specialists for more information. Toll Free: 800-558-4435

## TRKTWR

### Track Tower 4-sided mount

Our Track Tower enables you to mount track-style accessories on all 4 sides of the 12.4" tower. Mount to a desk, counter or any other sturdy horizontal surface.

**\$198**



### Color Options

Medical White (MW), Writable Black (WB), Putty (P), Tan (T), Quartz Gray (QG)  
Custom colors available on request


## UL550-D5-KUB-A2

**Ultra 550 Desk Mount****Exceptional maneuverability**

The Ultra 550 LCD arm with Paralink interface allows the full articulation of the LCD and keyboard. Extending up to 45" (114.3 cm) from the mount to the tip of the keyboard tray, this arm folds up tightly against the wall when stowed.

**Specifications**

**Load capacity:** 28 lbs (12.7 kg)  
**Maximum reach:** 45" (114.3 cm)  
**Stowed depth:** 3" (7.6 cm) LCD only,  
 12" (30.5 cm) with keyboard  
**Arm swivel:** 360°  
**Screen swivel:** 360°  
**Screen tilt:** 50°  
**VESA interface:** 75 mm and 100 mm  
 Monitor, keyboard and mouse not included.

**\$519**


**Wall Mount**  
also available.  
See page 14.

**\$519**

## UL510-D5-KUB-A2

**Ultra 510 Desk Mount****Move components together—adjust them separately**

The Ultra 510 LCD Arm has two articulating joints that together offer 90° of tilt adjustment with safety stops, plus two locking handle cranks to set positions. It is widely used in medical and dental applications.

**\$519**

**Keyboard options**  
See page 40.

**Mount options****D1**

Desk mount 1"

**D3**

Desk mount 3"

**D5**

Desk mount 5"

**D7**

Desk mount 7"

**Your choice. Included in base price.****LTU-D1-A1**

Laptop tray: 1 arm

**\$232****Arm extension options**

Ultra arms can be ordered as one or two 11" extensions. See page 41.

**Range of Motion Video**

**Color Options**

Medical White (MW), Writable Black (WB), Putty (P), Tan (T), Quartz Gray (QG)  
 Custom colors available on request

## Pole Mounts



**ELP5220-PT2-KUB**

### LCD & Keyboard Pole Mount

- 68.25" (173.4 cm) maximum reach with LCD and keyboard
- 50° of screen tilt
- VESA compliant

**\$914**



**UL500i-P2**

### Compact LCD Pole Mount

- Two adjustable tilt joints
- 360° of tilt in any direction (limited by pole)
- 360° of pivot
- VESA compliant

**\$160**



**T2P2020-PT2-KPP**

### LCD & Keyboard Pole Mount

- Full internal cable management
- Parallel keyboard height & monitor depth adjustment
- Round edge poly tray
- VESA compliant

**\$700**

Available in 2", 1.75" and 1.5" unless otherwise noted.  
See pole and clamps on page 41.



**UL500i-P2-A2**

### LCD Pole Mount

- Provides vertical and horizontal LCD positioning
- Easily adjusts and tightens into position with indexing handles
- Mounts with two articulating 11" (27.9 cm) arm extensions
- VESA compliant

**\$264**



**UL560i-P2**

### LCD Pole Mount

- Monitor is mounted below the arm and provides a wide range of tilt
- Quicklink adjustor allows full articulation of the LCD
- VESA compliant

**\$250**



**UL510-R2-KUP**

### LCD & Keyboard Pole Mount

- Allows full articulation of the LCD
- Two handles next to the monitor tighten the monitor into position
- The monitor can be adjusted 4" (10.2 cm) vertically on two stainless steel rails
- VESA compliant
- Only available for mounting on 2" pole

**\$415**

#### Color Options

Medical White (MW), Writable Black (WB), Putty (P), Tan (T), Quartz Gray (QG)  
Custom colors available on request

## EV710-DV75

**Ergovision 710 Desk Mount**

**Your best choice for point of sale locations**

The Ergovision 710 desk mount was ergonomically designed to reduce users' neck pain and stiffness.

**Specifications**

**Load capacity:** 28 lbs (12.7 kg)  
**Vertical adjust:** 9.5" (24 cm)  
**Screen swivel:** 360°  
**Screen tilt:** 60°  
**VESA interface:** 75 mm and 100 mm  
*Monitor not included.*

\$159

**Mount options**

Your choice. Included in base price.

- DV1** Desk mount 1"
- DV3** Desk mount 3"
- DV5** Desk mount 5"
- DV75** Desk mount 7.5"




## EV65-W2

**Ergovision 65 Wall Mount**

**Compact, durable monitor mount**

**Load capacity:** 30 lbs (13.6 kg)  
**Distance from wall:** 5.75" (14.6 cm)  
**Screen swivel:** 90°  
**Screen tilt:** 75°  
**VESA interface:** 75 mm and 100 mm  
*Monitor not included.*

\$129



For more options visit our website or call your customer service representative

## GX270-WM

**Galaxy 270**

**Pivoting compact arm wall mount**

**Load capacity:** 28 lbs (12.7 kg)  
**Distance from wall:** 9" (22.9 cm)  
**Stowed profile:** 4" (10 cm)  
**Arm swivel at mount:** 180°  
**VESA interface:** 75 mm and 100 mm

\$128



## GX170-WM

**Galaxy 170**

**Compact wall mount**

**Load capacity:** 28 lbs (12.7 kg)  
**Distance from wall:** 4" (10 cm)  
**Arm swivel at mount:** 180°  
**VESA interface:** 75 mm and 100 mm

\$83



## FM25, FM26, FM30, FM31


**Fixed Wall Mount**

**Easy install for kiosks and trade show exhibits**

**Load Capacity:** 45 lbs (20.4 kg)

- | <b>Model #</b> | <b>Distance from Wall</b>        |
|----------------|----------------------------------|
| FM25           | 2" from wall with VESA 75 plate  |
| FM26           | 1" from wall with VESA 75 plate  |
| FM30           | 2" from wall with VESA 100 plate |
| FM31           | 1" from wall with VESA 100 plate |

\$49

**Color Options**

Medical White (MW), Writable Black (WB), Putty (P), Tan (T), Quartz Gray (QG)  
Custom colors available on request


Prices may vary depending on mounting configuration requirements.  
Call about other keyboard tray sizes.

## Add On Keyboard Tray Options

**KUS**

### Keyboard Ultra Slide

Worksurface tray, keyboard tray and mouse tray in one compact, streamlined unit


**\$325**

### 19" Poly Tray with Built-In Wrist Rest (white only)

Mouse tray slides out on both right and left sides. Hand grip, removable wrist rest.



**KUP** Ultra flip up **\$175**  
**KPP** Paralink **\$270**




### 19" Aluminum Tray with Built-In Wrist Rest

Mouse tray slides out on both right and left sides. Hand grip, removable wrist rest.




**KUB** Ultra flip up **\$175**  
**KPB** Paralink **\$270**



### WorkSurface Tray

**Dimensions:**  
20.75" wide  
10.5" deep  
2.125" high  
20" with keyboard tray  
fully extended



**KUW** WorkSurface Tray  
**from \$275**


For more options visit our website or call your customer service representative

## Mounting Accessories

**AS1**

### Ultra AS1 Short Extension Arm

Rigid short extension arm adds 6" more reach at either end of arm.

**\$52****A1**

### Ultra A1 Standard Extension Arm

Rigid short extension arm adds 10.5" more reach to Ultra series arms.

**\$52****P2, P15, P17**

### Pole Clamp

Mounts to poles of these diameters:

- 2" (5 cm)
- 1.75" (4.4 cm)
- 1.5" (3.8 cm)

**\$50****F8X48**

### Floor Pedestal

For mounting pole mounted and radius (pole cap) mounted systems to the floor.

**\$187**

*pole only*



### Pole Cap Mount

(Radius mount)  
Mounts to 2" (5 cm)  
diameter poles.


**\$40**

### Color Options

Medical White (MW), Writable Black (WB), Putty (P), Tan (T), Quartz Gray (QG)  
Custom colors available on request

# CPU and Device Mounts

## Clamp Style Mount



Designed for large and small form factor CPUs, these units are constructed from heavy-duty aluminum, with neoprene padding for protection. Multiple mounting capabilities.



**Load capacity:** 45 lbs (20.4 kg)

**Horiz. adjust (SF):** 2" - 4.7"

**Horiz. adjust (FF):** 4.6" - 8"

**Horiz. adjust (MINI):** 1.86" - 3.2"

**Horiz. adjust (2.8):** 2.8" - 5"

**Horiz. adjust (5):** 5" - 7"

**Horiz. adjust (7):** 7" - 11"

**Small  
CPU-SF**

2" to 4.7" wide


**\$90**

**Large  
CPU-FF**

4.6" to 8" wide

**\$105**

## Frame Style Mount



The CPU Mini, CPU 2.8, CPU 5 and CPU 7 mounts were designed with a keyhole wall plate that makes it easy to take the CPU off the wall mount for maintenance. Includes security set screw.



**Mini-T  
CPU-MINI**

1.0" - 2.2" wide

**Mini  
CPU-MINI**

1.86" - 3.2" wide

**Small  
CPU-2.8**

2.8" - 5" wide

**Medium  
CPU-5**

5" - 7" wide

**Large  
CPU-7**

7" - 11" wide

**\$110**

**\$105**

**\$105**

**\$105**

**\$105**



## Adjustable Behind the Monitor Mount and Mini PC Mount

Bracket remains level when keyboard is flipped up to stow.

### KSCANBRK

## Universal barcode scanner bracket

Bracket clips to back of keyboard.

**\$22**



### FM-25

## Fixed CPU Mount Specifications

**Load Capacity:** 45 lbs (20.4 kg)

**Profile:** 1.125" (2.9 cm) or 2.25" (5.7 cm)

**VESA Interface:** 75 mm or 100 mm

**\$49**

### PAM

## Power Adapter Mount

Strap your computer or monitor's power adapter to our wall track using this accessory. This works perfectly with the FM-25 above.

**\$39**



### Color Options

Medical White (MW), Writable Black (WB), Putty (P), Tan (T), Quartz Gray (QG)  
Custom colors available on request

# Catalog Index

## MOUNTING LOCATION

Accessories .....	40-43
Ceiling Mounts.....	24-29
CPU Mounts.....	42-43
Desk Mounts .....	1, 34-35
Keyboard Trays .....	40
Laptop Mounts.....	7, 13, 19, 35
Pole Mounts .....	36-37, 41
Undercabinet Mounts....	30-32
Wall Mounts.....	2-23, 38-39



## OUR SERVICE COMMITMENT

- Technical and service support from dedicated and experienced product specialists.
- Two hour response time on all inquiries.
- Parts shipped next business day.

## MOUNTS ALPHABETICALLY

About ICWUSA.com, Inc.....	Back cover
CPU and Device Mounts.....	42
Elite 5216 Wall Mount.....	6
Elite 5220 Wall Mount.....	8
Ergovision 65 Wall Mount.....	38
Ergovision 710 Desk Mount .....	38
Fixed Wall Mount.....	39
Galaxy 170.....	39
Galaxy 270.....	39
Keyboard Trays .....	40
Laptop Mounts.....	7, 13, 19, 35
MD Arm Wall Mount .....	18
Mounting Accessories .....	41
Overhead Arm.....	2
Pole Mounts .....	36
Single Elite 5120 Ceiling Mount .....	26
Single Elite 5120 Wall Mount.....	12
Tablet Mount .....	1
Titan Arm Wall Mount .....	16
Titan Elite Ceiling Mount .....	24
Titan Elite Wall Mount.....	10
Ultra 95 Ceiling Mount .....	28
Ultra 180 Arm.....	22
Ultra 182 Arm.....	20
Ultra 500i Ceiling Mount.....	29
Ultra 500i Wall Track Workstation .....	19
Ultra 510 Desk Mount .....	35
Ultra 510 Wall Mount .....	15
Ultra 550 Desk Mount .....	34
Ultra 550 Wall Mount .....	14
Undercabinet Mounts.....	30
VT21 .....	4
Wall Tracks .....	33

## Product Warranty

### What the warranty covers:

ICW warrants that this product, under normal use, is free from any defects in material and workmanship during the warranty period. ICW will, at its sole discretion, repair or replace the product with the same or like product.

### How long the warranty is effective:

All ICW components, except gas cylinders, are warranted for 5 years from the original date of purchase, unless otherwise noted. Gas cylinders are warranted for 5 years from the original date of purchase.

### Who the warranty covers:

ICW extends the warranty to the first consumer purchaser when sold by ICW or an authorized dealer/distributor.

### What the warranty does not cover:

1. Damage, deterioration, or malfunction resulting from: accident, misuse, neglect, fire, water, lightning, or other acts of nature;

unauthorized product modification or failure to follow instructions supplied with the product; repair or attempted repair by anyone not authorized by ICW; removal or installation of the product; use of supplies or parts not meeting ICW's specifications; normal wear and tear.

2. Any products used for rental purposes.
3. Removal, installation, or set up service charges.

### How to get service:

To obtain service under warranty, you will be required to provide the following:

1. The original dated invoice
2. Your name
3. Your address
4. A description of the problem
5. The part number and color

**For information about receiving service under warranty contact ICW Customer Support at 1-800-558-4435 or sales@icwusa.com.**

## Return Policy

### Customers must request a Return Materials Authorization (RMA) from ICW by phone.

Please call ICW at 800-558-4435 between the hours of 6:00 a.m. - 4:00 p.m. Pacific Time.

If a customer is represented by a manufacturer's representative, the customer must notify their representative of the return, but the representative does not need to authorize the return.

### Be prepared with the following information.

- Invoice number, sales order number or Purchase Order number.
- Part number and product being returned.
- Detailed explanation of reason for return.
- Name of the person who ordered the product and their contact number.
- Name of a user of the product and their contact number.

### Please follow these instructions to return your product:

1. Requests for return must be made within 90 days of the date of invoice. No return requests will be granted for discontinued products or custom products, including custom paint or coating.

2. Return authorization will be confirmed by e-mail and will include a return label that is to be attached to the outside of the box.

Merchandise must be returned in the original packing, must prominently display the RMA number on the packaging and contain a signed copy of the RMA with the product. Customer is responsible for return freight costs and any damages caused in shipping. ICW must receive the product within 15 days from the issue date of the RMA to ensure proper credit.

3. Unauthorized returns or any returned merchandise that does not have an RMA number will be refused by ICW and returned to the customer at the customer's expense.

4. A minimum 15% restocking fee will be charged for regularly stocked ICW products that are returned after 90 days and less than 150 days. No returns for products over 150 days. Additional fees for damaged product or parts that need rework may also apply.

5. Product may be exchanged for equal or greater value during the 90 day period with no restocking fee.



Kingsley Facility

## About ICWUSA.com, Inc.

ICW is a majority women-owned U.S.-based design, engineering and manufacturing company with modern facilities located in Medford, Oregon. The company produces high quality professional mounting systems for computer equipment and other instruments for selected medical, dental, custom, and clean room markets. ICW has developed a flexible, onsite manufacturing process that allows the company to quickly respond to customer needs.

*Our Products*



*Are Recyclable*



Grumman Facility

**ICW** [icwusa.com](http://icwusa.com)  
MADE IN USA

*Smart Mounts. Ergonomic Comfort. Solid Support.*

1487 Kingsley Drive, Medford, Oregon USA 97504

**1-800-558-4435**

Outside US: 541-608-2824  
Fax: 541-608-2797