# PORTER

## PRODUCTS AND PARTS CATALOG APRIL 2010













PORTER

### POI ICIFS

**PRICES** ALL PRICES ARE F.O.B. HATFIELD, PA, AND SUBJECT TO CHANGE WITHOUT NOTICE. ALL MERCHANDISE WILL BE INVOICED AT

PRICES IN EFFECT AT TIME OF SHIPMENT. PRICES DO NOT INCLUDE INSURANCE, FREIGHT, TAXES OR SPECIAL HANDLING.

THESE CHARGES. IF APPLICABLE. WILL BE SHOWN SEPARATELY ON INVOICE. MINIMUM ORDER \$60.00

**PAYMENT** TERMS

NET 30 DAYS AFTER INVOICE DATE. ALL INVOICES PAST DUE ARE SUBJECT TO A FINANCE CHARGE OF 1 1/2 % PER MONTH.

(18% ANNUAL RATE).

SHIPMENTS SHIPMENT OF MERCHANDISE SHALL AT ALL TIMES BE SUBJECT TO CREDIT APPROVAL AND WILL BE CONTINGENT UPON FIRES,

ACCIDENTS, EMERGENCIES, ACTS OF GOD OR ANY OTHER CAUSES WHICH ARE BEYOND PORTER INSTRUMENT DIVISION'S

CONTROL.

CANCELLA-TIONS

NO CANCELLATIONS WILL BE ACCEPTED ON NON-STANDARD OR SPECIAL MERCHANDISE. EXCEPT BY PAYMENT OF FULL PURCHASE PRICE. IF BUYER REQUESTS CANCELLATION OF ANY ORDER OR PART THEREOF, AND IS AGREED TO BY PORTER

INSTRUMENT DIVISION IN WRITING. BUYER WILL BE SUBJECT TO CANCELLATION CHARGES TO COVER THE COST OF

MATERIAL AND/OR FABRICATION INCURRED BY PORTER INSTRUMENT DIVISION TO DATE OF CANCELLATION.

**ORDER** 

CHANGES OF A MINIMUM OF 90 DAYS NOTICE IS REQUIRED ON ALL CHANGES TO ORDERS AND WILL BE SUBJECT TO RE-SCHEDULING AS A

NEW ORDER AT PORTER INSTRUMENT DIVISION'S DISCRETION

**RETURNS** NO RETURNS WILL BE ACCEPTED UNLESS AUTHORIZED IN WRITING BY PORTER INSTRUMENT DIVISION, AND ACCOMPANIED

BY A PROPERLY COMPLETED RETURN GOODS AUTHORIZATION. ALL RETURNS ARE SUBJECT TO A RE-STOCKING FEE AND

POSSIBLE REWORK CHARGES TO BE DETERMINED BY PORTER INSTRUMENT DIVISION.

#### **CERTIFICATE OF WARRANTY**

THIS WARRANTY IS GIVEN IN PLACE OF ALL OTHER WARRANTIES, EXPRESS OR IMPLIED, OF MERCHANTABILITY, FIT-NESS FOR A PARTICULAR PURPOSE OR OTHERWISE.

Under no circumstances shall Parker Hannifin Corporation be liable for incidental or consequential damages as those terms are defined in the uniform commercial code.

Parker Hannifin Corporation, Porter Instrument Division warrants that each product or part shall be free from defects in workmanship and materials, under normal use and with appropriate maintenance, for one (1) year from the date of delivery to customer unless otherwise specified in writing. All rubber and plastic parts and accessories are warranted under the same conditions for a period of ninety (90) days from date of purchase.

No statement or claim about the product by any employee, agent, representative, or dealer of Parker Hannifin Corporation shall constitute a warranty by Parker Hannifin Corporation or give to rise to any liability or obligation of Parker Hannifin Corporation.

Parker Hannifin Corporation shall not be liable for any damage, injury or loss arising out of the use of the product, whether as a result of a defect in the product or otherwise, if, prior to such damage, injury or loss, the product was (1) damaged or misused; (2) repaired, altered or modified by persons other than Parker Hannifin Corporation; (3) not installed in strict compliance with applicable codes and ordinances; or (4) not installed by an authorized Parker Hannifin Corporation dealer. Parker Hannifin Corporation's obligation for breach of this warranty, or for negligence or otherwise, shall be strictly and exclusively limited to the repair or replacement of the product or part. This warranty shall be void on any product on which the serial number has been altered, defected or removed.

**ORDERS** All orders are to be made through authorized Parker Hannifin Corporation distributors. All billing will be done through said distributors. Direct orders will be handled through the authorized local dealer as determined by Parker Hannifin Corporation.

#### **PRODUCTS**

| Automatic Vacuum Systems                                 | 10       |
|--|----------|
| Cabinet Mount Flowmeters                                 | 2,3,4    |
| Emergency Oxygen/Resuscitation Systems                   | 18       |
| Flowmeters Systems                                       | 2 THRU 9 |
| Flowmeter Mounts and Stands                              | 16,17    |
| Gas Supply Tubing  | 15       |
| Manifold/Tank room Systems                               |          |
| Sentinel   | 12       |
| Vanguard   | 13       |
| Manifold System Installation Kit (Nitrogen Test Fixture) | 12       |
| Nitrogen Equipment                                       | 19       |
| Oral Surgery Flowmeter Systems                           | 8        |
| Outlet Stations  |          |
| Porter Disposable Liners                                 | 9        |
| Porter Navicom Communication System                      | 21       |
| Porter Scavenger Retrofit Kits                           |          |
| for other manufacturer's Flowmeters                      | 11       |
| Porter Scavenger Systems                                 | 10       |
| Porter Vacuum Control Kits                               | 10       |
| Pulse Oximeter   | M-23     |
| Steam Sterilizers and Water Treatment Systems            | 20       |
| Zone Valves  | 12,13    |







## 4465CAB-AV CABINET MOUNT \$5,508.00 MXR-DIGITAL FLOWMETER

Flowmeter package w/(Universal Connections)
Package includes: MXR-Digital flowmeter,
AVS-5000 vacuum control, 5155-3 Breathing
circuit, 02 & N20 shut-off valves, Bag tee mount
and power supply for cabinet installations

#### **4465CAB** SAME AS ABOVE W/ (**NO AVS-5000**) \$5,165.00

Package includes: MXR-Digital flowmeter, 5155-1 Breathing Circuit, 02 & N20 shut-off valves, Bag tee mount and power supply for cabinet installations


Capitot installations

# 4465WAL-AV WALL MOUNT \$5,916.00 MXR-Digital Flowmeter

Flowmeter package w/ (Universal Connections)
Package includes: MXR-Digital flowmeter,
AVS-5000 vacuum control, 5155-3 Breathing
circuit, 02 & N20 shut-off valves, Bag tee mount
bezel and power supply for wall installations

#### **4465WAL** SAME AS ABOVE W/ (**NO AVS-5000**) **\$5,573.00**

Package includes: MXR-Digital flowmeter, 5155-1 Breathing Circuit, 02 & N20 shut-off valves, Bag tee mount bezel and power supply for wall installations










#### 3465WF-AV MXR-1 FLUSHMOUNT FLOWMETER \$4,757.00


Flowmeter package w/(Universal Connections)
Package includes: MXR-1 flowmeter, AVS-5000
vacuum control, 5155-3 Breathing circuit,
02 & N20 shut-off valves, Bag tee mount

3465WF SAME AS ABOVE W/ (NO AVS-5000) \$4,403.00


Package includes: MXR-1 flowmeter, 5155-1 Breathing circuit, 02 & N20 shut-off valves, Bag tee mount

\* Bezel for wall installations not included. Order seperately Bezel part number (B-2625) see page 23





## Flushmount Flowmeter Packages w/standard equipment



# **Bag Tee Mounting Options for Flushmount Flowmeters**

A-1679 included with meter packages



2036-2 Left or Right side Slide mount with rubbergoods hook mounting option 5" wide



AVS-5000S Special 180 Swivel Under cabinet or chair mount



2037-1 under cabinet mount



2036-4 Left or Right side Slide mount 3 1/2" wide for narrow installs



P1407QD w/Quick Disconnect Option (T-Only)




\$ 327.00 (T-OPTION ONLY)



\$3,821.00



| 3400AV                                 | MXR-Flowmeter \$3,409.00 with Porter Scavenger Breathing Circuit with New Automatic Vacuum Switch   |
|--|---|
| 3000<br>4100-3NL<br>5155-3<br>AVS-5000 | MXR-Flowmeter Three Liter Bag (No-Latex) Porter Scavenger Breathing Circuit Automatic Vacuum Switch |



| 3400 substitutes 5155-1 Breathing Circuit | \$3,055.00 |
|---|------------|
| See page 8 (no AVS)                       |            |
|   |            |


| <b>3420 substi</b><br>See page 8 ( | \$3,396.00  |            |
|------------------------------------|---|------------|
| <b>3420AV</b><br>2020              | MXR Package (3400 AV) plus<br>Solid Wall Mount<br>Telescoping | \$3,751.00 |

| 3435-1AV | MXR Package (3400 AV) plus<br>Cabinet Mount | \$3,784.00 |
|----------|---|------------|
| 2035-1   | Slide Away                                  |            |

**3435-1 substitutes 5155-1 Breathing Circuit** \$3,430.00 See page 8 (no AVS)

MXR Package (3400 AV) plus

Cabinet Mount



| -Slide  3436 substitutes 5155-1 Breathing Circuit See Page 8 (no AVS) |  | \$3,470.00 |
|---|--|------------|
| <b>3440AV</b> 2040  | MXR Package (3400 AV) plus<br>Compact Mobile Stand | \$3,840.00 |

**3440 substitutes 5155-1 Breathing Circuit** \$3,486.00 See page 8 (no AVS)

NOTE: When Scavenger is connected to a 6256-3 outlet with vacuum, order a 5602 found on page 15. Alternative vacuum packages can be found on page 10. Necessary Gas Supply Tubing can be found on page 15.

3436AV

2036-3





**3445-2AV** MXR Package (**3400AV**) plus \$5,745.00 Tall Mobile Stand

for 2+2 E Tanks

(Top of meter telescopes from 43" to 50")

**3445-2 substitutes 5155-1 Breathing Circuit** \$5,393.00 See page 8 (no AVS)

(Top of meter telescopes from 43" to 50")

**3445E-2AV** Same As Above plus \$6,361.00

1506-1 Positive Pressure/Demand Valve

**3445E-2 substitutes 5155-1 Breathing Circuit** \$6,007.00

See page 8 (no AVS)



MXR Package with under cabinet \$5,745.00

mobile stand for 2+2 "E" Tanks 31" to top of stand in storage position

(Top of meter telescopes from 31" to 40")

**3445-S substitutes 5155-1 Breathing Circuit** \$5,

\$5,436.00

See page 8 (no AVS)

31" to top of stand in storage positions (Top of meter telescopes from 31" to 40")



Package with under cabinet

\$6,404.00

Mobile stand for 2+2 "E" Tanks

31" to top of stand in storage position 1506-1 positive pressure/demand valve

3445E-S substitutes 5155-1 Breathing Circuit


\$6.051.00

See page 8 (no AVS)


31" to top of stand in storage position



| 3400-OS        | Oral Surgery MXR-Flowmeter \$3,142.00 with Porter Scavenger Breathing Circuit includes:                                   |
|----------------|---|
| 3000-OS        | MXR Flowmeter (includes P2407A oral surgery threaded bag tee w/adapter)   |
| 4100<br>5155-1 | Three Liter Bag<br>Porter Adult Inhaler<br>Scavenger Assembly, complete<br>Special Features:<br>Higher Maximum flow rates |
|                | Oral Surgery bag tee for 2210K Y valve  |



| 3444-0S | Oral Surgery<br>MXR-Flowmeter with Mobile | \$4,527.00 |
|---------|---|------------|
|         | Stand System                              |            |
|         | includes:                                 |            |
| 3000-OS | MXR flowmeter (includes P2407A            | \ oral     |
|         | surgery threaded bag tee w/adapt          | er)        |
| 4100    | Three Liter Bag                           | ,          |
| 5155-1  | Porter Adult Inhaler                      |            |
|         | Scavenger Assembly, complete              |            |
| 2210K   | Directional Y Valve                       |            |
| 1597    | Non-rebreathing valve                     |            |
| 4200    | Corrugate tube                            |            |
| 2044    | Oral surgery Star-Base stand top          | of         |
|         | meter telescopes form 46" to 55"          |            |



| 2200-0\$                        | Oral Surgery Accessory Package includes:   | \$889.00 |
|---------------------------------|--|----------|
| 2210K<br>1597<br>1575-1<br>4200 | Directional Y Valve Non-rebreathing valve Universal size full face, clear mask Corrugated tube |          |


Note: Must have threaded bag tee to attach 2210K Part # P2407A



**B-5129-000** Flowmeter Rubbergoods Hook For full face mask and corrugated tube



| 1400AV       | Standard Flowmeter \$3,282.00<br>with Porter Scavenger Breathing Circuit<br>(with Vacuum Control Block Kit) |
|--------------|---|
| 1100<br>4100 | Standard Flowmeter Three Liter Bag  |
| 5155-3AV     | Porter Adult Inhaler &<br>Automatic Vacuum Switch   |
|              |   |



| 4100<br>5155-3AV          | Three Liter Bag<br>Porter Adult Inhaler &<br>Automatic Vacuum Switch |            |
|---------------------------|--|------------|
| <b>1420AV</b> 2020        | Same as above with Wall Mount  | \$3,623.00 |
| <b>1435-1AV</b><br>2035-1 | Same as above with<br>Under Counter Slide Mount                      | \$3,659.00 |
| <b>1436AV</b> 2036-3      | Same as above with<br>Slide Mount                                    | \$3,698.00 |
| <b>1440AV</b><br>2040     | Same as above with<br>Mobile Stand                                   | \$3,715.00 |
| <b>1445-2AV</b> 2045-2    | Same as above with<br>Tall E Stand                                   | \$5,619.00 |

### **DISPOSABLE LINERS FOR PORTER SCAVENGER MASKS**




| THE MARKET LEADER IN SCAVENGING TECHNOLOGY 5053 AD12 Porter Adult Disposable Liners 5053 AD12C with Citrus Scent One bag of (12) Adult Liners. Not Returnable                             | \$36.00<br>\$36.00   |
|---|----------------------|
| 5053 AD144 Porter Adult Disposable Liners 5053 AD144C with Citrus Scent One box of (12) bags. Each bag contains (12) Adult Liners Contents returnable when original box is unopened only. | \$415.00<br>\$415.00 |
| 5053 PD12 Porter Pedo Disposable Liners 5053 PD12C with Citrus Scent One bag of Pedo Liners. Not Returnable   | \$36.00<br>\$36.00   |
| 5053 PD144 Porter Pedo Disposable Liners 5053 PD144C with Citrus Scent One box of (12) bags. Each bag contains (12) Pedo Liners   | \$415.00<br>\$415.00 |

Contents returnable when original box is unopened only.

#### PORTER


| SCAVENGER SYSTEMS |                            | PU   | RIER                                       |
|-------------------|----------------------------|--|--|
|                   | AVS-5000                   | Automatic Vacuum Switch System Retrofits to ALL PORTER Manufactured Flowmeters (except   | \$435.00<br>3000-0S)                       |
| - , (*)           | 5155-3AV*                  | Porter Adult Scavenger with Automatic Vacuum Switch  | \$945.00                                   |
|                   | 5155-4AV*                  | <b>Porter Pedo Scavenger</b> with Automatic Vacuum Switch  | \$945.00                                   |
|                   | 5155-1*                    | Porter Adult Scavenger Breathing Circuit with In-Line Vacuum Control Kit   | \$644.00                                   |
| (2)               | 5155-2*                    | <b>Porter Pedo Scavenger</b><br>Breathing Circuit<br>with In-Line Vacuum Control Kit   | \$644.00                                   |
| 111               | 5155-3*                    | Porter Adult Scavenger<br>Breathing Circuit<br>(no Vacuum Control Block)   | \$542.00                                   |
|                   | 5155-4*                    | Porter Pedo Scavenger<br>Breathing Circuit<br>(no Vacuum Control Block)  | \$542.00                                   |
|                   | * Note: Pac<br>4100 Bag. F | kages do NOT include 5602 Vac Qu<br>Please order separately.   | ick Conn or                                |
| Pals              | 5054B                      | orter Adult Hood Kit - w/3 liners<br>orter Pedo Hood Kit - w/3 liners<br>orter Adult Liner Kit - pkg of 3<br>orter Pedo Liner Kit - pkg of 3 | \$254.00<br>\$254.00<br>\$51.00<br>\$51.00 |
|                   | 1                          |  |  |


#### **OPTIONS FOR VACUUM HOOK-UP**





RETROFIT KITS PORTER











Analor 3C

All kits include the Porter Scavenger with In-Line Vacuum (specify "A" for Adult Hood or "P" for Pedo Hood), Three Liter Breathing Bag, Flowmeter Adapters and Bag Tee where necessary.

| 5800-1A (Adult) | \$684.00 |
|-----------------|----------|
|-----------------|----------|

**5800-1P (Pedo)** \$684.00

This one kit retrofits all these flowmeters:

Matrx - Quantiflex, MDM

Ohmeda

Fraser Harlake

Fraser Sweatman

MDT-McKesson - Analor Four/Compalor

Parkell-Sedatron (not pictured)

Belmed

Accutron (not pictured)

Also Replaces: Porter Clean-Air™ Rubber Goods Non-Scavenging System

| 5800-2A | Coastal<br>NCG Chemetron   | \$775.00 |
|---------|--|----------|
| 5800-4A | <b>Hampton</b> Simplaire Micro   | \$788.00 |
| 5800-5A | McKesson  Analor I&II  Starflite Denetron                              | \$735.00 |
| 5800-6A | McKesson<br>Analor 3C  | \$788.00 |
| 5800-9A | Porter Clean-Air™<br>Breathing Circuit & Canister<br>Scavenging System | \$627.00 |

**Note:** It is not recommended to retrofit Porter Scavenger Breathing Circuit to Adec, Veriflo or Spica machines.







#### For 2 Tanks Oxygen and 2 Tanks Nitrous Oxide

3222CX Manifold System, 2-0<sub>2</sub>, N<sub>2</sub>O, \$3,874.00 with wall model sentine, regulators hoses, and tank restraints

**3222DX** Manifold System, 2-0<sub>2</sub>, N<sub>2</sub>0, with desk model sentinel, regulators \$3,874.00 hoses, and tank restraints



3221CX Manifold System, 2-02, 1-N2O, \$3,568.00 with wall model sentinel, regulators, hoses, and tank restraints

3221DX Manifold System, 2-0<sub>2</sub>, 1-N<sub>2</sub>O, \$3,568.00 with desk model sentinel, regulators, hoses, and tank restraints

**Manifold System** 3222CX-N/R&H \$2,658.00 with wall sentinel;

WITHOUT regulators and hoses

3222DX-N/R&H Manifold System \$2,658.00

with desk sentinel;

WITHOUT regulators and hoses

3222MXB **Sentinel Manifold ONLY** \$1,974.00 5251 Wall Sentinel \$762.00 (includes 75' cable & power supply) **Desk Sentinel** 5201 \$762.00

(includes 75' cable & power supply)

Manifolds without Sentinel DO NOT meet the requirements of the NFPA 99. Porter Instrument Division accepts no responsibility for the installation and/or use of manifolds without Sentinel alarm.


#### ZONE VALVES WITH CROSS+PROTECTION



9000-1 **Concealed Zone Valve** \$1,206.00 For use with 3222MXB Sentinel Manifold

Note: NFPA 99-GAS SHUT-OFF VALVES Where the central supply is remote from the medical gas system use points, the main supply line shall be provided with a shut-off valve (Zone Valve) is located in the single treatment facility as to be accessible from use-point locations in an emergency.

#### MANIFOLD INSTALLATION KIT



**Nitrogen Test Fixture** B-2065-000 (includes adapter hoses)

\$735.00

#### VANGUARD MANIFOLD SYSTEMS WITH AUTOMATIC CHANGEOVER PORTER







| 4222CXB | (high flow) Vanguard Manifold Systems \$4,949.00 with Auto-changeover for 2 N20 & 2 02 tanks, Wall alarm, regulators hoses and restraints |
|---------|---|
| 4222DXB | (high flow) Vanguard Manifold Systems \$4,949.00  |

**4222CXBLPI** (high flow) Vanguard Manifold Systems \$4,721.00 Wall Alarm WITHOUT Pre-Install Kit

with 6201 A Desk style Alarm

**4222DXBLPI** (high flow) Vanguard Manifold Systems \$4,721.00 Desk Alarm WITHOUT Pre-Install Kit

| 4222NOHF-1 | (high flow) Vanguard Manifold Only | \$3,541.00 |
|------------|------------------------------------|------------|
| 6251A      | Vanguard Wall Alarm Only           | \$1,193.00 |
| 6201A      | Vanguard Desk Alarm Only           | \$1,193.00 |
| 3653-EZW   | Manifold Pre-Install Kit           | \$602.00   |

Note: order "LPI" Packages to complete systems.

#### **ZONE VALVES WITH CROSS + PROTECTION**



**9000-2 Concealed Zone Valve** \$1,206.00 For use with 4222 Vanguard Manifold

**Note:** NFPA 99-GAS SHUT-OFF VALVES Where the central supply is remote from the medical gas system use points, the main supply line shall be provided with a shut-off valve (Zone Valve) is located in the single treatment facility as to be accessible from use-point locations in an emergency.

| OUTLET STATIONS CROSS + | PROTEC  | TION POR  | TER      |
|-------------------------|---------|---|----------|
|                         | 6100-1  | <b>Single Oxygen Outlet Station</b> Requires Hose, O <sub>2</sub> , diss/Porter listed on page 13 | \$282.00 |
|                         | 6200-1  | Dual Outlet Station, $0_2/N_20$   | \$360.00 |
| - to                    | 6250K   | <b>Exposed Cover for 6100-1/6200-1</b>  | \$43.00  |
|                         | 6300-1  | Floor Mounted Outlet Station  | \$607.00 |
|                         | 6256-3  | <b>Triple Outlet</b> O <sub>2</sub> /N <sub>2</sub> O/Vacuum                                      | \$565.00 |
| _ma :                   | 6257-3  | Exposed Triple Outlet O <sub>2</sub> /N <sub>2</sub> O/Vacuum                                     | \$595.00 |
|                         | 6255-1  | Compact Wall Triple Outlet<br>O <sub>2</sub> /N <sub>2</sub> O/Vacuum                             | \$565.00 |
|                         | 6258-1  | Compact Triple Outlet for Cabinets (no hoses or shutoffs)   | \$565.00 |
|                         | 6258-3  | Compact Triple Outlet<br>for Cabinets<br>with 3 foot hoses and shutoffs                           | \$979.00 |
| 000                     | 6258-5  | Compact Triple Outlet<br>for Cabinets<br>with 5 foot hoses and shutoffs                           | \$979.00 |
|                         | 6258-1B | Compact triple outlet w/back connection for Cabinets (no hoses or shutoffs)                       | \$565.00 |
|                         | 6258-3B | Compact triple outlet w/back connection with 3 foot hoses and shutoffs                            | \$979.00 |
|                         | 6258-5B | <b>Compact triple outlet w/back connection</b> with 5 foot hoses and shutoffs                     | \$979.00 |
| WADDAW                  | 5600-3  | Vacuum Outlet Station   | \$323.00 |




| GAS SUPPLY TUBING CRUSS | PROILC    |   |          |
|-------------------------|-----------|---|----------|
| 智慧                      | 8065      | Hose, 0 <sub>2</sub> /N <sub>2</sub> 0, diss/Porter, 5ft.   | \$226.00 |
| BEREE                   | 8055*     | Hose, O <sub>2</sub> , diss/Porter, 5ft.  | \$182.00 |
|                         | 8005*     | Hose, O <sub>2</sub> , diss/diss, 5ft.  | \$121.00 |
|                         | 8505*     | Hose, N <sub>2</sub> O, diss/diss, 5ft.   | \$121.00 |
|                         | 8015*     | Hose, O <sub>2</sub> , diss/NCG (Chemetron), 5ft.   | \$196.00 |
|                         | 8515*     | Hose, N <sub>2</sub> O, diss/NCG (Chemetron), 5ft.  | \$196.00 |
|                         | 8025*     | Hose, O <sub>2</sub> , diss/Puritan, 5ft.   | \$196.00 |
|                         | 8525*     | <b>Hose, N<sub>2</sub>O, diss/Puritan, 5ft.</b> for use with McKesson & Fraser Harlake outlet stations                                      | \$196.00 |
|                         | 8035*     | Hose, O <sub>2</sub> , diss/Schrader, 5ft.  | \$218.00 |
| 3 // 33                 | 8535*     | Hose, N <sub>2</sub> O, diss/Schrader, 5ft.   | \$218.00 |
| A                       | 8045*     | Hose, O <sub>2</sub> , diss/Oxequip, 5ft.   | \$196.00 |
|                         | 8545*     | Hose, N <sub>2</sub> O, diss/Oxequip, 5ft.  | \$196.00 |
|                         | 9230512   | <b>6-5* Hose, O<sub>2</sub>, diss/Ohio Medical/</b> Matrx, 5 ft.  | \$203.00 |
|                         | 9230512   | <b>7-5* Hose, N<sub>2</sub>O, diss/Ohio Medical/</b> Matrx, 5 ft.   | \$203.00 |
| Note Hose Sizes         | HOSE AS   | OCK NUMBERS LISTED ABOVE ARE FOR<br>SSEMBLY. Last digit indicates length in fee<br>: 8053 Hose, O <sub>2</sub> , diss/Porter - 3 feet long. | t.       |
| 14010 11030 01203       | Add \$6.0 | ses longer than 5 feet are custom made.<br>O per foot<br>ES ARE FINAL   |          |
| 500                     | 5602      | Vacuum Quick Connect<br>for Porter outlets  | \$107.00 |
|                         | 5670      | Vacuum Quick Connect<br>for Matrx outlets   | \$107.00 |

| 2020   | <b>Solid Wall Mount</b> (Telescoping) Extends to 18"                | \$368.00  |
|--------|---|---|
| 2035-1 | Cabinet Mount, Slide Away   | \$408.00  |
| 2036-2 | Cabinet Slide Mount<br>For Bag Tee and Porter AVS-5000<br>(5" wide) | \$430.00  |
| 2036-3 | Cabinet Slide Mount For Flowmeter                                   | \$442.00  |
| 2036-4 | Cabinet Slide Mount For Bag Tee and Porter AVS-5000 (3" wide)       | \$430.00  |
| 2037-1 | Under Cabinet Slide Mount<br>For Bag Tee and Porter AVS-5000        | \$430.00  |
| 5335   | Chair/Light Post Mount<br>(BagTee or AVS)                           | \$247.00  |
| 2024   | Post Clamp for Meters   | \$366.00  |
| 2023   | Non-Telescoping Wall Bracket  | \$182.00  |
|        | 2035-1 2036-2 2036-3 2036-4 2037-1 5335 2024                        | 2035-1 Cabinet Mount, Slide Away  2036-2 Cabinet Slide Mount For Bag Tee and Porter AVS-5000 (5" wide)  2036-3 Cabinet Slide Mount For Flowmeter  2036-4 Cabinet Slide Mount For Bag Tee and Porter AVS-5000 (3" wide)  2037-1 Under Cabinet Slide Mount For Bag Tee and Porter AVS-5000  5335 Chair/Light Post Mount (BagTee or AVS)  2024 Post Clamp for Meters |



| 2040       | Compact Mobile Stand \$442.00 (Top of Meter Telescopes from 24" to 36")   |
|------------|---|
| 2042       | <b>Tall Mobile Stand</b> \$452.00 (Top of Meter Telescopes from 43" to 50")   |
| 2045-2     | Tall Mobile Stand \$2516.00 for 2 "E" Tanks of 02 and 2 "E" Tanks of N20 (Top of meter telescopes from 43" to 50") Gas Supply Tubing included   |
| 2045-Short | Under Cabinet Stand \$2633.00 for 2 "E" Tanks of 02 and 2 "E" Tanks fo N20 (Top of meter telescopes from 31" to 41") Gas Supply Tubing included |
| C-349-2    | E-Block Assembly \$2101.00  |
| A-3492-000 | Tank Restraints \$94.00   |



**Positive Pressure/Demand Valve** \$1071.00 with Universal Mask; 10 foot Hose; Mobile Cart; Regulator and Yoke; and Porter Connection

The Porter/O-TWO Demand Valve Resuscitator provides a fast, simple and effective means to ventilate non-breathing patients and provides 100% oxygen on Demand.

Designed to meet the varying requirements of the Emergency Medical Services/Rescue Personnel, it is the only Demand Valve Resuscitator that comes standard with an Audible Pressure Relief System and sensitive Manual Ventilation Button, conveniently located on the front of the resusitator. The Manual Ventilation Button helps to ensure a patient airway by enabling both hands to remain on the mask to facilitate a superior mask to face seal (without having to deal with cumbersome trigger levers or inconveniently located top buttons).

The Manual Ventilation Flow rate is fixed at 40 lpm in line with the 1992 American Heart Association Recommendations and Guidelines for Resuscitation.

During spontaneous respirations, the Demand Valve Resuscitator is designed to provide 100% oxygen to a breathing patient with minimal respiratory effort. The oxygen demand flow is controlled by the patients inspiratory effort, with flow rates up to 160 lpm, to accommodate their own respiratory distress situation.


| 1538 | <b>Mobile Cart Only</b> | \$174.00 |
|------|-------------------------|----------|
|      | (Tank not included)     |          |

1506-1 Positive Pressure/Demand Valve \$623.00 with Universal Mask, 10 foot hose and Porter Connection


1506-1M Positive Pressure/Demand Valve \$623.00 with Universal Mask, 10 foot hose and Ohio Medical (Matrx) Connection

**Components on Page 31** 





# PORTER NAVICOM® COMMUNICATION SYSTEM



| PNC-30W  | Newlean Well Otation                      |           |
|----------|---|-----------|
|          | Navicom Wall Station                      | \$848.00  |
| PNC-30D  | Navicom Desk Station                      | \$927.00  |
| PNC-PCWJ | Computer Wall Jack Kit w/cd software      | \$555.00  |
| PNC-PS1  | Power Supply                              | \$780.00  |
| PV-100   | Round Cable w/PVC<br>Jacket (100 feet)    | \$214.00  |
| PV-250   | Round Cable w/PVC<br>Jacket (250 feet)    | \$525.00  |
| TF-100   | Round Cable w/Teflon<br>Jacket (100 feet) | \$437.00  |
| TF-250   | Round Cable w/Teflon<br>Jacket (250 feet) | \$1054.00 |



### **PORTER** Reliant Sterilier System

RELIANT-2510 \$5,400.00

The Porter Reliant sterilizer system is equipped with a powerful drying pump which combined with the bacterial filter, provides an end-of-cycle forced ventilation, resulting in complete drying of loose or wrapped loads

#### ADVANCED FEATURES: PERFORMANCE YOU CAN COUNT ON

Automated microprocessor cycles off to save energy Copper components in chamber for precise temperature control, Complete air-evacuation (up to 98%) ensures proper steam saturation, prevents air pockets, and assures complete sterilization

# PURITY OR2 WATER TREATMENT SYSTEM 10026400

\$1,209.00

The Porter Purity - Integrated Reverse Osmosis Water Purifier

