

*"There are very few companies that have a customer service team that follows up the way DCI does. Thank you for your time & attention."*

Taylor Andrews  
Service Technician, Chicago, IL





	Page #
Compressors	2-3
Vacuums	4
Surgical Vacuums	5
Water Security/Low Voltage Controls	5
Dimensions & Illustrated Parts Breakdown	6-8

**NEW**  
item

## Alternating Control Panel

**FEATURED ITEM**

- Control panel allows 2 compressors or vacuum systems to run in tandem
- Automatically shuts off one machine when demand is low
- Second machine turns back on when demand increases
- This panel alternates usage to provide equal run time
- UL 508A listed panel
- Automatic or manual mode
- One remote switch controls entire system
- 30 amp maximum per machine
- Requires (2) 30 amp power sources
- Dimensions: 16"H x 14"W x 6"D

PN	DESCRIPTION	PRICE
2089	For Vacuum Pumps	\$1,900.00
2130	For Air Compressors	\$1,900.00

**NEW**  
item

## Refrigerated Air Drying System



2797

- Can be used w/ any air compressor
- Available in 10 & 25 cfm models
- 1/2" NPT connections
- CFC-FREE R134A Refrigerant
- 115 volt AC

PN	DESCRIPTION	PRICE
2797	10cfm 17"H x 8 1/4"D x 17 3/4"W	\$1,800.00
2798	25cfm 20"H x 8 1/4"D x 19 3/4"W	\$2,110.00

## Vacuum System Cleaner



- Continuous cleaning action
- Environmentally safe
- Contains no hazardous materials
- Non-corrosive liquid; safe to handle & store
- Easy to use, measured 1 pint dispenser holds 32 applications
- 1/2 gallon dispenser holds 128 applications
- Non-Toxic, non-pathogenic

Eco Vac cleans vacuum systems and eliminates odors associated with organic waste by biologically degrading the waste into natural elements. Cleans and deodorizes without foaming or use of harsh chemicals. Eco Vac utilizes safe non-pathogenic, non-opportunistic, Class 1 bacteria.

One half ounce of Eco Vac mixed with one quart of warm water, drawn through the vacuum lines daily in each operatory, establishes a continuous biological action.

PN	DESCRIPTION	PRICE
5835	Eco Vac 1-Pint Bottle	\$15.00
5837	Eco Vac 1/2 Gallon Bottle	\$49.95
5836	Eco Vac Case of 12 1-Pint Bottles	\$165.00

## DC-Series Deluxe Oil-less Air Compressors



SHOWN WITH  
OPTIONAL  
SOUND COVER

DIMENSIONS  
PAGE 6

DC2206

- Completely oil-less design
- Extremely quiet
- 115 / 230 dual voltage motors
- 3 stage filtration / drying system
- Emergency quick-connect
- 3 year warranty on compressor parts
- 5 year warranty on heads
- Includes remote air intake kit
- Includes 24 vac low voltage controls



PN	DESCRIPTION	PRICE
DC0103	3User / 1 HP / Single Head / 10 Gal Tank / 115 Vac	\$5,475.00
DC0203	3 User / 1 HP / Single Head / 10 Gal Tank / 230 Vac	\$5,475.00
DC1203	3 User / 1 HP / Single Head / 20 Gal Tank / 230 Vac, Expandable to 2 Heads	\$6,160.00
DC2206	6 User / 2 HP / Dual Head / 20 Gal Tank / 230 Vac	\$8,585.00
DC3210	10 User / 3 HP / Triple Head / 30 Gal Tank / 230 Vac	\$12,290.00

## C Series Oil-less Air Compressors



C2206

DIMENSIONS  
PAGE 6

- Completely oil-less design
- Extremely quiet
- 115 / 230 dual voltage motors
- 3 stage filtration / drying system
- Emergency quick-connect
- 3 year warranty on compressor parts
- 5 year warranty on heads



PN	DESCRIPTION	PRICE
C0103	3 User / 1 HP / Single Head / 10 Gal Tank / 115 Vac	\$5,105.00
C0203	3 User / 1 HP / Single Head / 10 Gal Tank / 230 Vac	\$5,105.00
C1203	3 User / 1 HP / Single Head / 20 Gal Tank / 230 Vac, Expandable to 2 Heads	\$5,795.00
C2206	6 User / 2 HP / Dual Head / 20 Gal Tank / 230 Vac	\$8,210.00
C3210	10 User / 3 HP / Triple Head / 30 Gal Tank / 230 Vac	\$12,000.00



DIMENSIONS  
PAGE 6

## L Series Lubricated Air Compressors

**FEATURED ITEM**

- Copeland heads
- Quiet operation
- 3 stage filtration / drying system
- Emergency quick-connect
- 6 month warranty on heads
- 3 year warranty on rest of system



PN	DESCRIPTION	PRICE
L0103	3 User / 1 HP / Single Head / 10 Gal Tank / 115 Vac	\$5,180.00
L0203	3 User / 1 HP / Single Head / 10 Gal Tank / 230 Vac	\$5,180.00
L2206	6 User / 2 HP / Dual Head / 30 Gal Tank / 230 Vac	\$7,340.00



## P Series Portable Lubricated Air Compressor

- 115 Volt – 50-60 Hertz
- Quiet operation
- 2.1 CFM
- Only 44 lbs
- Compact size 11"x11"x11 7/8"
- 6 month warranty on heads

PN	DESCRIPTION	PRICE
P050	1 User / 1/2 HP / Single Head / .93 Gal Tank / 115 Vac	\$2,846.00



2036

DIMENSIONS  
PAGE 6



2030

## Air Compressor Accessories

PN	DESCRIPTION	PRICE
2045	Compressor Head Upgrade Kit For Converting (D)C1203 to a (D)C2206	\$2,500.00
2068	Sound Cover for C0103 / DC0103, 115 Volt Fan, 10 Gal Tank	\$845.00
2069	Sound Cover for C0203 / DC0203, 230 Volt Fan, 10 Gal Tank	\$845.00
2043	Sound Cover for C1103 / DC1103, 115 Volt Fan, 20 Gal Tank	\$895.00
2049	Sound Cover for C1203 / C2206 / DC1203 / DC2206, 230 Volt Fan, 20 Gal Tank	\$895.00
2059	Sound Cover for C3210, 230 Volt Only, 30 Gal Tank	\$950.00
2036	Stacking Rack for Compressor or Vacuum	\$1,625.00
2030	Low Voltage Control Box input 115 Vac or 230 Vac	\$295.00
2847	Buck / Boost Transformer 1.0 KVA	\$950.00
2033	Remote Air Intake Kit for C1103 / C1203 / C2206, 20 Gal Tank Compressors	\$105.00
2057	Remote Air Intake Kit for C3210, 30 Gal Tank Compressors	\$125.00
2130	Alternating Control Panel for Air Compressors	\$1,900.00



DIMENSIONS  
PAGE 6

## DV Series Dry Vacuum Systems

- Energy management system automatically turns off 1 pump if not required
- Industry leading foam detection safety system
- Integral stacking rack for air compressor provides compact profile
- Completely oil-less & water-less operation
- Extremely quiet operation
- Alternates pump usage
- Consistent vacuum flow
- Environmentally friendly
- 3 Year warranty on dry vacuum parts
- 5 Year warranty on turbines

PN	DESCRIPTION	PRICE
DV1203	3 User Expandable to 6 / 230 Volt, 15 Gal Tank	\$8,900.00
DV2206	6 User / 230 Volt, 15 Gal Tank	\$14,500.00
DV2210	10 User / 230 Volt, 15 Gal Tank	\$17,400.00



DIMENSIONS  
PAGE 6

## V Series Dry Vacuum Systems

- Completely oil-less & water-less operation
- Extremely quiet operation
- Environmentally friendly
- Modular design
- Consistent vacuum flow
- Dual remote switch wiring
- 3 Year warranty on dry vacuum parts
- 5 year warranty on turbines

PN	DESCRIPTION	PRICE
V1203	3 User Expandable to 6 / 230 Volt, 15 Gal Tank	\$6,250.00
V2206	6 User / 230 Volt, 15 Gal Tank	\$10,100.00
V2210	10 User / 230 Volt, 15 Gal Tank	\$14,950.00



## Dry Vacuum Systems Accessories

PN	DESCRIPTION	PRICE
2127	Vacuum Head Upgrade Kit For Converting a (D)V1203 to (D)V2206	\$4,000.00
2046	Automatic Tank Rinse Kit	\$305.00
2044	Metal Exhaust Piping Kit 6 Ft	\$305.00
2089	Alternating Control Panel	\$1,900.00
5835	Eco Vac Vacuum System Cleaner, 1 Pint	\$15.00
5837	Eco Vac Vacuum System Cleaner, 1/2 Gallon	\$49.95
5836	Eco Vac Vacuum System Cleaner (Case of 12, 1-Pint Bottles)	\$165.00



DIMENSIONS  
PAGE 6

## Surgical Suction Systems

- 14" Hg - 22" Hg operating range
- Oil-less pump design
- For usage in all surgical applications
- 3 Year warranty on surgical vacuum parts
- 5 year warranty on pumps

PN	DESCRIPTION	PRICE
S1102	1-2 User / Single 3/4 HP 20 Gal Tank / 115 Vac	\$4,875.00
S1202	1-2 User / Single 3/4 HP 20 Gal Tank / 230 Vac	\$4,875.00
S2104	2-4 User / Dual 3/4 HP 20 Gal Tank / 115 Vac	\$6,995.00
S2204	2-4 User / Dual 3/4 HP 20 Gal Tank / 230 Vac	\$6,995.00
S3206	4-6 User / Triple 3/4 HP 30 Gal Tank / 230 Vac	\$8,990.00
2507	Surgical Bottle Assembly	\$500.00



DIMENSIONS  
PAGE 7

## Water Security Systems

- Filters incoming water supply & shuts off water from control panel

PN	DESCRIPTION	PRICE
W1100	3/4" System w/ Filter & 24 Volt Relay	\$945.00
W1101	3/4" System w/ Filter, 115 Volt	\$900.00
W1200	3/4" System No Filter & 24 Volt Relay	\$785.00
W1201	3/4" System No Filter, 115 Volt	\$740.00
W2100	1" System w/ Filter & 24 Volt Relay	\$1,755.00
W2101	1" System w/ Filter, 115 Volt	\$1,710.00
W2200	1" System No Filter & 24 Volt Relay	\$1,600.00
W2201	1" System No Filter, 115 Volt	\$1,555.00
W3100	1 1/4" System w/ Filter & 24 Volt Relay	\$2,085.00
W3101	1 1/4" System w/ Filter, 115 Volt	\$2,040.00
W3200	1 1/4" System No Filter & 24 Volt Relay	\$1,785.00
W3201	1 1/4" System No Filter, 115 Volt	\$1,740.00
W4100	1 1/2" System w/ Filter & 24 Volt Relay	\$2,700.00
W4101	1 1/2" System w/ Filter, 115 Volt	\$2,655.00
W4200	1 1/2" System No Filter & 24 Volt Relay	\$2,400.00
W4201	1 1/2" System No Filter, 115 Volt	\$2,355.00

See page 246 for Water Security System Replacement Parts



## Control Panels

- Fits standard 2 gang electrical box
- Includes custom labeling kit
- 24 Volt lighted rocker switches

PN	DESCRIPTION	PRICE
2900	Single Switch Panel / Expandable to 4	\$300.00
2901	Dual Switch Panel / Expandable to 4	\$340.00
2902	Triple Switch Panel / Expandable to 4	\$380.00
2904	Quad Switch Panel	\$420.00
2723	Remote 24 Volt Red Light Switch	\$24.00



## Machine Physical Dimensions & Weight

### Compressors

PN	LENGTH	DEPTH	HEIGHT	SHIPPING WEIGHT
C0103	32"	23"	27"	150 LBS
C0203	32"	23"	27"	150 LBS
L0103	32"	23"	27"	195 LBS
L0203	32"	23"	27"	195 LBS
C1103	39"	24"	29 1/2"	220 LBS
C1203	39"	24"	29 1/2"	220 LBS
C2206	39"	24"	29 1/2"	260 LBS
C3210	47"	24"	32"	345 LBS
L2206	47"	24"	32"	385 LBS
DC0103	32"	23"	29"	160 LBS
DC0203	32"	23"	29"	160 LBS
DC1103	39"	24"	31 1/2"	250 LBS
DC1203	39"	24"	31 1/2"	230 LBS
DC2206	39"	24"	31 1/2"	270 LBS
DC3210	47"	24"	34"	355 LBS

### Dry Vacuums

PN	LENGTH	DEPTH	HEIGHT	SHIPPING WEIGHT
V1203	32"	32"	41"	320 LBS
V2206	32"	32"	41"	390 LBS
V2210	32"	32"	41"	410 LBS
DV1203	32"	32"	47"	370 LBS
DV2206	32"	32"	47"	450 LBS
DV2210	32"	32"	47"	470 LBS

### Surgical Vacuums

PN	LENGTH	DEPTH	HEIGHT	SHIPPING WEIGHT
S1102	37"	24"	29"	210 LBS
S1202	37"	24"	29"	210 LBS
S2204	37"	24"	29"	250 LBS
S3206	47"	24"	30"	335 LBS

### Stacking Rack

PN	LENGTH	DEPTH	HEIGHT
2036	39"	29"	34"




## Machine Physical Dimensions & Weight

### Water Security Systems

PN	WIDTH	HEIGHT	DEPTH
W1100	17"	24"	5"
W1101	17"	24"	5"
W1200	17"	16"	5"
W1201	17"	16"	5"
W2100	17"	24"	5"
W2101	17"	24"	5"
W2200	17"	16"	5"
W2201	17"	16"	5"
W3100	21"	27"	8"
W3101	21"	27"	8"
W3200	21"	17"	6"
W3201	21"	17"	6"
W4100	21"	27"	8"
W4101	21"	27"	8"
W4200	21"	17"	6"
W4201	21"	17"	6"

### Oil-Less Compressor



### Lubricated Compressor

