


2-WAY PUSH-BUTTON

33.0077.01

☒46.50




- Use with air or water
- Panel mount 1/2" hole (1/4" max. panel thickness)
- 1/8" barbs
- Metal button

2-WAY TOGGLE

33.0009.04

☒36.00




- Use for air or water
- Panel mount 1/2" hole (1/4" max. panel thickness)
- 1/8" barbs
- Surf 4 plastic toggle

2-WAY PUSH-BUTTON

33.0108.02

☒67.00




- Use on Decade cuspidor bowl rinse and cup fill
- Panel mount
- 10 x 32 ports
- Metal button

2-WAY TOGGLE

33.0008.02

☒36.00




- Use on cuspidor cup fill spout
- Panel mount 1/2" hole (1/4" max. panel thickness)
- 1/8" barb, 10 x 32 female coupling
- Surf 4 plastic toggle

2-WAY TOGGLE

33.0034.02

☒36.00




- Use for air or water
- Panel mount 1/2" hole (1/4" max. panel thickness)
- 10 x 32 ported
- Surf 4 plastic toggle

2-WAY TOGGLE

42.0683.04

☒62.00




- Use for air or water
- Panel mount 1/2" hole (1/4" max. panel thickness)
- 10 x 32 rear ported
- Surf 4 plastic toggle

2-WAY PUSH-BUTTON

33.0076.01

☒73.00



- Use for air or water
- Panel mount 1/2" hole (1/4" max. panel thickness)
- 10 x 32 rear ported
- Metal button

FLUSH TOGGLE VALVE

33.0168.00 Flush toggle Surf 4

☒36.00

33.0168.01 Flush toggle Gray 3

☒36.00



- For A-dec 500 and 300
- 4-way
- 1/8" barbs


TOGGLE VALVE FOR AVS

90.1210.00 Kit, valve

☒125.00

90.1218.00 Toggle lever replacement kit

☒39.50




- White 2 toggle
- Operates saliva ejector

NOTE

Use two-way (non-exhausting) control valves for air, water and cuspidor bowl rinse and cup fill applications. Use three-way (exhausting) control valves for the master toggle, air coolant and water coolant signal applications.

3-WAY TOGGLE

33.0048.05 Surf 4 toggle \$36.00




- Use with air signal valve
- Panel mount 1/2" hole (1/4" max. panel thickness)
- 1/8" barbs
- Surf 4 plastic toggle

006.069.00 \$0.31
006.009.00 \$0.21

3-WAY SUB-MINIATURE TOGGLE

026.123.00 \$68.00




- Use with air signal valve
- Panel mount 1/4" hole (1/8" max. panel thickness)
- 1/8" barbs
- Non-adjusting metal toggle

2-WAY TOGGLE VALVE KIT 3-WAY TOGGLE VALVE KIT

33.0096.02 2-way \$52.00

33.0080.03 3-way \$52.00




006.069.00 \$0.31
006.009.00 \$0.21

- Panel mount 1/2" hole (1/4" max. panel thickness)
- 10 32 ports
- Surf 4 plastic toggle
- 2-way, air or water
- 3-way, air

2-WAY TOGGLE

12.1070.01 \$86.00




006.009.00 \$0.21

- Use for Performer
- 1/8" MPT ports
- Surf 4 toggle

3-WAY EXHAUSTING TOGGLE

12.1071.02 \$86.00




006.009.00 \$0.21

- Use for Performer
- Surf 4 toggle

WATER COOLANT

38.0098.00 \$130.00



- For Century I control block
- Manifold mounting

Knob
027.008.00
\$12.00

MASTER TOGGLE VALVES

33.0131.02 For Cascade/Radius Surf 4 \$36.00

33.0173.00 For A-dec 500 and 300 Gray 3 \$36.00

90.1189.00 For A-dec 300 with no delivery \$61.00

33.0048.05 For A-dec 500 Surf 4 \$36.00




- On/Off toggles

NEEDLE VALVE, KEY

12.0920.00

☒30.00




- Use for air applications
- For Cascade cuspidor-timed circuits
- Manifold mounting
- 10 ☒ 32 male inlet
- 10 ☒ 32 female outlet

NEEDLE VALVE, LO-FLO

12.0954.01

☒30.00





- Use for air applications
- Panel mount 21/64" hole (1/8" max. panel thickness)

FLOW CONTROL NEEDLE VALVE FINE ADJUSTMENT

33.0084.01

☒67.00



- Use for coolant water
- Panel mount 1/2" hole (1/4" max panel thickness)
- 10 ☒ 32 rear ports
- Plastic black stem


CONTROL VALVE ASSEMBLIES

13.0361.00 Plastic stem

☒73.00

13.0350.00 Brass stem

☒83.00





- Use for air or water applications
- Panel mount 1/2" hole (1/4" max. panel thickness)
- 10 ☒ 32 ports

FLOW CONTROL NEEDLE VALVE COARSE ADJUSTMENT

33.0085.02

☒67.00




- Use for air or water
- Panel mount 1/2" hole (1/4" max panel thickness)
- 10 ☒ 32 rear ports
- White plastic stem

TIME BOWL RINSE RELAY

12.0913.00

☒98.00



- For Cascade cuspidor
- 3/8" female Poly-Flo
- 1/8" barb
- 3/8" x 1/4" barb


**CUP FILL RELAY AND CUP FILL
TIMER STABILIZER KIT**

12.0934.00 Cup fill relay

☒98.00

90.0456.00 Stabilizer kit

☒70.00



12.0934.00



90.0456.00


- For Cascade cup fill
- 1/8" and 1/4" barb

NOTE: Kit replaces the cup fill timer and improves flow adjustment.

TIME DELAY RELAY

42.0534.00

☒98.00




- For filter regulator manifolds and Excellence cuspidor
- 1/8" and 1/4" barb
- 9-hole gasket, 24.0137.01 (10)
☒11.50

RELAY VALVE WITH HOLDBACK

34.0043.00

☒80.00



- For tooth dryer
- Non-Cascade
- 1/8" barbs (1)
- 1/4" barbs (2)

SERVICE TIP


Air bubbles in the water or sputtering may be caused by:

- Loose syringe handle
- Defective O-ring on the connector tube at the syringe terminal
- Leaking diaphragm in the water regulator
- Leaking diaphragm in any water relay valve

AIR-ACTUATED WATER SHUTOFF

34.0031.00

☒98.00



- Inlet 3/8" male compression fitting
- 1/8" barb


AIR-ACTUATED WATER SHUTOFF

34.0032.00 1/4" Poly-flo

☒98.00

34.0033.00 3/8" Poly-flo

☒98.00




- Inlet 3/8" male compression fitting
- 1/4" poly sleeve with 1/4" poly adapter

AIR-ACTUATED WATER SHUTOFF

34.0036.00

☒98.00



- Inlet and outlet 3/8" female compression fittings
- For Preference dental furniture sink


AIR-ACTUATED AIR SHUTOFF

34.0037.01 1/4" Poly-flo

☒98.00

34.0037.00 3/8" Poly-flo

☒98.00



- Inlet 3/8" male compression fitting


MANUAL SHUTOFF

026.062.00 1/2" Compression

☒12.75

026.158.00 1/2" Female pipe thread

☒12.75



026.158.00 shown

- Inlet 1/2" compression or 1/2" female pipe thread
- Outlet 3/8" compression
- Nickel plated brass

SERVICE TIP


Restricted water flow could be the result of a clogged screen in the manual shutoff valve. To check:

1. Turn off the master On/Off valve toggle.
2. Bleed off system pressure.
3. Turn OFF manual shutoff valve.
4. Remove water filter/regulator.
5. Check screen.

3-WAY SELECTOR

33.0104.05

☒52.00




- Air applications only
- 2 position, 3-way
- 1/8" barbs
- Surf 4 plastic toggle

PORTED 3-WAY

82.0305.04

☒42.50




- Air or water applications
- 10 3/32 ports (3)
- Panel mount
- Surf 4 plastic toggle


ROUTING/SELECTOR 1 FUNCTION

33.0051.01


☒260.00



- 2 position, 2-way
- 1 function for 2 hand-pieces
- Drive air only
- Surf 4 plastic toggle

2- OR 3-WAY MICRO33.0134.00 2-way (brass) \$23.5033.0138.00 3-way (SST) \$23.50


- 2-way, (brass ball) for Cascade bowl rinse and Excellence
- 3-way, stainless steel ball (SST), for Cascade cup fill and Excellence (replaces 29.0185.00)

2- OR 3-WAY MICRO38.0086.00 2-way \$73.0029.0146.00 3-way \$73.00

- 2-way, balanced for vacuum cuspidor
- 3-way, reverse

IN-LINE CHECK026.073.02 \$23.00

- 1/8" tubing barbs
- 15 psi minimum
- Arrow indicates direction of flow

SHUTTLE026.074.01 \$21.00

- 1/8" tubing barbs

TEE CHECK27.0005.03 \$35.00

- For Century I and II handpiece flush
- 1/8" barbs
- Arrow indicates direction of flow

2-WAY AIR BLEED33.0132.00 \$26.00

- For Cascade unitized holder
- Use for air bleed
- Snap fit mounting
- 1/8" barb

2-WAY AIR BLEED33.0025.00 \$13.50

- For Excellence holder and Cascade individual holder
- Use for air bleed
- Snap fit mounting
- 1/8" barb

2-WAY AIR BLEED33.0025.01 \$13.50


- For Continental whip and Excellence cuspidor
- Use for air bleed
- Snap fit mounting
- 1/8" barb

BRAKE ACTUATOR VALVE99.0667.00 Actuator valve \$6.25


- For controlhead brake on A-dec 500 and A-dec 300

SINGLE FLOW RESTRICTORS40.0281.00 1/4" OD tubing \$27.00025.052.00 3/8" OD tubing \$0.21

1/4" Brass




3/8" Plastic

DOUBLE FLOW RESTRICTOR23.0173.00 \$27.00

- 1/8" OD tubing
- Used for 3-way air/water syringe flow control
- O-ring added to adjustment screw for shipping. Discard after screw adjustment.

PRESSURE INDICATOR24.0100.03 \$90.00006.009.00
\$0.21

- Panel mount
- Black and silver bezels included
- Red indicator

PANEL MOUNTING BRACKETS026.036.00 Single \$2.0042.0701.00 Double \$15.0056.0339.00 Double for QDs \$15.00**TOGGLE, PLASTIC**33.0031.02 \$8.00

- On/Off
- Includes pin and toggle
- Surf 4

TOGGLE, PLASTIC33.0037.02 \$8.00

- Momentary
- Includes pin and toggle
- Surf 4

KNOB, 1/4" ID027.008.00 \$12.00Setscrew 007.001.00
\$0.10

- 1/4" ID with set screw
- Replaces all 1/4" knobs
- Aluminum
- Requires 6-32 hex key
- Easy-to-clean design