



CHAPMAN-HUFFMAN, INC.**NON-FIBER OPTIC 4-HOLE EURO STYLE HANDPIECE TUBING WITH NUT & CONNECTOR****NEW!**

<i>Black Straight</i>	15-140-00
<i>Gray Straight</i>	15-240-00
<i>Surf Straight</i>	15-280-00
<i>Surf 6 Straight</i>	15-440-00

- Non Fiber Optic 4 Hole
- Euro Asepsis Style lightweight, flexible 7 ft. handpiece tubing (12 ft. special available)

4 HOLE ASEPSIS HANDPIECE TUBING WITH NUT & CONNECTOR

<i>Black Coiled</i>	15-110-00
<i>Black Straight</i>	15-111-00
<i>Gray Coiled</i>	15-210-00
<i>Gray Straight</i>	15-211-00
<i>Surf Coiled</i>	15-270-00
<i>Surf Straight</i>	15-271-00
<i>Sterling Coiled</i>	15-370-00
<i>Sterling Straight</i>	15-371-00
<i>Surf 6 Coiled</i>	15-470-00
<i>Surf 6 Straight</i>	15-471-00

4 HOLE ASEPSIS HANDPIECE TUBING

<i>Black Coiled</i>	10-104-00
<i>Black Straight</i>	10-102-00
<i>Black 100' Roll</i>	10-102A-00
<i>Black 100' Spool</i>	10-102S-00
<i>Gray Coiled</i>	10-204-00
<i>Gray Straight</i>	10-202-00
<i>Gray 100' Roll</i>	10-202A-00
<i>Gray 100' Spool</i>	10-202S-00
<i>Surf Coiled</i>	10-275-00
<i>Surf Straight</i>	10-277-00
<i>Surf 100' Roll</i>	10-277A-00
<i>Surf 100' Spool</i>	10-277S-00
<i>Sterling Coiled</i>	10-375-00
<i>Sterling Straight</i>	10-377-00
<i>Sterling 100' Roll</i>	10-377A-00
<i>Sterling 100' Spool</i>	10-377S-00
<i>Surf 6 Coiled</i>	10-475-00
<i>Surf 6 Straight</i>	10-477-00
<i>Surf 6 100' Roll</i>	10-477A-00
<i>Surf 6 100' Spool</i>	10-477S-00

800-225-4621

CHAPMAN-HUFFMAN, INC.

4 HOLE ASEPSIS HANDPIECE TUBING W/ NUT & CONNECTOR (4' PIGTAIL)



Gray Coiled

15-212-00

- 1' Pigtail on one end and 4' pigtail on other end

4 HOLE ASEPSIS HANDPIECE TUBING (4' PIGTAIL)




Gray Coiled

10-206-00

- 1' Pigtail on one end and 4' pigtail on other end

2 HOLE (BOTH LARGE) HANDPIECE TUBING WITH NUT & CONNECTOR




Black Coiled

15-120-00

Black Straight

15-121-00




Gray Coiled

15-122-00

Gray Straight

15-123-00

2 HOLE (BOTH LARGE) HANDPIECE TUBING



Black Coiled

10-113-00

Black Straight

10-114-00

Black 100' Roll

10-114A-00

Black 100' Spool

10-114S-00



Gray Coiled

10-267-00

Gray Straight

10-268-00


Gray 100' Roll

10-268A-00

Gray 100' Spool

10-268S-00

4 HOLE HANDPIECE STRAIGHT BRAIDED TUBING



Light Gray Braid

10-026-00


Light Gray Braid 100' Roll

10-026A-00

Light Gray Braid 100' Spool


10-026S-00

800-225-4621


CHAPMAN-HUFFMAN, INC.**KAVO / MIDWEST & STAR STYLE REPLACEMENT TUBING**

<i>Black 7 ft. Straight</i>	15-232-00
<i>Black 10 ft. Straight</i>	15-233-00
<i>Gray 7 ft. Straight</i>	15-230-00
<i>Gray 10 ft. Straight</i>	15-231-00
<i>Surf Coiled</i>	10-296-00
<i>Surf 10 ft. Straight</i>	10-297-00


- Four Hole tubing with (2) 24 AWG low voltage wires

2 HOLE HANDPIECE TUBING

<i>Gray Coiled</i>	10-215-00
<i>Gray Straight</i>	10-216-00
<i>Gray 100' Roll</i>	10-216A-00
<i>Gray 100' Spool</i>	10-216S-00

3 HOLE ASEPSIS HANDPIECE TUBING W/ NUT & CONNECTOR

<i>Black Coiled</i>	15-115-00
<i>Black Straight</i>	15-116-00
<i>Gray Coiled</i>	15-215-00
<i>Gray Straight</i>	15-216-00
<i>Surf Coiled</i>	15-272-00
<i>Surf Straight</i>	15-273-00

3 HOLE ASEPSIS HANDPIECE TUBING

<i>Black Coiled</i>	10-105-00
<i>Black Straight</i>	10-103-00
<i>Black 100' Roll</i>	10-103A-00
<i>Black 100' Spool</i>	10-103S-00

<i>Gray Coiled</i>	10-205-00
<i>Gray Straight</i>	10-203-00
<i>Gray 100' Roll</i>	10-203A-00
<i>Gray 100' Spool</i>	10-203S-00


<i>Surf Coiled</i>	10-276-00
<i>Surf Straight</i>	10-278-00
<i>Surf 100' Roll</i>	10-278A-00
<i>Surf 100' Spool</i>	10-278S-00

<i>Surf 6 Straight</i>	10-478-00
<i>Surf 6 100' Roll</i>	10-478A-00
<i>Surf 6 100' Spool</i>	10-478S-00

800-225-4621

CHAPMAN-HUFFMAN, INC.

1 HOLE HANDPIECE TUBING



Black Coiled	10-125-00
Black Straight	10-126-00
Black 100' Roll	10-126A-00
Black 100' Spool	10-126S-00



2 HOLE ASEPSIS SYRINGE TUBING



Black Coiled	10-111-00
Black Straight	10-112-00
Black 100' Roll	10-112A-00
Black 100' Spool	10-112S-00



Gray Coiled	10-213-00
Gray Straight	10-214-00
Gray 100' Roll	10-214A-00
Gray 100' Spool	10-214S-00

Surf Coiled	10-285-00
Surf Straight	10-286-00
Surf 100' Roll	10-286A-00
Surf 100' Spool	10-286S-00

Sterling Coiled	10-385-00
Sterling Straight	10-386-00
Sterling 100' Roll	10-386A-00
Sterling 100' Spool	10-386S-00

Surf 6 Coiled	10-485-00
Surf 6 Straight	10-486-00
Surf 6 100' Roll	10-486A-00
Surf 6 100' Spool	10-486S-00

1 HOLE SYRINGE TUBING COILED



Black	10-110-00
Gray	10-210-00
Surf	10-283-00

- Single Hole 1/8 OD x 1/16 ID
- 7 Foot length

800-225-4621

CHAPMAN-HUFFMAN, INC.**ADEC STYLE SYRINGE TUBING ASSEMBLY**


Gray Sheath **10-027-00**

Surf Sheath **10-029-00**

Sterling Sheath **10-031-00**

Surf 6 Sheath **10-033-00**

- **2 hole tubing**
- 7 ft. standard tubing length
- Outer sheath will fit inside Chapman-Huffman syringe handle and others. Includes sheath retainer & ring
- Inner syringe tubing is gray

3 HOLE ASEPSIS SYRINGE TUBING

Black Coiled **10-122-00**

Black Straight **10-121-00**

Black 100' Roll **10-121A-00**

Black 100' Spool **10-121S-00**



Gray Coiled **10-224-00**

Gray Straight **10-223-00**

Gray 100' Roll **10-223A-00**

Gray 100' Spool **10-223S-00**

Surf Coiled **10-287-00**

Surf Straight **10-288-00**

Surf 100' Roll **10-288A-00**

Surf 100' Spool **10-288S-00**

ADEC STYLE SYRINGE TUBING ASSEMBLY

Gray Sheath **10-028-00**

Surf Sheath **10-030-00**

Sterling Sheath **10-032-00**

Surf 6 Sheath **10-034-00**

- **3 hole tubing**
- 7 ft. standard tubing length
- Outer sheath will fit inside Chapman-Huffman syringe handle and others
- Inner syringe tubing is gray

800-225-4621

CHAPMAN-HUFFMAN, INC.

HANDPIECE NUT AND CONNECTOR

14-090-00



- **BORDEN Style - 3 Hole**
- Connects to one, two or three-hole tubing
- Metal connector and stainless steel nut

HANDPIECE NUT AND CONNECTOR

14-100-00



- **MIDWEST Style - 4 Hole**
- Connects to one, two, three or four-hole tubing
- Metal connector and stainless steel nut

UNIVERSAL / BELMONT STYLE NUT AND CONNECTOR

14-260-00



- Connects to one, two, or three-hole tubing
- Metal connector and stainless steel nut
- Used as universal or as replacement for BELMONT

UNIVERSAL / BELMONT STYLE NUT AND CONNECTOR

14-262-00



- Connects to one, two, three or four-hole tubing
- Metal connector and stainless steel nut
- Used as universal or as replacement for BELMONT

800-225-4621

CHAPMAN-HUFFMAN, INC.**SWIVEL COUPLER****20-075-00**

- KAVO style handpiece Coupler
- 4 hole standard Non-Fiber Optic Swivel Coupler
- KAVO Cross ref. # 457/553-1210

HANDPIECE EXHAUST MUFFLER**20-260-00**

- Attaches to any four-hole handpiece tubing
- Particularly effective in quieting handpiece exhaust inside the control head

HSP HANDPIECE NUT SLEEVE**60-620-00**

- Fits Chapman-Huffman fiber optic handpiece tubing nut
- Installing this sleeve on Chapman-Huffman's fiber optic handpiece tubing nut, allows the nut to activate the HSP Auto Holder

HANDPIECE OIL COLLECTOR AND MUFFLER ASSEMBLY**20-150-00**

- Oil collector and muffler assembly for one to three handpieces
- Compact size jar 1 3/8" diameter X 1 1/4" long
- Filter element is a common gauze found in the dental office
- Minimum back pressure
- Can mount through unit base plate so jar can be removed for cleaning & filter element replacement
- Installation instructions
- ADEC cross ref. # 24.0410.00

AUTOCLAVABLE HANDPIECE GASKETS**4 HOLE****5 HOLE****2 OR 3 HOLE****6 HOLE****MIDWEST 4 Hole****20-248-00****MIDWEST 5 Hole****20-249-00****BORDEN 2/3 Hole****20-247-00****KAVO 6 Hole****20-253-00****KAVO cross ref. #553-5262**

- All are Autoclavable (325°F)

800-225-4621

CHAPMAN-HUFFMAN, INC.

MIDWEST QUIET-AIR STYLE BUR WRENCH

20-220-00



- Fits MIDWEST QUIET-AIR handpiece
- Autoclavable

MIDWEST 8000 / 8000i TRADITION STYLE BUR WRENCH

20-221-00



- Fits MIDWEST 8000 & 8000i Tradition handpiece
- Autoclavable

STAR 430 / VISTA STYLE BUR WRENCH

Square

20-222-00

Hexagonal

20-223-00



- Fits STAR handpieces as listed above
- Autoclavable

STANDARD BUR WRENCH

20-224-00



- Fits NSK, PANA-AIR, NAMINEX, TRUE-SPEED, HEALTHCO, SCHEIN, SUPER TRAC, SAFCO, CHAMPION, ATHENA AC 4000 and JOHNSON-PROMIDENT handpieces
- Autoclavable

HANDPIECE ADAPTER

20-001-00



- Adapts 4 hole MIDWEST type handpiece to two hole or three hole BORDEN handpiece hose connector

HANDPIECE ADAPTER

20-002-00



- Adapts two hole or three hole BORDEN handpiece to a four hole MIDWEST type connector


4 HOLE HANDPIECE TUBING CONNECTOR ASSEMBLY

14-350-00




- Connects 4 hole handpiece tubings together
- Plastic/brass construction

800-225-4621

CHAPMAN-HUFFMAN, INC.**PROPHYLAXIS UNIT REPLACEMENT TUBING**

Black 7 Ft.	10-005-00
Black 10 Ft.	10-055-00
Gray 7 Ft.	10-008-00

- Fits DENTSPLY/CAVITRON/ PROPHY-JET model C-100 and C-200
- Color coded
- (1) air and (1) water tube
- **Both tube ID's are identical in size**

PROPHYLAXIS UNIT REPLACEMENT TUBING

Black 7 Ft.	10-014-00
Black 10 Ft.	10-045-00
Gray 7 Ft.	10-016-00

- Fits PROPHY-JET 30
- Fits DENTSPLY/CAVITRON PROPHY-JET model C-300 (cross ref. # 60489) & CAVI-JET model G105
- Color coded
- (1) air and (1) water tube
- **Water tube ID is smaller than air tube ID**

HANDPIECE CABLE ASSEMBLY

Black Jacket 7 Ft.	10-003-00
Black Jacket 10 Ft.	10-004-00

- Fits DENTSPLY Cavi-jet 30
- Color coded (1) air, (1) water tube, and (3) low voltage wires

CAVITRON STYLE REPLACEMENT TUBING ASSEMBLY

Black 7 Ft.	10-040-00
--------------------	------------------

- Exact replacement for tubing assembly only as pictured. Used on DENTSPLY 3000 handpiece & tubing assembly # 63737
- Fits BOBCAT cross ref. # 776030102
- Fits CAVI-ENDO 25, CAVITRON 660, 1010 & 2002
- (1) water tube
- (3) color coded 24 Ga. low voltage wires - white, red, green

800-225-4621

CHAPMAN-HUFFMAN, INC.

ULTRASONIC SCALER REPLACEMENT TUBING



Black 7 Ft.	10-010-00
Black 15 Ft.	10-011-00
Gray 7 Ft.	10-012-00
Gray 15 Ft.	10-013-00

- Fits either 2 or 3 wire applications
- (3) color coded 24 AWG low voltage wires - white, red, black
- (1) water tube
- 7 or 15 ft. length

COILED ULTRASONIC SCALER REPLACEMENT TUBING



Gray	10-007-00
-------------	------------------

- Fits either 2 or 3 wire applications
- (3) color coded 24 AWG low voltage wires - red, white, black
- (1) water tube
- 7 ft. length
- Gray jacket

BRAIDED UMBILICAL BUNDLE



10-020-00

- Braided fabric housing (gray)
- (2) 1/4" OD interconnect
- (9) 1/8" OD interconnect
- (4) 24 AWG low voltage wire

BRAIDED ACCESSORY BUNDLE



10-025-00

- Braided fabric housing (gray)
- (8) 1/8 OD interconnect tubing color coded

BRAIDED UMBILICAL BUNDLE



10-085-00

- Gray, braided fabric housing
- (1) 1/4 OD interconnect
- (9) 1/8 OD interconnect
- (2) 24 AWG low voltage wires
- Color coded interconnects

800-225-4621

CHAPMAN-HUFFMAN, INC.**1/8 OD POLYURETHANE TUBING***Per Foot**100' Roll**100' Spool*

<i>Black</i>	<i>10-128-00</i>	<i>10-128A-00</i>	<i>10-128S-00</i>
<i>Clear</i>	<i>10-302-00</i>	<i>10-302A-00</i>	<i>10-302S-00</i>
<i>Gray</i>	<i>10-233-00</i>	<i>10-233A-00</i>	<i>10-233S-00</i>
<i>Red</i>	<i>10-401-00</i>	<i>10-401A-00</i>	<i>10-401S-00</i>
<i>White</i>	<i>10-501-00</i>	<i>10-501A-00</i>	<i>10-501S-00</i>
<i>Blue</i>	<i>10-601-00</i>	<i>10-601A-00</i>	<i>10-601S-00</i>
<i>Green</i>	<i>10-701-00</i>	<i>10-701A-00</i>	<i>10-701S-00</i>
<i>Orange</i>	<i>10-801-00</i>	<i>10-801A-00</i>	<i>10-801S-00</i>
<i>Yellow</i>	<i>10-902-00</i>	<i>10-902A-00</i>	<i>10-902S-00</i>
<i>Purple</i>	<i>10-095-00</i>	<i>10-095A-00</i>	<i>10-095S-00</i>
<i>Surf</i>	<i>10-284-00</i>	<i>10-284A-00</i>	<i>10-284S-00</i>

1/4 OD POLYURETHANE TUBING*Per Foot**100' Roll**100' Spool*

<i>Black</i>	<i>10-127-00</i>	<i>10-127A-00</i>	<i>10-127S-00</i>
<i>Clear</i>	<i>10-301-00</i>	<i>10-301A-00</i>	<i>10-301S-00</i>
<i>Gray</i>	<i>10-232-00</i>	<i>10-232A-00</i>	<i>10-232S-00</i>
<i>Red</i>	<i>10-400-00</i>	<i>10-400A-00</i>	<i>10-400S-00</i>
<i>White</i>	<i>10-500-00</i>	<i>10-500A-00</i>	<i>10-500S-00</i>
<i>Blue</i>	<i>10-600-00</i>	<i>10-600A-00</i>	<i>10-600S-00</i>
<i>Green</i>	<i>10-700-00</i>	<i>10-700A-00</i>	<i>10-700S-00</i>
<i>Orange</i>	<i>10-800-00</i>	<i>10-800A-00</i>	<i>10-800S-00</i>
<i>Yellow</i>	<i>10-901-00</i>	<i>10-901A-00</i>	<i>10-901S-00</i>

800-225-4621

CHAPMAN-HUFFMAN, INC.

1/4 OD BRAIDED TUBING



<i>Gray Braided Straight</i>	<i>10-023-00</i>
<i>Gray Braided 100' Roll</i>	<i>10-023A-00</i>
<i>Gray Braided 100' Spool</i>	<i>10-023S-00</i>
<i>Blue Braided Straight</i>	<i>10-018-00</i>
<i>Blue Braided 100' Roll</i>	<i>10-018A-00</i>
<i>Blue Braided 100' Spool</i>	<i>10-018S-00</i>

3/8 OD POLYURETHANE TUBING



	<i>Per Foot</i>	<i>100' Roll</i>	<i>100' Spool</i>
<i>Gray</i>	<i>10-231-00</i>	<i>10-231A-00</i>	<i>10-231S-00</i>
<i>Blue</i>	<i>10-602-00</i>	<i>10-602A-00</i>	<i>10-602S-00</i>
<i>Yellow</i>	<i>10-900-00</i>	<i>10-900A-00</i>	<i>10-900S-00</i>
<i>Clear</i>	<i>10-300-00</i>	<i>10-300A-00</i>	<i>10-300S-00</i>

POLY-FLO TYPE TUBING



1/4 OD X .170 ID

<i>Per Foot</i>	<i>10-310-00</i>
<i>100' Roll</i>	<i>10-310A-00</i>

3/8 OD X 1/4 ID

<i>Per Foot</i>	<i>10-311-00</i>
<i>100' Roll</i>	<i>10-311A-00</i>

- **Not meant for flexible applications**
- Used for water supply to single or twin vacuum pumps that have building water shut-off valves that are shut-off at the end of each work day
- Burst pressure @ 73°F = 550 PSI
- **Use w/poly nut w/metal sleeve (1/4) 95-036-00 or (3/8) 95-040-00 type fittings only**
- Natural polyethylene color

800-225-4621

CHAPMAN-HUFFMAN, INC.**2 HOLE ASEPSIS FOOT CONTROL TUBING**

<i>Gray Vinyl</i>	<i>10-237-00</i>
<i>Gray 100' Roll</i>	<i>10-237A-00</i>
<i>Gray 100' Spool</i>	<i>10-237S-00</i>
<i>Surf Vinyl</i>	<i>10-290-00</i>
<i>Surf 100' Roll</i>	<i>10-290A-00</i>
<i>Surf 100' Spool</i>	<i>10-290S-00</i>
<i>Sterling Vinyl</i>	<i>10-390-00</i>
<i>Sterling 100' Roll</i>	<i>10-390A-00</i>
<i>Sterling 100' Spool</i>	<i>10-390S-00</i>
<i>Surf 6 Vinyl</i>	<i>10-490-00</i>
<i>Surf 6 100' Roll</i>	<i>10-490A-00</i>
<i>Surf 6 100' Spool</i>	<i>10-490S-00</i>
<i>Gray Polyurethane</i>	<i>10-238-00</i>
<i>Gray 100' Roll</i>	<i>10-238A-00</i>
<i>Gray 100' Spool</i>	<i>10-238S-00</i>
<i>Surf Polyurethane</i>	<i>10-291-00</i>
<i>Surf 100' Roll</i>	<i>10-291A-00</i>
<i>Surf 100' Spool</i>	<i>10-291S-00</i>
<i>Sterling Polyurethane</i>	<i>10-391-00</i>
<i>Sterling 100' Roll</i>	<i>10-391A-00</i>
<i>Sterling 100' Spool</i>	<i>10-391S-00</i>
<i>Surf 6 Polyurethane</i>	<i>10-491-00</i>
<i>Surf 6 100' Roll</i>	<i>10-491A-00</i>
<i>Surf 6 100' Spool</i>	<i>10-491S-00</i>

2 HOLE FOOT CONTROL TUBING

<i>Gray Vinyl</i>	<i>10-229-00</i>
<i>Gray 100' Roll</i>	<i>10-229A-00</i>
<i>Gray 100' Spool</i>	<i>10-229S-00</i>
<i>Gray Polyurethane</i>	<i>10-230-00</i>
<i>Gray 100' Roll</i>	<i>10-230A-00</i>
<i>Gray 100' Spool</i>	<i>10-230S-00</i>

800-225-4621

CHAPMAN-HUFFMAN, INC.**3 HOLE FOOT CONTROL TUBING**

<i>Gray Polyurethane</i>	<i>10-228-00</i>
<i>Gray 100' Roll</i>	<i>10-228A-00</i>
<i>Gray 100' Spool</i>	<i>10-228S-00</i>
<i>Sterling Polyurethane</i>	<i>10-395-00</i>
<i>Sterling 100' Roll</i>	<i>10-395A-00</i>
<i>Sterling 100' Spool</i>	<i>10-395S-00</i>
<i>Surf 6 Polyurethane</i>	<i>10-495-00</i>
<i>Surf 6 100' Roll</i>	<i>10-495A-00</i>
<i>Surf 6 100' Spool</i>	<i>10-495S-00</i>

4 HOLE ASEPSIS FOOT CONTROL TUBING

<i>Gray Polyurethane</i>	<i>10-222-00</i>
<i>Gray 100' Roll</i>	<i>10-222A-00</i>
<i>Gray 100' Spool</i>	<i>10-222S-00</i>
<i>Surf Polyurethane</i>	<i>10-294-00</i>
<i>Surf 100' Roll</i>	<i>10-294A-00</i>
<i>Surf 100' Spool</i>	<i>10-294S-00</i>
<i>Sterling Polyurethane</i>	<i>10-394-00</i>
<i>Sterling 100' Roll</i>	<i>10-394A-00</i>
<i>Sterling 100' Spool</i>	<i>10-394S-00</i>
<i>Surf 6 Polyurethane</i>	<i>10-494-00</i>
<i>Surf 6 100' Roll</i>	<i>10-494A-00</i>
<i>Surf 6 100' Spool</i>	<i>10-494S-00</i>

4 HOLE FOOT CONTROL TUBING

<i>Gray Vinyl</i>	<i>10-226-00</i>
<i>Gray 100' Roll</i>	<i>10-226A-00</i>
<i>Gray 100' Spool</i>	<i>10-226S-00</i>
<i>Gray Polyurethane</i>	<i>10-227-00</i>
<i>Gray 100' Roll</i>	<i>10-227A-00</i>
<i>Gray 100' Spool</i>	<i>10-227S-00</i>

800-225-4621

CHAPMAN-HUFFMAN, INC.**5 HOLE FOOT CONTROL TUBING**

<i>Gray Polyurethane</i>	<i>10-225-00</i>
<i>Gray 100' Roll</i>	<i>10-225A-00</i>
<i>Gray 100' Spool</i>	<i>10-225S-00</i>

5 HOLE FOOT CONTROL TUBING WITH SHEATH

<i>Gray Sheath</i>	<i>10-299-00</i>
<i>Surf 6 Sheath</i>	<i>10-497-00</i>
<i>ADEC Cross ref # 024.179.00</i>	

- ADEC Style 5 hole asepsis replacement Foot Control tubing with sheath
- Fits all Chapman-Huffman Relay Foot Controls
- Color and Dash Coded internal tubings

7/32 ID SALIVA EJECTOR TUBING

<i>Gray Vinyl</i>	<i>10-235-00</i>
<i>Gray 100' Roll</i>	<i>10-235A-00</i>
<i>Gray 100' Spool</i>	<i>10-235S-00</i>
<i>Surf Vinyl</i>	<i>10-289-00</i>
<i>Surf 100' Roll</i>	<i>10-289A-00</i>
<i>Surf 100' Spool</i>	<i>10-289S-00</i>
<i>Sterling Vinyl</i>	<i>10-389-00</i>
<i>Sterling 100' Roll</i>	<i>10-389A-00</i>
<i>Sterling 100' Spool</i>	<i>10-389S-00</i>
<i>Surf 6 Vinyl</i>	<i>10-489-00</i>
<i>Surf 6 100' Roll</i>	<i>10-489A-00</i>
<i>Surf 6 100' Spool</i>	<i>10-489S-00</i>
<i>Braided Vinyl</i>	<i>10-024-00</i>
<i>Braided 100' Roll</i>	<i>10-024A-00</i>
<i>Braided 100' Spool</i>	<i>10-024S-00</i>

800-225-4621

CHAPMAN-HUFFMAN, INC.

3/16 ID SALIVA EJECTOR TUBING



<i>Gray Vinyl</i>	<i>10-234-00</i>
<i>Gray 100' Roll</i>	<i>10-234A-00</i>
<i>Gray 100' Spool</i>	<i>10-234S-00</i>

FLUSH CUP TUBING



10-243-00

- Fits ADEC flush cup
- 1/4 ID drain tube X 3/16 ID water tube
- Gray
- ADEC cross ref. # 024.087.00

FLUSH CUP TUBING



10-242-00

- 7/16 ID drain tube X .135 ID water tube
- Gray

7/16 ID DRAIN TUBING



<i>Gray Vinyl</i>	<i>10-236-00</i>
<i>Gray 100' Roll</i>	<i>10-236A-00</i>
<i>Gray 100' Spool</i>	<i>10-236S-00</i>

1/2 ID ASEPSIS VACUUM TUBING



<i>Gray</i>	<i>25 Ft. Roll</i>	<i>10-239-00</i>
<i>Surf</i>	<i>25 Ft. Roll</i>	<i>10-271-00</i>
<i>Sterling</i>	<i>25 Ft. Roll</i>	<i>10-371-00</i>
<i>Surf 6</i>	<i>25 Ft. Roll</i>	<i>10-471-00</i>

- Smooth exterior surface
- Inner bore construction designed to resist collapsing and kinking
- Ultra flexibility
- Lightweight
- Contains no latex

800-225-4621

CHAPMAN-HUFFMAN, INC.**1/2 ID ASEPSI-FLEX VACUUM TUBING**

<i>Gray</i>	<i>25 Ft. Roll</i>	<i>10-360-00</i>
<i>Surf</i>	<i>25 Ft. Roll</i>	<i>10-295-00</i>
<i>Sterling</i>	<i>25 Ft. Roll</i>	<i>10-372-00</i>
<i>Surf 6</i>	<i>25 Ft. Roll</i>	<i>10-472-00</i>

- Smoother exterior surface
- Lightweight
- Ultra flexibility
- Special smooth inner bore construction
- Crush and kink resistant

5/8 ID ASEPSI-FLEX VACUUM TUBING

<i>Gray 25 Ft. Roll</i>	<i>10-361-00</i>
-------------------------	------------------

- Smoother exterior surface
- Lightweight
- Ultra flexibility
- Special smooth inner bore construction
- Crush and kink resistant

CHAYES TYPE BRAIDED VACUUM TUBING**10-017-00**

- Gray braided latex tubing
- 3/8 ID X 5/8 OD
- Fits CHAYES retraction pulleys and others
- **Note! Not recommended for use within 5 ft. of vacuum handpieces**

PVC FLEXIBLE PIPE

<i>3/4" ID</i>	<i>10-350-00</i>
<i>1" ID</i>	<i>10-351-00</i>
<i>1 1/4" ID</i>	<i>10-352-00</i>
<i>1 1/2" ID</i>	<i>10-353-00</i>

- **The Flexible Pipe is designed for cementing into PVC slip fittings like you would rigid PVC pipe**
- Used for water injected vacuum pump intake and exhaust line only
- Flexible for easy handling and installation
- Use with listed PVC solvent cements and primers
- Color - white
- **Note! Not recommended for static pressure applications**

800-225-4621

CHAPMAN-HUFFMAN, INC.

3/4 ID VACUUM PUMP TUBING



25 Ft. Roll

10-340-00

- Commonly used for the plumbing of vacuum pump to building and drain
- 3/4 ID X 1 OD clear with white helix reinforced wall
- Smooth inner surface for easy flow
- Smooth outer surface
- Flexible

1 ID VACUUM PUMP TUBING




25 Ft. Roll

10-345-00

- Commonly used for the plumbing of vacuum pump to building and drain
- 1 ID X 1 1/4 OD clear w/ white helix reinforced wall
- Smooth inner surface for easy flow
- Smooth outer surface
- Flexible

ROUTING CABLE ASSEMBLY



20-257-00

- For pulling an extra 1/8 OD or 1/4 OD tubing, or a needed low voltage electrical wire through an existing umbilical assembly
- 12 ft. in length
- Stainless steel construction
- Easily coiled to fit in any tool case

CORRUGATED TUBING



All Gray Tubing

25 Ft. Length

1/2 ID Vacuum 10-250-00

5/8" ID Vacuum 10-251-00

3/4" ID Vacuum or Umbilical 10-252-00

7/8" ID Vacuum 10-347-00

Note: When using the 7/8" Vacuum product on DENTSPLY vacuum pumps, it is recommended to also use 20-044-00 7/8" ID Corrugated tubing Cuff, for better seal.

1" ID Vacuum or Umbilical 10-253-00

1 1/4" ID Umbilical 10-254-00

1 1/2" ID Umbilical 10-255-00

1 3/4" ID Umbilical 10-256-00

2" ID Umbilical 10-257-00

800-225-4621

CHAPMAN-HUFFMAN, INC.**CORRUGATED TUBING CUFFS**

5/8" ID	20-035-00
3/4" ID	20-036-00
7/8 ID	20-044-00
1" ID	20-037-00
1 1/4" ID	20-038-00
1 1/2" ID	20-039-00
2" ID	20-041-00

- These cuffs fit the vacuum and umbilical tubing Chapman-Huffman stocks
- Also, they create a smooth fit that easily connects to a vacuum port and makes a tight fit around the end of the tubing
- The small end of the cuff is the same ID as the ID of the tubing (no flow restriction)
- The large end of the cuff is threaded, making installation quick and simple. Simply screw the threaded end of the cuff onto the outside of the tubing for a strong, secure connection.
- Gray color

UMBILICAL AND FOOT CONTROL TUBING FLANGES

9/16" ID Flange (Fits foot control tubing)	20-300-00
7/8" ID Flange (Fits 1/2" ID & 5/8" ID tubing)	20-302-00
1" ID Flange (Fits 3/4" ID tubing)	20-305-00
1 3/8" ID Flange (Fits 1" ID tubing)	20-307-00
1 5/8" ID Flange (Fits 1 1/4" ID tubing)	20-309-00
2" ID Flange (Fits 1 1/2" ID & 1 3/4" ID tubing)	20-311-00

- Aluminum Construction
- Light gray '**Powder Coat**' finish
- Mounting screws

800-225-4621