

SELF-CONTAINED WATER SYSTEM-SINGLE BOTTLE





- High density bottle, 1 Liter (2)
- · Mini air pressure regulator
- · 3-way toggle valve
- · Interconnect tubing
- · Mounting hardware





SELF-CONTAINED WATER SYSTEM-DUAL BOTTLE

Controlled dispensing system for antiseptic coolant or sterile water. May be used with handpiece controls and 3-way syringes.



- High density bottle, 1 Liter (2)
- · Mini air pressure regulator
- 3-way toggle valve
- Interconnect tubing
- · Mounting hardware





PRICE	DESCRIPTION	PART NO.
295.00	2" DIA. POST MOUNT SYSTEM	1700-126
250.00	WALL MOUNT SYSTEM	1700-121
275.00	BENEATH SHELF MOUNT SYSTEM	1700-120
28.00	REPLACEMENT PRESSURE HEAD	1100-281
.60	REPLACEMENT WASHER	0011-011

Accessories **F**

SELF-CONTAINED WATER SYSTEM W/ GAUGE-SINGLE BOTTLE





Controlled dispensing system for antiseptic coolant or sterile water. May be used with handpiece controls and 3-way syringes.

FEATURES

- High density bottle, 1 Liter (2)
- · Mini air pressure regulator
- · 3-way toggle valve
- Interconnect tubing
- · Mounting hardware

PRICE	DESCRIPTION	PART NO.
195.00	2" DIA. POST MOUNT SYSTEM	1700-200
175.00	WALL MOUNT SYSTEM	1700-201
28.00	REPLACEMENT PRESSURE HEAD	1100-281
.60	REPLACEMENT WASHER	0011-011

SELF-CONTAINED WATER SYSTEM W/ GAUGE-DUAL BOTTLE





Controlled dispensing system for antiseptic coolant or sterile water. May be used with handpiece controls and 3-way syringes.

FEATURES

- High density bottle, 1 Liter (2)
- Mini air pressure regulator
- · 3-way toggle valve
- · Interconnect tubing
- · Mounting hardware

PRICE	DESCRIPTION	PART NO.
320.00	2" DIA. POST MOUNT SYSTEM	1700-226
275.00	WALL MOUNT SYSTEM	1700-221
300.00	BENEATH SHELF MOUNT SYSTEM	1700-220
28.00	REPLACEMENT PRESSURE HEAD	1100-281
.60	REPLACEMENT WASHER	0011-011

HIGH DENSITY BOTTLE



1-800-423-3555

For use with clean water systems.

FEATURES

- · Opaque bottle
- High Density Polyethylene (HDPE)

PRICE	DESCRIPTION	PART NO.
20.00	HIGH DENSITY ONE LITER BOTTLE	0010-364
30.00	HIGH DENSITY 1-1/2 LITER BOTTLE	0010-464

Fax: (503) 640-4008

ORALITE HANDPIECE ILLUMINATION SYSTEM



A compact handpiece illumination system that installs easily to any handpiece control and is compatible with any standard power optic handpiece. An easy to replace krypton lamp provides brilliant, cool light for intra-oral use.

PRICE	DESCRIPTION
240.00	110VAC
275.00	220VAC

FEATURES

- ISO standard power optic handpiece terminal with stainless steel adapter and nut (5-hole Midwest)
- Asepsis style handpiece tubing, 7'
- Krypton lamp, 3.5VAC, 720mA
- Power transformer, output 3.5VAC, 700mA
- · Air electric switch
- · Installation hardware

Note: 220VAC is only offered in a Euro style plug

DESCRIPTION	PART NO.	PART NO.
	110VAC	220VAC
	(60Hz)	(50Hz)
STRAIGHT STERLING	1700-018	1700-048
COILED STERLING	1700-022	1700-049
STRAIGHT GRAY	1700-010	1700-038
COILED GRAY	1700-008	1700-036
STRAIGHT BLACK	1700-002	1700-039
COILED BLACK	1700-003	1700-037
STRAIGHT SHADOW	1700-518	1700-548
COILED SHADOW	1700-522	1700-549

HANDPIECE ILLUMINATION TUBING KIT

Used to add extra power optic handpiece to above illumination system.



FEATURES

- ISO standard power optic handpiece terminal with stainless steel adapter and nut (5-hole Midwest)
- · Asepsis style handpiece tubing, 7'
- Krypton lamp, 3.5VAC, 720mA
- · Air electric switch
- · Installation hardware

PRICE	DESCRIPTION	PART NO.
190.00	STRAIGHT STERLING	0017-694
190.00	COILED STERLING	0017-700
190.00	STRAIGHT GRAY	0017-684
190.00	COILED GRAY	0017-683
190.00	STRAIGHT BLACK	0017-682
190.00	COILED BLACK	0017-681
190.00	STRAIGHT SHADOW	0017-584
190.00	COILED SHADOW	0017-500

HANDPIECE ILLUMINATION REPLACEMENT TUBING

Used to replace power optic handpiece tubing.



FEATURES

- ISO standard power optic handpiece terminal with stainless steel adapter and nut (5-hole Midwest)
- · Asepsis style handpiece tubing, 7'
- Krypton lamp, 3.5VAC, 720mA

PRICE	DESCRIPTION	PART NO.
170.00	STRAIGHT STERLING	0017-692
170.00	COILED STERLING	0017-699
170.00	STRAIGHT GRAY	0017-686
170.00	COILED GRAY	0017-689
170.00	STRAIGHT BLACK	0017-675
170.00	COILED BLACK	0017-688
170.00	STRAIGHT SHADOW	0017-592
170.00	COILED SHADOW	0017-599

ACCESSORIES



A compact handpiece illumination system that installs easily to any handpiece control and is compatible with any ISO-C handpiece (6-Pin).

PRICE DESCRIPTION 265.00 110VAC 300.00 220VAC

FEATURES

- ISO-C standard power optic handpiece terminal (6-Pin)
- Asepsis style handpiece tubing, 7'
- Power transformer, output 3.5VAC, 700mA
- · Air electric switch
- Installation hardware

Note: 220VAC is only offered in a Euro

style plug

	DESCRIPTION	PART NO.	PART NO.
		110VAC	220VAC
		(60Hz)	(50Hz)
0459	STRAIGHT STERLING	1700-603	1700-604
	STRAIGHT GRAY	1700-600	1700-601
	STRAIGHT BLACK	1700-800	1700-801
	STRAIGHT SHADOW	1700-904	1700-902

HANDPIECE ILLUMINATION TUBING KIT, 6-PIN

Used to add extra power optic handpiece to above illumination system.



FEATURES

- ISO-C power optic handpiece terminal (6-Pin)
- · Asepsis style handpiece tubing, 7'
- · Air electric switch
- · Installation hardware

PRICE	DESCRIPTION	PART NO.
215.00	STRAIGHT STERLING	0017-994
215.00	STRAIGHT GRAY	0017-984
215.00	STRAIGHT BLACK	0017-982
215.00	STRAIGHT SHADOW	0017-985

HANDPIECE ILLUMINATION TUBING, 6 PIN



FEATURES

• ISO-C handpiece tubing, 7' w/ connector (6-Pin)

PRICE	DESCRIPTION	PART NO.
195.00	STRAIGHT STERLING	0017-603
195.00	STRAIGHT GRAY	0017-600
195.00	STRAIGHT BLACK	0017-903
195.00	STRAIGHT SHADOW	0017-900

Fax: (503) 640-4008



TRANSFORMER, 3.5 VAC, 700 mA



Note: 220VAC is only offered in a Euro style plug

 PRICE
 DESCRIPTION
 PART NO.

 50.00
 110VAC (60HZ)
 0014-065

 85.00
 220VAC (50HZ)
 0014-115

AIR ACTUATED ELECTRIC SWITCH



FEATURES

- 120VAC, 5 amp switch
- 15-150 PSI operating range
- 10-32 x 1/16" barb fitting
- 18 awg wire, 6"
- Mounting hardware, 15/32-32

PRICEDESCRIPTIONPART NO.25.00NORMALLY OPEN0014-08525.00NORMALLY CLOSED0014-088

WIRE NUT



Used for Oralite Handpiece Illumination System wire connections in lieu of terminal strip, 16-22 gauge.

PRICE DESCRIPTION
2.50 PACKAGE OF 10

PART NO. 0014-182

TIME DELAY KIT



Time delay module for use with Oralite Handpiece Illumination System. Easily installed kit retrofits all existing Oralite systems. One required per handpiece.

FEATURES

- 10 second delay after foot control is released
- · Complete installation instructions

PRICEDESCRIPTIONPART NO.130.00TIME DELAY KIT0014-122

TERMINAL STRIP



Used for Oralite Handpiece Illumination System wire connections.

 PRICE
 DESCRIPTION
 PART NO.

 4.00
 4 CIRCUIT
 0014-066

 5.00
 6 CIRCUIT
 0014-064



KRYPTON LAMP



For use in handpiece illumination system, 3.5VAC, 720mA.

PRICE DESCRIPTION
55.00 KRYPTON LAMP

PART NO. 0014-067

STORAGE ORGANIZER ASSEMBLY



For use with mobile cabinets or assistant's carts. Provides two position rest for storage organizer (10° and 30°).

FEATURES

- Storage organizer with removable hinged cover
- Organizer holder assembly
- Universal mounting brackets, horizontal or vertical surface

 PRICE
 DESCRIPTION
 PART NO.

 225.00
 4 POSITION, 22-3/4" WIDTH
 1110-700

 175.00
 3 POSITION, 19-3/4" WIDTH
 1110-719

STORAGE ORGANIZER WITH COVER



For use with storage organizer holders.

FEATURES

- · Storage organizer with removable hinged cover
- Storage dividers

PRICE	DESCRIPTION	PART NO.
24.00	STORAGE ORGANIZER	0010-165
2.00	ORGANIZER HINGE ONLY	0010-164
3.25	HALF DIVIDER	0010-344
4.25	FULL DIVIDER	0010-343

X-RAY VIEWER II



INCLUDES

- 5 watt bulb (2)
- On/off button
- Transformer
- Viewing Area(5 1/4" X 4") Overall Size(6 1/4" X 6 1/4")
- Viewer mounting bracket

 PRICE
 DESCRIPTION
 PART NO.

 300.00
 110VAC
 0014-271

 350.00
 220VAC
 0014-272

MOBILE STAND



FEATURES

- Powder coat finish
- · Adjustable height, 23" to 32"
- 2" diameter
- 15^o angled upright
- Mounting plate, 6" x 6"
- Twin wheel casters

PRICE DESCRIPTION

500.00 SMALL STAND (18" W X 18" D)

PART NO. 4003-097

Fax: (503) 640-4008



H-TYPE MOBILE STAND

FEATURES

- · Powder coat finish
- Adjustable height: 26" to 39"
- · 2" diameter
- Vertical upright
- Mounting plate, 4-1/2" x 6"
- Twin wheel casters

PRICE DESCRIPTION

750.00 LARGE STAND (24-1/2" W X 18" D)

PART NO. 4003-135

CONTROL POST



FEATURES

- · Powder coat finish
- 2" diameter
- 1-1/2" I.D. Bronze bearing

PRICE	DESCRIPTION	PART NO.
150.00	CONTROL POST, 24"	1110-481
165.00	CONTROL POST, 24" W/ SLOT	1110-588
175.00	CONTROL POST, 30"	1110-480
190.00	CONTROL POST, 30" W/ SLOT	1110-592

POST CAP



Provides finished end for above control posts when using 2" diameter post mount arms. Plastic.

PRICE DESCRIPTION 18.00 POST CAP **PART NO.** 0010-140



Provides finished top for 2" diameter light posts, powdercoated.

PRICE DESCRIPTION 5.00 POST CAP

PART NO. 0010-141

CART SLEEVE



Delrun spacer for enlarging diameter of post to accept 2" diameter clamp.

PRICE DESCRIPTION PART NO. 30.00 CART SLEEVE 0010-195



LIGHT POST EXTENSION

Designed for use with any 2" diameter post.



- **FEATURES**
- · Powder coat finish
- 24" light post
- Post clamp
- · Light adapter
- · Power cord, 8'

PRICE **DESCRIPTION** PART NO. 230.00 FOR PELTON & CRANE 1110-517 230.00 FOR FOREST/CASTLE 1110-518

POST CLAMP



Designed to adapt light post to control post.

PRICE **DESCRIPTION** 50.00 POST CLAMP

PART NO. 1110-516

LIGHT POST **FEATURES** Powder coat finish 2" diameter PRICE **DESCRIPTION** PART NO. LIGHT POST, 24" 115.00 1110-503 125,00 LIGHT POST, 30" 1110-578 125.00 LIGHT POST, 35" 1110-665 140.00 LIGHT POST, 40" 1110-504 140.00 LIGHT POST, 44" 1110-643

BUSHING



Designed to adapt light to above light posts.

PRICE **DESCRIPTION** PART NO. 25.00 FOR PELTON & CRANE 1110-510 25.00 FOR FOREST/CASTLE 1110-582

FLOOR MOUNTED FEATURES • Powder coat post, 2" O.D. x 54" L BESIDE BENEATH Powder coat base CHAIR CHAIR 120V duplex outlet · Power cord · Light adapters **PRICE DESCRIPTION** PART NO. **BESIDE CHAIR** 510.00 FOR FOREST/CASTLE 1115-094-F 510.00 FOR PELTON & CRANE 1115-094-PC BENEATH CHAIR 760.00 FOR FOREST/CASTLE 1115-098-F 760.00 1115-098-PC FOR PELTON & CRANE

Fax: (503) 640-4008

1-800-423-3555