





Holder assembly with miniature valve and actuator, provides air signal to automatic control block for holdback when handpiece is placed into the holder.

FEATURES

- Miniature signal valve and actuator
- On/off lockout toggle with red indicator
- Non-marring, plastic holder
- Aluminum mounting adapter for 1/2" dia. holder bar

PRICE	DESCRIPTION	PART NO.
55.00	w/LOCKOUT TOGGLE (GRAY)	0010-235
55.00	w/LOCKOUT TOGGLE (BLACK)	0010-017
40.00	w/o LOCKOUT TOGGLE (GRAY)	0010-234
65.00	DELUXE STYLE (WHITE)	0010-636
65.00	DELUXE STYLE (BLACK)	0010-636-BLK
67.50	DELUXE NOTCHED (WHITE)	0010-736
67.50	DELUXE NOTCHED (BLACK)	0010-736-BLK
37.50	VALUE STYLE (WHITE)	0010-379

AUTOMATIC ACCESSORY HOLDER



Holder assembly with miniature valve and actuator, provides air signal to an accessory, such as an air electric switch, while the handpiece is out of holder.

FEATURES

- · Miniature signal valve and actuator
- On/off lockout toggle with yellow indicator
- · Non-marring, plastic holder
- Aluminum mounting adapter for 1/2" dia. holder bar

DESCRIPTION W/LOCKOUT TOGGLE (GRAY) W/LOCKOUT TOGGLE (BLACK) W/o LOCKOUT TOGGLE (GRAY) DELUXE STYLE (WHITE) DELUXE STYLE (BLACK) DELUXE NOTCHED (WHITE)	PART NO. 0010-245 0010-094 0010-244 0010-646 0010-646-BLK 0010-746
DELUXE NOTCHED (WHITE) DELUXE NOTCHED (BLACK)	0010-746 0010-746-BLK
	w/LOCKOUT TOGGLE (GRAY) w/LOCKOUT TOGGLE (BLACK) w/o LOCKOUT TOGGLE (GRAY) DELUXE STYLE (WHITE) DELUXE STYLE (BLACK) DELUXE NOTCHED (WHITE)



ELECTRIC AUTOMATIC HOLDER



Holder assembly incorporates low voltage switch for direct activation of an electrical accessory while it's handpiece is out of the holder. Normal position is considered to be when handpiece, vacuum valve or accessory is in holder.

FEATURES


- U.L. listed low voltage switch with 24" pigtail
- · On/off lockout toggle with indicator
- · Non-marring, plastic holder
- · Aluminum mounting adapter for 1/2" dia. holder bar



PRICE	DESCRIPTION NORMALLY OPEN	PART NO.
65.00 65.00 50.00 70.00 70.00 72.50 72.50	W/LOCKOUT TOGGLE (GRAY) W/LOCKOUT TOGGLE (BLACK) W/o LOCKOUT TOGGLE (GRAY) DELUXE STYLE (WHITE) DELUXE STYLE (BLACK) DELUXE NOTCHED (WHITE) DELUXE NOTCHED (BLACK)	0010-255 0010-119 0010-254 0010-656 0010-656-BLK 0010-756 0010-756-BLK
	NORMALLY CLOSED	
65.00 65.00 50.00 70.00 70.00 72.50 72.50	W/LOCKOUT TOGGLE (GRAY) W/LOCKOUT TOGGLE (BLACK) W/o LOCKOUT TOGGLE (GRAY) DELUXE STYLE (WHITE) DELUXE STYLE (BLACK) DELUXE NOTCHED (WHITE) DELUXE NOTCHED (BLACK)	0010-265 0010-118 0010-264 0010-666 0010-666-BLK 0010-766

ELECTRIC VACUUM HOLDER







- U.L. listed low voltage switch with 24" pigtail
- · On/off lockout toggle with indicator
- · Non-marring, plastic holder
- Aluminum mounting adapter for 1/2" dia. holder bar



PRICE	DESCRIPTION NORMALLY OPEN	PART NO.
65.00 55.00 70.00 70.00 72.50 72.50	W/LOCKOUT TOGGLE (GRAY) W/o LOCKOUT TOGGLE (GRAY) DELUXE STYLE (WHITE) DELUXE STYLE (BLACK) DELUXE NOTCHED (WHITE) DELUXE NOTCHED (BLACK)	0010-260 0010-259 0010-658 0010-658-BLK 0010-758 0010-758-BLK
	NORMALLY CLOSED	
65.00 55.00 70.00 70.00 72.50 72.50	w/LOCKOUT TOGGLE (GRAY) w/o LOCKOUT TOGGLE (GRAY) DELUXE STYLE (WHITE) DELUXE STYLE (BLACK) DELUXE NOTCHED (WHITE) DELUXE NOTCHED (BLACK)	0010-270 0010-269 0010-668 0010-668-BLK 0010-768 0010-768-BLK



UNIVERSAL HOLDER



Holder assembly for use with handpiece, syringe, saliva ejector or universal central vacuum valve.

FEATURES

- Non-marring, plastic holder
- Aluminum mounting adapter for 1/2" dia. holder bar

PRICE	DESCRIPTION	PART NO.
16.00	UNIVERSAL (GRAY)	0010-275
16.00	UNIVERSAL (BLACK)	0010-025
31.00	DELUXE STYLE (WHITE)	0010-686
31.00	DELUXE STYLE (BLACK)	0010-686-BLK
33.50	DELUXE NOTCHED (WHITE)	0010-786
33.50	DELUXE NOTCHED (BLACK)	0010-786-BLK
16.00	VALUE STYLE (WHITE)	0010-381

STANDARD VACUUM VALVE HOLDER



Accepts standard central vacuum valves.

FEATURES

- Non-marring, plastic holder
- Aluminum mounting adapter for 1/2" dia. holder bar

PRICE	DESCRIPTION	PART NO.
16.00	STANDARD (GRAY)	0010-285
16.00	STANDARD (BLACK)	0010-227
31.00	DELUXE STYLE (WHITE)	0010-687
31.00	DELUXE STYLE (BLACK)	0010-687-BLK
33.50	DELUXE NOTCHED (WHITE)	0010-787
33.50	DELUXE NOTCHED (BLACK)	0010-787-BLK
16.00	VALUE STYLE (WHITE)	0010-382

AVS HANDPIECE HOLDER



FEATURES

- · Non-marring, plastic holder
- Aluminum mounting adapter for 1/2" dia. holder bar

PRICE	DESCRIPTION	PART NO.
31.00	AVS (GRAY)	0010-276
55.00	DELUXE STYLE (WHITE)	0010-696
55.00	DELUXE STYLE (BLACK)	0010-696-BLK
57.50	DELUXE NOTCHED (WHITE)	0010-796
57.50	DELUXE NOTCHED (BLACK)	0010-796-BLK

REPLACEMENT HOLDER ONLY



Non-marring, plastic holder.

PRICE	DESCRIPTION	PART NO.
10.00	AUTOMATIC (GRAY)	0010-212
10.00	AUTOMATIC (BLACK)	0010-018
9.50	UNIVERSAL (GRAY)	0010-214
9.50	UNIVERSAL (BLACK)	0010-019
9.50	VACUUM HP (GRAY)	0010-216
9.50	VACUUM HP (BLACK)	0010-219
15.00	AVS (GRAY)	0010-231



AUTOMATIC HOLDER VALVE



For use with automatic handpiece or automatic accessory holders.

PRICE	DESCRIPTION	PART NO.
11.00	HP HOLDER VALVE	1100-350
11.00	ACCESSORY HOLDER VALVE	1100-351

HOLDER BAR MOUNTED VALVE




Holder assembly with miniature valve and on-off toggle, provides manual air signal to accessories.

FEATURES

- · Miniature signal valve
- · On/off lockout toggle with red indicator
- Aluminum mounting adapter for 1/2" dia. holder bar

PRICE DESCRIPTION PART NO. 65.00 HOLDER BAR MOUNTED VALVE (GRAY) 1100-285

SWING MOUNT HOLDER




Holder assembly for use with handpiece, syringe, saliva ejector or universal central vacuum valve. Swivel mount allows holder to pivot for easy access.

FEATURES

- 1/2" dia. holder bar
- · Vertical or horizontal surface swing mount

	• Vertical of Horizontal surface swing mount	
PRICE	DESCRIPTION VERTICAL SURFACE MOUNT	PART NO.
110.00 115.00	(3 UNIVERSAL) (4 UNIVERSAL)	0024-115 0024-116
	HORIZONTAL SURFACE MOUNT	
110.00 115.00	(3 UNIVERSAL) (4 UNIVERSAL)	0024-117 0024-118

SWING MOUNT HOLDER



1-800-423-3555

Holder assembly for use with syringe, saliva ejector and standard central vacuum valve. Swivel mount allows holder to pivot for easy access.

Fax: (503) 640-4008

FEATURES

- 1/2" dia, holder bar
- · Vertical or horizontal surface swing mount

	voicion or nonzontal ouridoo oning mount	
PRICE	DESCRIPTION VERTICAL SURFACE MOUNT	PART NO.
110.00 115.00	(2 UNIVERSAL, 1 STANDARD) (3 UNIVERSAL, 1 STANDARD)	0024-145 0024-146
	HORIZONTAL SURFACE MOUNT	
110.00 115.00	(2 UNIVERSAL, 1 STANDARD) (3 UNIVERSAL, 1 STANDARD)	0024-147 0024-148

Holder assembly for use with syringe or saliva ejector and 2 standard central vacuum valves. Swivel mount allows holder to pivot for easy access.

FEATURES

• 1/2" dia. holder bar

	 Vertical or horizontal surface sw 	ing mount
PRICE	DESCRIPTION VERTICAL SURFACE MOUNT	PART NO.
110.00 115.00	TRI (1 UNIVERSAL, 2 STANDARD) QUAD (2 UNIVERSAL, 2 STANDARD)	0024-141 0024-142
	HORIZONTAL SURFACE MOUNT	
110.00 115.00	TRI (1 UNIVERSAL, 2 STANDARD) QUAD (2 UNIVERSAL, 2 STANDARD)	0024-143 0024-144

TRI HOLDER



 PRICE
 DESCRIPTION
 PART NO.

 55.00
 TRI HOLDER (WHITE)
 0024-113

 55.00
 TRI HOLDER (BLACK)
 0024-113-BLK

TRI HOLDER W/ HVE



 PRICE
 DESCRIPTION
 PART NO.

 55.00
 TRI HOLDER w/ HVE (WHITE)
 0024-126

 55.00
 TRI HOLDER w/ HVE (BLACK)
 0024-126-BLK

TRI HOLDER DOUBLE HVE



PRICEDESCRIPTIONPART NO.55.00TRI HOLDER DOUBLE HVE (WHITE)0024-12555.00TRI HOLDER DOUBLE HVE (BLACK)0024-125-BLK

QUAD HOLDER



PRICEDESCRIPTIONPART NO.60.00QUAD HOLDER (WHITE)0024-11460.00QUAD HOLDER (BLACK)0024-114-BLK



QUAD HOLDER W/ HVE



PRICE DESCRIPTION 60.00 QUAD HOLDER

60.00

QUAD HOLDER w/ HVE (WHITE) QUAD HOLDER w/ HVE (BLACK) PART NO.

0024-128 0024-128-BLK

QUAD HOLDER DOUBLE HVE



PRICE DESCRIPTION

60.00 QUAD HOLDER DOUBLE HVE (WHITE) 60.00 QUAD HOLDER DOUBLE HVE (BLACK) PART NO.

0024-127 0024-127-BLK

SWING MOUNT HOLDER BAR



For use with automatic, universal, and vacuum handpiece holders. Swivel mount allows holder bar to pivot for easy access.

FEATURES

- 1/2" dia. holder bar
- · Vertical or horizontal surface swing mount

PRICE 85.00 85.00

DESCRIPTION
VERTICAL SURFACE MOUNT
HORIZONTAL SURFACE MOUNT

PART NO. 0024-137

0024-138

FIXED MOUNT HOLDER BARS

For use with standard automatic, universal, and vacuum handpiece holders.

FEATURES

- · Vertical surface mount
- 1/2" dia.

	PRICE	DESCRIPTION		PART NO.
	14.00	SINGLE	1-1/2"	0024-081
	18.00	DUO	4"	0024-082
	21.00	TRI	6-1/4"	0024-083
	21.00	QUAD	7-3/4"	0024-084
	23.50	SMALL UNIVERSAL	10-1/2"	0024-088
	26.00	UNIVERSAL	14-3/8"	0024-087



1/2" dia. holder bar for custom applications.

 PRICE
 DESCRIPTION
 PART NO.

 30.00
 12" HOLDER BAR
 0024-090

 32.00
 16" HOLDER BAR
 0024-091

HOLDER BAR BRACKETS



For use with wrap around holder bars, Includes set

 PRICE
 DESCRIPTION
 PART NO.

 20.00
 1/2" DIA. HOLE
 0023-165

 18.00
 w/o HOLE
 0023-166

CURING LIGHT HOLDER



For use with gun style curing lights.

PRICE DESCRIPTION PART NO. 50.00 CURING LIGHT HOLDER 0010-363

STANDARD SYRINGE HOLDER



Plastic with mounting screw.

PRICEDESCRIPTIONPART NO.8.50SYRINGE HOLDER (WHITE)0010-176

STANDARD VACUUM HOLDER



Plastic with mounting screw.

PRICE DESCRIPTION PART NO. 8.50 VACUUM HOLDER (WHITE) 0010-177

UNIVERSAL STANDARD HOLDER



Plastic with mounting screw.

PRICEDESCRIPTIONPART NO.8.50HANDPIECE HOLDER (WHITE)0010-178



TOGGLE VALVE, ON/OFF			
	PRICE	FEATURES • Positive on/off control • Brass construction • Nickel plated • Port size 10-32 • Mounting hardware, 15/32-32 DESCRIPTION	PART NO.
		2-WAY W/O EXHAUST	
	18.00 18.00	GRAY BLACK	1100-402 1100-102
		3-WAY W/ EXHAUST	
	18.00 18.00	GRAY BLACK	1100-403 1100-103
		TOGGLE ONLY	
	1.25 1.25	GRAY BLACK	0010-209 0010-023

TOGGLE VALVE, ON/OFF	, MOMENT	TARY	
	PRICE	FEATURES Positive on/off control Brass construction Nickel plated Port size 10-32 Mounting hardware, 15/32-32 Note: No toggle only for black DESCRIPTION 2-WAY W/O EXHAUST	PART NO.
	19.00 19.00	GRAY BLACK	1100-425 1100-125
		3-WAY W/ EXHAUST	
	19.00 19.00	GRAY BLACK	1100-424 1100-124
		TOGGLE ONLY	
	1.25	GRAY	0010-208

PUSH BUTTON, ON/OFF,	MOMENTA	ARY	
	PRICE	FEATURES • Positive on/off control • Brass construction • Nickel plated • Port size 10-32 • Mounting hardware, 15/32-32 DESCRIPTION	PART NO.
	PRICE	2-WAY W/O EXHAUST N/C	PART NO.
	25.00 25.00	GRAY BLACK	1100-441 1100-141
418		3-WAY W/ EXHAUST	
	25.00 25.00 25.00	N/C GRAY N/C BLACK N/O BLACK	1100-142 1100-371 1100-144

NEEDLE CONTROL VALVE



FEATURES

- · Variable control for air and water
- · Brass construction
- · Nickel plated
- Port size 10-32
- Mounting hardware, 15/32-32

Note: See below for knob

PRICE **DESCRIPTION** PART NO. 16.50 NEEDLE CONTROL VALVE w/o BARBS 1100-100

NEEDLE CONTROL VALVE

25.00 w/STYLE II KNOB (GRAY) & BARBS 1100-181 25.00 w/STYLE II KNOB (BLACK) & BARBS 1100-372

FLOW RESTRICTOR VALVE



FEATURES

- Variable restriction for air or water (pinch type)
- Accommodates tubing to 1/4" O.D.
- · Brass construction
- Nickel plated
- · Mounting hardware, 15/32-32

Note: See below for knob

PRICE DESCRIPTION PART NO. 15.00 FLOW RESTRICTOR VALVE 1100-101

FLOW RESTRICTOR



FEATURES

- Variable restriction for air or water (pinch type)
- · Accommodates tubing to 1/4" O.D.
- · Brass construction
- · Nickel plated
- · Mounts directly on tubing

PRICE **DESCRIPTION**

PART NO. FLOW RESTRICTOR 5.50 1100-130

PLASTIC KNOB



Replacement knob for control valves with 1/4" O.D. shaft.

PRICE DESCRIPTION PART NO. STYLE I 2.50 **GRAY** 0010-201

STYLE II

2.50 **GRAY** 0010-202 **BLACK** 0010-012 2.50

DECORATIVE TRIM NUT



Decorative panel mount nut, 15/32-32.

PRICE DESCRIPTION PART NO. SMOOTH NUT (SILVER) 0013-016 3.00



AIR PILOT VALVE, ON/OFF



FEATURES

- Positive on/off control
- Brass construction
- Nickel plated
- 1/16" barb fitting
- Port size 10-32
- Mounting hardware, 15/32-32

PRICE	DESCRIPTION	PART NO
21.00	2-WAY W/O EXHAUST, N/C	1100-136
21.00	3-WAY W/ EXHAUST, N/C	1100-137

AIR PILOT VALVE, ON/OFF



FEATURES

- Positive on/off control
- · Brass construction
- · Nickel plated
- 1/16" barb fitting
- Port size 10-32

PRICE DESCRIPTION PART NO. 26.00 2-WAY W/O EXHAUST, N/O 1100-138

CHECK VALVE



May be installed in water coolant system of most handpiece controls to eliminate retraction.

FEATURES

- · Brass construction
- Nickel plated
- 1/16" barb fitting
- Port size 10-32
- Flow rate, .5 SCFM @ 50 PSI
- Crackling pressure, 2.5 PSI
- Operating range, 0-150 PSI

PRICEDESCRIPTIONPART NO.12.00CHECK VALVE1100-105

SHUTTLE VALVE



1-800-423-3555

Designed with two inlets and one outlet. Valve permits free flow from the high pressure side, while blocking the low pressure side.

Fax: (503) 640-4008

FEATURES

- · For use with air or water
- Inport (shuffled), 2
- Outport, 1
- · Brass construction
- Nickel plated
- 1/16" x 10-32 barbs with sleeves

PRICEDESCRIPTIONPART NO.18.50SHUTTLE VALVE1100-140

WATER RELAY VALVE



Designed for on/off control of handpiece water coolant.

FEATURES

- · Non-retraction
- · Brass construction
- · Nickel plated
- · 1/16" barb fitting
- Port size 10-32

PRICE DESCRIPTION 45.00 WATER RELAY VALVE

PART NO. 1100-039

WATER RELAY VALVE



Designed for on/off control of handpiece water coolant.

FEATURES

- · Non-retraction
- Positive on/off control
- Brass construction
- Nickel plated
- · 1/16" barb fitting
- Port size 10-32

PRICE DESCRIPTION 26.50 2-WAY W/O EXHAUST N/C PART NO.

1100-145

ROUTING VALVE



FEATURES

- · Routing control for air or water
- · Brass construction
- · Nickel plated
- Port size 10-32
- Mounting hardware, 15/32-32

PRICE DESCRIPTION

PART NO. 1100-404

GRAY 21.00 21.00

BLACK

1100-104

VALVE MOUNTING BRACKET



Used for mounting valves or switches. 1/2" I.D. holes.

PRICE DESCRIPTION PART NO. 7.00 SINGLE 0023-170 9.00 DUAL 0023-171

VALVE MOUNTING BRACKET



Used for mounting valves or switches. 1/2" I.D. holes.

DESCRIPTION PRICE PART NO. 20.00 SINGLE 0023-281 0023-282 24.00 DUAL



AUTOMATIC HANDPIECE CONTROL BLOCK



Miniature assembly for selection and operation of drive air and air/water coolants for 2 to 4 air driven handpieces. Designed for use with automatic handpiece holders (see pg. 32).

PRICE	DESCRIPTION	PART NO.
140.00	DUO-BLOCK (2 HP)	1100-175
150.00	TRI-BLOCK (3 HP)	1100-170
170.00	QUAD-BLOCK (4 HP)	1100-270
2.00	DUO-BLOCK DIAPHRAGM	0022-021
2.30	TRI-BLOCK DIAPHRAGM	0022-020
6.00	QUAD-BLOCK DIAPHRAGM	0022-024

HANDPIECE LOGIC VALVE Designed for use with any non-toggle style automatic handpiece holder. Once installed, the first handpiece 1100-059 out has priority which automatically locks out all remaining handpieces. **PRICE DESCRIPTION** PART NO. 200.00 PISTON STYLE (3 HP CONTROL) 1100-058 25.00 PINCH STYLE (1 PER HP) 1100-059 25.00 FLEX VALVE (1 PER HP) 1100-365 1100-365 1100-058

ROUND GAUGE



FEATURES

- 1/8 MPT fitting
- · For use with air or water

PRICE	DESCRIPTION	PART NO.
20.00	1" DIA. GAUGE (0-60 PSI)	0020-030
20.00	1" DIA. GAUGE (0-160 PSI)	0020-033
13.00	1-1/2" DIA. GAUĞE (0-160 PSI)	0020-021
	,	

RECTANGULAR GAUGE



FEATURES

- 0-60 PSI
- 1/2" high x 1-3/4" wide
- Panel mount
- 10-32 port
- · For use with air only

PRICE DESCRIPTION PART NO. 36.00 RECTANGULAR GAUGE 0020-023

PANEL MOUNT GAUGE



FEATURES

- 0-100 PSI
- 1-5/8" dia.
- 1/8 MPT of 10-32 port
- · For use with air or water

PRICE DESCRIPTION
45.00 PANEL MOUNT GAUGE

GRAY BLACK

15.50 15.50 **PART NO.** 0020-024

0020-079 0020-069

PNEUMATIC INDICATOR

FEATURES

- 25-120 PSI operating range
- 10-32 port
- Mounting hardware, 15/32-32



PRICE	DESCRIPTION GREEN INDICATOR	PART NO.
15.50 15.50	GRAY BLACK	0020-078 0020-068
	RED INDICATOR	

UMBILICAL CUFF



Designed to adapt umbilical with spiral flex housing to utility center. Includes mounting hardware.

Note: See pg 78 for custom umbilicals

PRICE	DESCRIPTION	PART NO.
35.00	FOR 3/4" I.D. TUBING	1115-090
35.00	FOR 1" I.D. TUBING	1115-091
35.00	FOR 1-1/2" I.D. TUBING	1115-093

UMBILICAL CUFF



Designed to adapt 1-1/4" I.D. umbilical with spiral flex housing to utility center. Contains set of 2 cuffs.

Note: See pg 78 for custom umbilicals

PRICEDESCRIPTIONPART NO.25.00UMBILICAL CUFF1115-088

UMBILICAL CUFF



Designed to adapt 2" I.D. umbilical with spiral flex housing to utility center. Contains set of 2 cuffs.

Note: See pg 78 for custom umbilicals

PRICEDESCRIPTIONPART NO.35.00UMBILICAL CUFF1115-089



PART NO.

STANDARD UTILITY CENTER



FEATURES

- Air and water pressure regulators with filters
- · Master air and water shut-off valves
- · Manual air and water shut-off valves
- · Aluminum housing, powder coat finish
- Plastic cover, 4 1/2" x 9" x 14"

PRICE	DESCRIPTION	PART NO.
860.00	COMPLETE UTILITY CENTER	1115-001
	(accepts all umbilical cuffs except 2")	
860.00	COMPLETE UTILITY CENTER	1115-006
	(accepts 2" umbilical cuffs)	
290.00	W/O HOUSING & COVER	1115-004
70.00	HOUSING & COVER ONLY, STD	1115-020
70.00	HOUSING & COVER ONLY, 2"	1115-028
22.00	COVER ONLY	1115-022

VACUUM UTILITY CENTER



FEATURES

- Master water shut-off valves
- Manual air and water shut-off valves
- Aluminum housing, powder coat finish
- Plastic cover, 4 1/2" x 9" x 14"
- Accepts all umbilical cuffs except 2"

225.00 350.00	STANDARD VACUUM UTILITY CENTER DELUXE VACUUM UTILITY CENTER	1115-003 1115-300

DESCRIPTION

DELUXE UTILITY CENTER

DELUXE UTILITY CENTER



FEATURES

- Master air and water shut-off valves
- · Manual air and water shut-off valves
- Aluminum housing, powder coat finish
- Plastic cover, 13 5/16" x 12 11/16"
- Accepts all umbilical cuffs except 2"

PRICE	DESCRIPTION	PART NO.
400.00	DELUXE UTILITY CENTER w/o COVER	1115-016
125.00	DELUXE UTILITY CENTER (COVER, REAR)	1115-177
125.00	DELUXE UTILITY CENTER (COVER, RIGHT)	1115-183
125.00	DELUXE UTILITY CENTER (COVER, LEFT)	1115-184

MINI UTILITY ASSEMBLY



Used for assistant's accessory installation.

FEATURES

- Air and water pressure regulators with filters
- Manual air and water shut-off valves

PRICE DESCRIPTION PART NO. 160.00 MINI UTILITY ASSEMBLY 1115-015

REGULATOR



Non-relieving regulator for air or water service.

FEATURES

- 0-125 PSI operating range
- · Brass body
- · Non-rising adjustment knob with integral lock ring
- Port size, 1/8 FPT
- · Fittings not included

PRICE DESCRIPTION 35.00 REGULATOR

PART NO. 0020-020

REGULATOR WITH FILTER



Non-relieving regulator for air or water service.

FEATURES

- 0-125 PSI operating range
- · Regulator with gauge
- Mounting bracket
- Filter with removable element, 35 micron filtration
- Inlet, 1/4 poly fitting
- · Outlet, 10-32, 3 position
- · Barbs (1/8") with sleeves included

PRICE DESCRIPTION
90.00 REGULATOR W/ FILTER

PART NO. 0020-001

REGULATOR WITH FILTER AND MASTER SHUT-OFF

Non-relieving regulator for air or water service.

FEATURES

- 0-125 PSI operating range
- · Regulator with gauge
- · Mounting bracket
- Filter with removable element, 35 micron filtration
- · Master shut-off valve
- Inlet, 1/4 poly fitting
- Outlet, 10-32, 3 position

PRICE DES

DESCRIPTION

PART NO.

120.00 REGULATOR W/ FILTER & SHUT-OFF

0020-050

Note: Requires 1/2 MPT to 3/8 copper compression fitting (p/n 0016-036, pg. 61) to adapt to manual shut-off valve

IN-LINE FILTER ASSEMBLY



FEATURES

- · Nickel plated brass construction
- · 35 micron filter disc
- Port size, 1/8 FPT
- Fittings, 1/4 poly x 1/8 MPT
- 1" dia. x 1" long

PRICE	DESCRIPTION	PART NO.
30.00	FILTER ASSEMBLY	0020-039
25.00	FILTER ONLY	0020-040
2.50	REPLACEMENT FILTER DISC	0020-041

8



REGULATOR MOUNTING BRACKET



Used to mount regulator to wall or cabinet surface.

PRICE DESCRIPTION REGULATOR MOUNTING BRACKET 12.00

PART NO. 0020-018

MINIATURE REGULATOR



For air or water service.

FEATURES

- 0-150 PSI operating range
- · Nickel plated brass construction
- Port size, 10-32
- · Barbs with sleeves included
- Mounting hardware, 15/32-32

PRICE DESCRIPTION MINIATURE REGULATOR 40.00

PART NO. 0020-025

MASTER SHUT-OFF VALVE KIT



For remote or utility center installation.

FEATURES

- Master shut-off valves (2), 1/2 FPT inlet
- · Toggle Valve
- Tubing
- Fittings

Note: Requires 1/2 MPT to 3/8 copper compression fitting (p/ n 0016-036, pg. 61) to adapt to manual shut-off valve

PRICE **DESCRIPTION**

100.00 MASTER SHUT-OFF VALVE KIT PART NO. 1100-079

MASTER SHUT-OFF VALVE



For air or water service.

FEATURES

- Nickel plated brass construction
- Inlet, 1/2 FPT
- Outlet, 1/4 poly fitting
- 1/16" x 10-32 barbs with sleeves

Note: Requires 1/2 MPT to 3/8 copper compression fitting (p/ n 0016-036, pg. 61) to adapt to manual shut-off valve

PRICE DESCRIPTION

40.00

PART NO. MASTER SHUT-OFF VALVE

1100-069

MANUAL SHUT-OFF VALVE



Used at utility center to turn off air or water during installation or service.

FEATURES

- · Chrome Finish
- Inlet, 1/2 FPT
- · Outlet, 3/8 I.D. compression fitting

PRICE DESCRIPTION 9.00 MANUAL SHUT-OFF VALVE PART NO. 1100-080