CHAPMAN-HUFFMAN, INC.

NON-RELIEVING MINIATURE REGULATOR



17-300-00

- 2 ports 10-32 thread
- Mounting hardware
- Non-relieving
- Air or water service 120 PSI max

RELIEVING MINIATURE REGULATOR

17-325-00



- Relieving type air regulator
- 3 ports 10-32 thread (1) in (2) out
- Mounting hardware
- 125 PSI max
- ADEC cross ref. # 24.0182.02

RELIEVING MINIATURE PRE-REGULATOR

17-326-00



- Commonly used as pre-regulator to floor valves in ADEC systems
- Relieving type air regulator
- Port sizes Input - 1/8" MPT Output - (2) 10-32 threaded ports
- 125 PSI max.
- ADEC cross ref. # 24.0118.00

PRESET RELIEVING MINIATURE REGULATOR

17-340-00



- Preset to 40 PSI
- Relieving type air regulator
- 3 ports 10-32 thread (1) port in (2) ports out
- 125 PSI maximum IN
- Used to regulate air pressure to auxiliary clean water supply bottle on Chapman-Huffman Clean Water Systems, 50-100-00, 50-120-00, 50-125-00, 50-135-00, 50-137-00, 50-139-00, 50-200-00, 50-220-00 and 50-225-00
- With this preset regulator, bottle pressure cannot exceed recommended pressure
- · Mounting hardware
- · Brass construction, nickel plated

800-225-4621

DENTSPLY TYPE WATER PRESSURE REGULATOR

17-360-00



- Fits the following units **CAVITRON 2002 CAVITRON 3000** PROPHY-JET 30 CAVI-JET 30 CAVI-ENDO 25 **CAVI-MED**
- DENTSPLY cross ref. # 60407

WATER PRESSURE REGULATOR WITH EXTENDED ADJUSTMENT STEM



17-365-00

- Fits DENTSPLY products with this configuration
- Also fits CAVITRON JET-30
- DENTSPLY cross ref. # 79685

SPS TYPE WATER REGULATOR





- Fits CAVITRON JET with SPS Technology and CAVITRON SPS Ultrasonic scaler with SPS Technology
- DENTSPLY cross ref. # 80742

UNIVERSAL 31/64" BRACKET



14-144-00

- For mounting toggle valves, needle valves and any other valve or switch requiring a 31/64" hole
- Zinc plated finish

VALVE MOUNTING BRACKET SINGLE

60-445-00



- · For mounting valves or switches
- 1/2" diameter hole
- · Clear anodized finish

CHAPMAN-HUFFMAN, INC.

VALVE MOUNTING BRACKET DUAL





- · For mounting valves or switches
- 1/2" diameter holes
- · Clear anodized finish

CAVITRON STYLE QUICK DISCONNECT BRACKET

60-447-00



- For mounting CAVITRON Quick disconnects (1) 1/2" diameter hole and (1) 11/16" diameter hole, which will allow the installation of (1) 14-025-00 and (1) 14-032-00 Quick Disconnects.
- · Clear anodized finish

UNIVERSAL FILTER BRACKET

17-611-00



- For mounting 17-608-00 auto drain filter assembly with (2) 14-051-00 1/8 MPT X 1/4 poly fittings and other filters with similar size and fittings
- DENTSPLY cross ref. # 776030257
- · Clear Chromate finish

AIR OR WATER REGULATOR ASSEMBLY

17-600-00



- Non-relieving
- 0-100 PSI adjustment
- 1/8" pipe ports (4)
- Brass body construction
- Adjustment knob with lock
- Norgren®

WATER FILTER REGULATOR ASSEMBLY

17-602-00

17-604-00



- For water use only
- · Non-relieving
- 0-50 PSI adjustment
- 1/8" pipe ports (4)
- Brass body construction
- Adjustment knob with lock
- 5 micron filtration
- Norgren®

REGULATOR DIAPHRAGM ASSEMBLY



- Fits 17-600-00 and 17-602-00 regulators
- Norgren®

800-225-4621

REGULATOR DIAPHRAGM KIT



17-605-00

- Fits 17-600-00 and 17-602-00 regulators
- Also fits water control block in DENTECH cuspidor and cup filler
- Norgren®

AIR FILTER REGULATOR ASSEMBLY

17-601-00



- Relieving
- 0-125 PSI adjustment
- 1/8" pipe ports (4), Aluminum body construction
- Manual moisture bowl drain
- · Adjustment knob with lock
- 5 micron filtration
- Norgren®

REPAIR PARTS FOR 17-601-00 ONLY

Regulator Diaphragm Assembly Only 17-634-00 Regulator Service Kit 17-635-00

AIR FILTER / REGULATOR MOISTURE SEPARATOR





- Air pressure regulator and filter combination
- · Manually Drained
- 5 micron filter element
- Includes gauge (0-160 PSI) 1/4 poly supply fittings, mounting bracket and hardware
- · Assembly is completely assembled as shown
- A-DEC cross ref. # 026.021.01

FILTER ELEMENT



17-606-00

- Fits Regulator Filter 17-601-00
- Fits Water Filter Regulator Assembly 17-602-00
- Fits Water Filter Assembly 17-615-00
- Fits Auto Drain Air Filter Assembly 17-608-00
- · 5 micron filtration
- Norgren®

REGULATOR MOUNTING BRACKET KIT



17-500-00

- Hardware for mounting regulator
- Fits 17-600-00, 17-601-00, 17-602-00 & 17-645-00 Regulators

800-225-4621

REGULATOR

CHAPMAN-HUFFMAN, INC.

FILTER REGULATOR BOWL ASSEMBLY



O-Ring Pkg. of 5

17-607-00 007-24V-00

- Fits Regulator Filter 17-601-00
- Manual moisture bowl drain
- Norgren®

WATER FILTER BOWL ASSEMBLY



O-Ring Pkg. of 5

17-618-00

007-24V-00

17-645-00

- Fits Water Filter 17-615-00 and Water Filter Regulator Assembly 17-602-00
- Norgren®

AIR OR WATER REGULATOR ASSEMBLY



Non-relieving

- 2-60 PSI out port adjustability
- 1/8 pipe ports (4)
- Brass body construction
- Adjustment knob with lock
- Watts®

WATTS® REGULATOR REPAIR KIT



17-650-00

- Repairs Watts® regulators
- Non-relieving type
- Fits 17-645-00 regulator

WATTS® REGULATOR REPAIR KIT



17-655-00

- Repairs Watts® Regulators
- Relieving type
- Used for rebuilding MIDWEST 210 Unit Foot Control
- MIDWEST Cross ref. # 610115

REGULATOR DIAPHRAGM ASSEMBLY



17-502-00

- Fits obsolete filter-regulator combo 17-000-00 and obsolete air water regulator 17-350-00
- · Brass and rubber construction
- Wilkerson®

REGULATOR POPPET AND SPRING



17-503-00

17-504-00

- Fits obsolete filter-regulator combo 17-000-00 and obsolete air-water regulator 17-350-00
- · Poppet is constructed from brass with stainless steel spring
- Wilkerson®

FILTER ELEMENT KIT



• 5 micron filtration

- Replacement filter for 17-510-00 Air Filter Assembly and obsolete Air Filter Regulator 17-000-00
- · With O-ring for resealing bowl
- Wilkerson®
- Bowls for obsolete Air Filter Regulator 17-000-00; use Part number 17-501-00 or 17-516-00

INLINE FILTER ASSEMBLY



1/8 FPT Port 17-010-00 10-32 Port 17-012-00

Replacement O-Ring Only

Pkg. of 5 007-18V-00

- For air or water filtration
- Brass construction
- · 35 micron filter disc
- 1" diameter X 1" long

FILTER DISC



17-011-00

- 35 micron filtration
- Replacement filter disc for 17-010-00 & 17-012-00 filter assembly