

CHAPMAN-HUFFMAN, INC.

INLINE WATER REMOVAL FILTER ASSEMBLY



1/4 FPT

19-240-00

3/8 FPT

19-235-00

- **Do not use these assemblies with air compressors using synthetic oil**
- Use with all air compressors not using synthetic oil
- Up to 48 CFM capacity
- Automatic drain
- Inline or bracket mounting
- 2 7/16" diameter X 6 1/2" long

NOTE! 19-235-00 is recommended for use upstream from 19-230-00 Inline Oil Removal Filter Assembly

BOWL REPLACEMENT KIT



95-250-00

- **Do not use this bowl with air compressors using synthetic oil**
- Fits 19-235-00 and 19-240-00 inline water removal filter assembly
- Contains clear plastic bowl (without auto drain), bowl O-ring and metal bowl guard only

NOTE! Replacing 19-237-00 float drain assembly when using this kit is recommended

INLINE OIL REMOVAL FILTER ASSEMBLY



19-230-00

- May be used with air compressors using synthetic or petroleum based oil
- Automatic drain
- 20 CFM capacity
- 3/8 FPT ports
- Inline or bracket mounting
- 2 1/2" diameter X 7" long

NOTE! Recommended for use with 19-235-00. Install downstream from 19-235-00

FILTER ELEMENT



19-231-00

- Fits 19-230-00 Inline Oil Removal Filter Assembly
- 9 micron coalescing element

800-225-4621

CHAPMAN-HUFFMAN, INC.**INLINE WATER REMOVAL FILTER ASSEMBLY WITH METAL BOWL****19-245-00**

- May be used with air compressors using synthetic or petroleum based oil
- Metal bowl
- For use with all dental air compressors
- Up to 48 CFM capacity
- Automatic drain
- Inline or bracket mounting
- 2 7/16" diameter X 6 1/2" long
- 3/8 FPT ports

NOTE! 19-245-00 is recommended for use upstream from 19-230-00 Inline Oil Removal Filter Assembly when synthetic oils are used

METAL BOWL REPLACEMENT KIT**95-251-00**

- May be used with air compressors using **synthetic oil or petroleum based oil**
- Black metal bowl (**without auto drain**) with bowl O-ring
- Fits 19-245-00, also fits 19-230-00, 19-235-00, and 19-240-00

NOTE! Purchase and installation of 19-237-00 Float Drain Assembly is recommended when using this kit

MOUNTING BRACKET KIT**19-228-00**

- Mounts 19-230-00 or 19-245-00 to a vertical surface
- Nickel plated steel construction
- Mounting hardware

CONNECTOR INSERT KIT**19-229-00**

- Connects 19-230-00 Inline Oil Removal Filter Assembly to 19-235-00, 19-240-00 or 19-245-00 Inline Water Removal Filter Assemblies
- Aluminum construction painted black finish
- Installation instructions

800-225-4621

CHAPMAN-HUFFMAN, INC.**FILTER ELEMENT****19-236-00**

- Fits 19-235-00, 19-240-00 and 19-245-00 Inline Water Removal Filter Assembly
- 40 micron sintered bronze construction

FLOAT DRAIN ASSEMBLY**19-237-00**

- Fits 19-230-00 Inline Oil Removal Filter and 19-235-00, 19-240-00 and 19-245-00 Inline Water Removal Filter Assembly
- Automatically drains above assembly's filter bowls, when they become full
- Installation kit with instructions

O-RING KIT**95-225-00**

- Fits 19-230-00, 19-235-00, 19-240-00 and 19-245-00 filter assemblies when replacing bowl and baffle O-rings

AUTOMATIC DRAIN VALVE**19-252-00****O-Ring For Bowl****007-37-00**

- Fits Chapman-Huffman obsolete part 19-250-00 and fits PELTON & CRANE DEQUAVATOR refrigerated air dryer original air filter assembly with auto drain 1/4 FPT ports
- Norgren®

5 OZ. COALESCING AIR FILTER ASSEMBLY**19-265-00**

- Fits APOLLO DENTAL air compressor and others
- Also fits MATRX cross ref. # 77005010
- With red/green warning indicator
- With automatic float drain
- 3" Dia. X 8" long
- APOLLO cross ref. # ACA70305 (For single head compressors)
- (2) 3/8 FPT ports
- Includes: 14-270-00 3/8 ID Push-on X 1/8 MPT Straight fitting
- Wilkerson®

800-225-4621

CHAPMAN-HUFFMAN, INC.**5 OZ. COALESCING FILTER ELEMENT****19-266-00**

- Coalescing air filter with bowl O-ring and seal
- Fits 19-265-00 assembly
- APOLLO cross ref. # PFM85230
(For single head compressors)
- MATRX cross ref. # 77005005
- Wilkerson®

10 OZ. COALESCING AIR FILTER ASSEMBLY**19-270-00**

- Fits APOLLO DENTAL air compressor and others
- With red/green warning indicator
- APOLLO DENTAL cross ref. # ACA85215 (For twin and triple head compressors)
- 3 1/2" Dia. X 8" long
- (2) 3/8 FPT ports
- Includes: 14-270-00 3/8 ID Push-on X 1/8 MPT straight fitting
- Wilkerson®

10 OZ. COALESCING FILTER ELEMENT**19-271-00**

- Coalescing air filter with bowl O-ring and seal
- Fits 19-270-00 assembly
- APOLLO cross ref. # PFM85210 (For twin and triple head compressors)
- Wilkerson®

AUTO FLOAT DRAIN (PLASTIC CONNECTION)**19-277-00**

- Fits 19-265-00 and 19-270-00 5 oz. and 10 oz. coalescing air filter assemblies
- APOLLO DENTAL new cross ref. # ACA85210 old cross ref. # PFM85980
- Includes: 14-270-00 3/8 ID Push-on X 1/8 MPT straight fitting
- Wilkerson®

BOWL O-RING**007-36-00**

- Fits 19-265-00 and 19-270-00 5 oz. and 10 oz. coalescing air filter assemblies
- APOLLO DENTAL cross ref. # MRP85220

800-225-4621

CHAPMAN-HUFFMAN, INC.**RED/GREEN WARNING INDICATOR****19-278-00**

- Fits 19-265-00 and 19-270-00 5 oz. and 10 oz. coalescing air filter assemblies
- With mounting screws and O-ring seals
- APOLLO DENTAL cross ref. # AAP85210
- Wilkerson®

INDICATOR BLANKING KIT**19-279-00**

- With this kit you can remove the 19-278-00 red/green warning indicator from either 19-265-00 or 19-270-00 coalescing air filter assemblies and replace with Indicator Blanking Kit
- Handy to carry for temporary repairs
- APOLLO DENTAL cross ref. # AAP85215
- Wilkerson®

SMALLER RED/GREEN WARNING INDICATOR**19-282-00****NEW!**

- Fits AIR TECHNIQUES Oil-Free Compressor with **Wilkerson Coalescing Filter Assembly**
- Mounting holes center to center on this Indicator are 1 1/4" apart
- Slightly shorter in length than Red/Green Warning Indicator 19-278-00
- AIR TECHNIQUES cross ref # 86192
- Also fits TECH WEST Oil-Less Single, Dual or Triple Head Compressors. (**Using WILKERSON coalescing filter assembly.**)

AUTO FLOAT DRAIN (BRASS CONNECTION)**95-162-00**

- Fits older APOLLO DENTAL / Wilkerson® metal bowl with female 1/8 pipe threads
- Brass connection
- **Fits older assemblies**
- APOLLO DENTAL cross ref. # ACA85211 (Old cross ref. # PFM85975)
- Wilkerson®

800-225-4621

CHAPMAN-HUFFMAN, INC.

FILTER ELEMENT

20-071-00



- Fits MATRX Refrigerant air dryers PD-5, PD-10, PD-15, PD-25 and PD-35 with AF-1 Filters
- Air filter
- MATRX cross ref. # 77005002
- Wilkerson®

MINIATURE COALESCING AIR FILTER ASSEMBLY



NEW!

**Miniature Coalescing
Air Filter Assembly** 19-285-00

Coalescing Filter Element 19-286-00

Replacement Bowl 19-287-00

- Ideal for those individual handpiece tubings having oil problems
- High efficiency oil-removal filter
- Coalescing filter element
- 1 1/2" diameter x 3 1/2" long
- Transparent bowl
- Maximum inlet pressure 10 bar/150 PSI
- (2) 1/8 FPT Ports

WATER FILTER ASSEMBLY



17-615-00

Replacement Filter Element 17-606-00

- Maximum 150 PSI
- 5 micron filtration
- Brass body construction
- (2) 1/8 FPT ports • 3 1/2" long X 1 1/2" dia.
- Norgren®

WATER FILTER BOWL



17-618-00

O-Ring Pkg. of 5 007-24V-00

- Fits Water Filter 17-615-00 & Water Filter Regulator Assembly 17-602-00
- Norgren®

800-225-4621

CHAPMAN-HUFFMAN, INC.**"AUTO DRAIN" AIR FILTER****Filter Element Only****17-608-00****O-Ring Pkg. of 5****17-606-00****007-24V-00**

- (2) 1/8 female pipe ports
- 5 micron filtration
- Automatic moisture drain, which operates when a rapid change in flow through filter assembly occurs
- Arrow on side of filter body shows direction air flows through valve
- 4 1/8" high X 1 1/4" dia.
- Norgren®

"AUTO DRAIN" AIR FILTER BOWL ASSEMBLY**17-609-00****O-Ring Pkg. of 5****007-24V-00**

- Fits auto drain air filter assembly 17-608-00
- Replacement clear bowl with automatic moisture drain stem
- Norgren®

FILTER REGULATOR METAL BOWL ASSEMBLY**17-621-00**

- Fits auto drain air filter assembly 17-608-00
- Replacement metal bowl with automatic moisture drain stem and O-ring
- **May be used with air compressors using synthetic oil**
- **Metal bowl with automatic drain**
- Norgren®

FILTER MOUNTING BRACKET**17-610-00**

- For mounting 17-608-00 Auto Drain Air Filter Assembly and 19-285-00 Miniature Coalescing Air Filter Assembly to any flat vertical surface
- Includes mounting screws

800-225-4621

CHAPMAN-HUFFMAN, INC.

FILTER REGULATOR BOWL ASSEMBLY



17-501-00

Filter Element Only

17-504-00

O-Ring Pkg. of 5

007-23V-00

- ADEC Replacement bowl with seal for ADEC manual moisture separator. Bowl with seal cross ref. # 97.0290.00
- Also fits obsolete filter assembly 17-510-00 and obsolete Filter-Regulator Combo 17-000-00
- Clear plastic construction with manual bottom drain and O-ring
- Wilkerson®

AIR FILTER ASSEMBLY



17-520-00

Filter Element Kit Only

17-521-00

- (2) 1/8 female pipe ports
- 5 micron filtration
- Manual moisture drain
- Wilkerson®

AIR FILTER BOWL ASSEMBLY



17-522-00

- Fits 17-520-00 Air Filter Assembly
- Clear plastic construction with manual bottom drain and O-ring
- Wilkerson®

AIR FILTER MOUNTING BRACKET



NEW!

17-523-00

- For mounting air filter assembly 17-520-00
- Includes mounting screws

800-225-4621

CHAPMAN-HUFFMAN, INC.**DRIP LEG AUTOMATIC DRAIN***Automatic float drain valve only***19-255-00****19-252-00**

- Used in compressed air systems to automatically expel liquids from the piping network. It should be installed at the low point in the piping and at the far end of the distribution system where water is likely to accumulate.
- 1/2 FPT port (Input)
- Norgren®

CLEAR BOWL WITH AUTOMATIC DRAIN**19-257-00**

- Fits Drip Leg Automatic Drain 19-255-00
- Includes bowl, O-ring and automatic drain
- Norgren®

AIR FILTER ASSEMBLY WITH AUTO DRAIN**19-260-00**

- **Do not use this assembly with air compressors using synthetic oil**
- Fits PELTON & CRANE DEQUAVATOR air dryer
- 1/4" FPT ports
- Inline mounting
- Auto drain
- 6 7/8" long X 2 3/8" X 2 5/8" diameter
- 150 PSI Max inlet pressure
- 5 micron filtration
- PELTON & CRANE cross ref. # 040260
- Norgren®

FILTER ELEMENT**19-261-00**

- Fits 19-260-00 Air Filter Assembly With Auto Drain
- 5 micron filtration

800-225-4621

CHAPMAN-HUFFMAN, INC.

BOWL WITH AUTOMATIC DRAIN VALVE ASSEMBLY

19-262-00



- Do not use this assembly with air compressors using synthetic oil
- Fits 19-260-00 air filter assembly with auto drain

OIL / WATER COALESCING FILTER ELEMENT

19-551-00



- Coalescing filter
- Fits DENTAL-EZ / JUN-AIR compressors
- DENTAL-EZ cross ref. #
(Old #) 6-4800-214
(New #) JA 64800-214

CARBON FILTER

19-555-00



- Fits DENTAL-EZ / JUN-AIR compressors
- DENTAL-EZ cross ref. #
(Old #) JA 64800-213
(New #) JA 4080500

800-225-4621