



SF Assembly - Provide Registered Guest profile to the calling system (V3.0)

Guest Online Profile

Path	<assembly-context-root>/guest/id;<guest-identifier-type>=<guest-identifier-value>/online-profile OR <assembly-context-root>/guest/<xid>/online-profile OR <assembly-context-root>/online-profile/<pid>
HTTP Method	GET
Response Format	application/json
Requires Authentication	false

Request

Parameters

Path Variables

Variable	Description
<guest-identifier-type>=<guest-identifier-value>	Guest Identifier could be any identifier which locates a guest uniquely. Please refer https://wiki.nge.wdig.com/display/NGE/Guest+Identifiers
<xid>	XID of the logged in guest. This is the default identifier of a guest.
<pid>	PID of the online profile canonical.

Request Headers

Header	R/O	Description	Supported Values	Example
Accept	Optional (Default value is application/json)	Describes accepted content type.	application/json	Accept: application/json

Request Parameters

Not Applicable

Request Body

Not Applicable

Examples

Sample Request based on SWID

```
GET guest/id;swid={swid}/online-profile HTTP/1.1
Accept: application/json
```

Sample Request based on XID

```

GET guest/{xid}/online-profile HTTP/1.1
Accept: application/json
{
  "dateOfBirth": "2001-01-01",
  "addressList": [
    {
      "postalCode": "postalCode",
      "state": "state",
      "type": "type",
      "addressLine3": "addressLine3",
      "addressLine2": "addressLine2",
      "addressLine1": "addressLine1",
      "country": "country",
      "city": "city"
    }
  ],
  "status": "status",
  "phoneList": [
    {
      "extension": "extension",
      "countryCode": "countryCode",
      "number": "number",
      "type": "type"
    }
  ],
  "countryCode": "countryCode",
  "traveler": {
    "name": {
      "middleName": "middleName",
      "lastName": "lastName",
      "firstName": "firstName"
    },
    "dateOfBirth": "2001-01-01",
    "redressNumber": "redressNumber",
    "gender": "gender",
    "travelerNumber": "travelerNumber"
  },
  "swid": "swid",
  "languageCode": "languageCode",
  "email": "emailAddress",
  "affiliationList": [
    {
      "expirationDate": "2001-01-01",
      "name": {
        "middleName": "middleName",
        "lastName": "lastName",
        "title": "title",
        "firstName": "firstName",
        "suffix": "suffix"
      },
      "memberId": "memberId",
      "validationDate": "2001-01-01",
      "validated": true,
      "type": "type"
    },
    {
      "expirationDate": "2001-01-01",
      "passType": "passType",
      "entitlementId": "entitlementId",
      "origin": "origin",
      "apTypeCode": "agTypeCode",
      "ticketNumber": "ticketNumber",
      "type": "type",
      "validated": true,
      "ticketStation": "ticketStation",

```

```
        "ticketDate": "2001-01-01",
        "ticketSite": "ticketSite",
        "name": {
            "middleName": "middleName",
            "lastName": "lastName",
            "title": "title",
            "firstName": "firstName",
            "suffix": "suffix"
        },
        "barCode": "barCode",
        "memberId": "memberId",
        "validationDate": "2001-01-01",
        "ageGroup": "ageGroup"
    },
    "parentEmail": "emailAddress",
    "name": {
        "middleName": "middleName",
        "lastName": "lastName",
        "title": "title",
        "firstName": "firstName",
        "suffix": "suffix"
    },
    "gender": "gender",
    "userName": "userName",
    "links": {
        "self": {
            "href": "/guest/{xid}/online-profile"
        },
        "onlinePreferences": {
            "href": "/online-preferences/<pid>"
        },
        "managedGuest": {
            "href": "/guest/{xid}/managed-guest-profile-preferences"
        }
    }
}
```

Response

Results

Response Status Codes

Status Code	Description
200	OK.

Response Headers

Header	Description	Example
Content-Type	Specifies the format of the response. Currently only application/json is supported.	Content-Type: application/json; charset=utf-8

Response Body

Guest Online Profile

Error Responses

Status Code	Description
404	Profile could not be located based on Guest Identifier

500	Internal Server Error.
-----	------------------------

Examples

Guest Entire Profile which includes Online Profile and Preference

HTTP/1.1 200 OK

Content-Type: application/json; charset=utf-8

Related Links

Description	URL
NSD	https://wiki.nge.wdig.com/download/attachments/22053063/NSD+L4.S.0168+Provide+Guest+Online+Profile+and+Pr

Usage Notes

