PMC Managers v2 — Master Training Manual

Definitive edition · v1 · Operations · QA · Management

Generated September 04, 2026

This document supersedes every earlier PMC training manual (v1 → v3.2 handbook · Screenshot Training Manual v1 · every observation-response iteration).

For each logical module in the portal you get four consumer-specific tracks in the same document:

- Overview — one-paragraph story · who uses it · where it sits in the workflow
- Operations Team — 'how to use' step-by-step for trainee ops staff
- QA Team — numbered test cases · expected outcomes · data-testid selectors
- Management Team — governance controls · KPIs · reports

Contents

#	Module	Audience
1	Access, Roles & Login	Ops · QA · Mgmt
2	Public Notice Board	Ops · Mgmt
3	Vendor Registration & KYC	Ops · QA
4	Registrations Admin	Ops · Mgmt
5	Notices Admin	Ops · QA · Mgmt
6	Corrigenda	Ops · Mgmt
7	Tender Builder	Ops · QA · Mgmt
8	Bidding Ops · Pipeline	Ops · QA
9	Bidding Ops · Committee	Ops · QA · Mgmt
10	Reverse Auctions	Ops · QA
11	Escrow (EMD)	Ops · QA · Mgmt
12	Evaluation & Scoring	Ops · QA · Mgmt
13	L1 Comparison	Ops · QA · Mgmt
14	Awards & POs	Ops · QA · Mgmt
15	DocuSign · Envelope Log	Ops · QA
16	BOQ & Contracts	Ops · QA · Mgmt
17	Meetings	Ops · QA
18	Vendor Intel	Ops · Mgmt
19	Product Catalog	Ops · Mgmt
20	Engagements (Quotes)	Ops · QA · Mgmt
21	Masters · Roles & Permissions	Ops · QA · Mgmt
22	Portal Branding	Ops · Mgmt
23	Reports · Asked-vs-Delivered + Flowcharts	Mgmt
24	Stakeholder Reports · G4 rebuild	Mgmt · Ops
25	Help Requests	Ops · Mgmt
26	Audit Log	Ops · Mgmt
27	Governance Guardrails	Mgmt · QA
28	Dashboard · Analytics & Drill-through	Ops · Mgmt
29	Sign-out & Exit	Ops · QA


Chapter 1 · Access, Roles & Login

Understand who logs in as what and where they land.

Audience: Ops · QA · Mgmt

OVERVIEW

PMC Managers v2 is a multi-tenant global tender platform. Every user authenticates through the same URL and lands on the console that matches their role. Cookies are HTTPOnly + CSRF double-submit for admin; vendor and public flows use short-lived resume tokens sent by email.



OPERATIONS TEAM · HOW TO USE

- Admins go to https://www.pmcmanagers.com/admin/login and enter their PMC email + password.
- Vendors register from the public site https://www.pmcmanagers.com/register — no admin approval needed to start a draft.
- Support / Auditor accounts are read-only; they see every tab but cannot mutate.
- If you see a 403 toast on any screen, check Masters → Permissions for your role's matrix row.
- Session cookies expire after 12 h of inactivity — save drafts frequently.

QA TEAM · TEST CASES

#	Test step	Expected outcome
1	Login with wrong password 5×	6th attempt returns HTTP 429 with lockout timer `data-testid: admin-login-submit`
2	Login with correct credentials	Redirects to /admin within 1 s; me endpoint returns 200 with role `data-testid: admin-login-submit`
3	Reload page after login	Session persists via HTTPOnly cookie; no re-auth needed `data-testid: admin-topbar`

MANAGEMENT · GOVERNANCE · KPIS

- Nine role types shipped: Admin, Reviewer, Escrow, Certifier, Legal, Accounting, Committee, Support, Auditor.
- Access-control merges Permissions Matrix + Hierarchy Level via GET /api/v1/permissions/effective/{role} (single source of truth).
- Level 0 = Admin (full write) → Level 3 = Support/Auditor (read-only).
- Every login is logged to `audit_log` — actor, IP, user-agent, timestamp.


Chapter 2 · Public Notice Board

External entry-point where bidders discover open tenders.

Audience: Ops · Mgmt

OVERVIEW

Public list of every published notice across every tenant. Filters by type (tender/RFP/RFQ), country, and category. Deep-links to the notice detail page with document downloads + QA thread + register-to-bid CTA.



OPERATIONS TEAM · HOW TO USE

- Vendors browse notices without login.
- Clicking a card opens the notice detail: description, deadline, downloads, corrigenda list.
- The 'Register interest' CTA takes vendors to /register with the notice pre-filled.

QA TEAM · TEST CASES

#	Test step	Expected outcome
1	Load /notices with no filters	Only notices where is_published=true render `data-testid: public-notice-card`
2	Filter by country	List narrows within 300ms; count updates `data-testid: public-notice-filter-country`
3	Click a notice card	Detail page renders; downloads work; QA thread loads `data-testid: public-notice-card`

MANAGEMENT · GOVERNANCE · KPIS

- Draft notices are never surfaced publicly.
- Every notice has: budget_amount (validated ≥ 0), budget_currency, delivery_country, submission_deadline.
- KPI: median time-to-first-bid per notice — surfaced in Stakeholder Reports / Tenders.


Chapter 3 · Vendor Registration & KYC

5-section wizard that captures identity, structure, financials, docs, references.

Audience: Ops · QA

OVERVIEW

Vendors self-register through the 5-section wizard (A Identity, B Structure, C Financials, D Documents, E References). As soon as any field is filled, a silent draft is created + a resume-link is emailed. Vendors can pause and come back to /register/status with the resume token.



OPERATIONS TEAM · HOW TO USE

- Section A: company name, contact, email, phone, country (all required).
- Sections B-D can be paused — the resume link is sent after Section A.
- Section E supports up to 3 references; each reference generates its own reachback email once approved.
- Nudge Stale Drafts (admin) — sends a follow-up mail to any draft untouched for 14 days.

QA TEAM · TEST CASES

#	Test step	Expected outcome
1	Fill Section A and close the tab	Resume email arrives within 30s; token is a URL-safe 24-char string `data-testid: reg-section-a`
2	Paste an invalid resume token at /register/status	Toast: 'Token invalid or expired — request a new resume link…' (Bug 7 fix) `data-testid: status-token`
3	Upload a 15 MB PDF to the KYC slot	Upload progresses; if server limit is 10 MB, backend returns HTTP 413 with clear message `data-testid: reg-upload-kyc`

MANAGEMENT · GOVERNANCE · KPIS

- GDPR-compliant: KYC docs stored server-side with tenant-scoped ACL.
- KPI: draft-to-submitted conversion rate — surfaced in Stakeholder Reports / Vendors funnel.
- Rejected registrations get a reason ≥5 chars logged to audit; rejection email carries the reason.


Chapter 4 · Registrations Admin

Review incoming vendors, approve / reject / clarify with reason.

Audience: Ops · Mgmt

OVERVIEW

Admin-side triage of every submitted vendor registration. Sorted oldest-first by default so the daily workflow chews through the pipeline. Every action requires a reason capture and is logged to audit.



OPERATIONS TEAM · HOW TO USE

- Sort by 'Submitted date' (default, oldest first) to work the queue.
- Click a row → review each section → Approve / Reject / Request Clarification.
- Reject or Clarify require a reason ≥5 chars — surfaced to the vendor in the outbound email.
- Bulk Invite CSV supports pre-loading known vendors; sample CSV downloadable from the modal.

QA TEAM · TEST CASES

#	Test step	Expected outcome
1	Approve a vendor with a valid PAN doc	vendor doc created + welcome email sent; row moves to 'Approved' tab `data-testid: reg-row-approve`
2	Nudge Stale Drafts	Three-branch toast: 'no drafts' / 'none stale' / 'n emails sent' `data-testid: reg-nudge-stale`
3	Upload malformed CSV to Bulk Invite	Backend returns per-row error array; other rows still succeed `data-testid: vendors-bulk-invite-csv`

MANAGEMENT · GOVERNANCE · KPIS

- Aging report: rows show submission date; daily digest highlights >30-day drafts.

- Every approval is a matrix action (create) — restricted per role.
- KPI: median approval turnaround per tenant, exposed in Stakeholder Reports.


Chapter 5 · Notices Admin

Create, publish, filter and manage every tender / RFP / RFQ.

Audience: Ops · QA · Mgmt

OVERVIEW

The single source of truth for a live tender. Notices link to a Tender Builder template, drive the public notice board, and gate every downstream flow (bids, escrow, awards). Reviewers save drafts; only Master Admin publishes.



OPERATIONS TEAM · HOW TO USE

- '+ New notice' opens the wizard: Title, Description, Category, Country, Deadline.
- Pick a Tender Builder template to prefill; toggle 'Publish immediately' (Master Admin only).
- Use the filter bar: search by title/ref, filter by status (any/published/draft/expired), toggle 'Template-linked only'.
- Corrigenda re-notify bidders — you cannot delete a published notice, you must issue a corrigendum.

QA TEAM · TEST CASES

#	Test step	Expected outcome
1	Publish a notice with budget_amount = -1	HTTP 400 (NoticeIn validates ge=0) — Bug 4 fix `data-testid: notices-form-submit`
2	Filter by 'Template-linked only'	List narrows to notices with tender_template_id set `data-testid: notices-filter-template-only`
3	Reviewer saves a draft notice	HTTP 200; reviewer.create=True (Bug #5 fix); no 'undefined' toast `data-testid: notices-form-submit`

MANAGEMENT · GOVERNANCE · KPIS

- Every publish is audited with actor + tenant + notice_ref.

- Budget currency defaults to tenant primary currency but supports any ISO 4217 code.
- KPI: notices-published-per-month, average time from creation to publish.

Chapter 6 · Corrigenda

Formal amendments to published tenders — every change is auditable.

Audience: Ops · Mgmt

OVERVIEW

Corrigenda re-open the bidder window after a tender is public. Every corrigendum has an auto-number (`PMC-COR-YYYY-####`), a mandatory reason ≥8 chars, and can reset the submission deadline. Withdrawal is capped at 3 per notice.

OPERATIONS TEAM · HOW TO USE

- '+ New corrigendum' from Notices detail → describe the amendment.
- Optionally push a new deadline — bidders are notified.
- Withdraw requires a reason ≥8 chars.

QA TEAM · TEST CASES

#	Test step	Expected outcome
1	Withdraw with a 3-char reason	HTTP 400 'reason must be at least 8 characters' `data-testid: corrigenda-withdraw`
2	Create 4th corrigendum on a notice with 3 already	HTTP 400 'withdrawal capped at 3 per notice' `data-testid: corrigenda-create`
3	Publish corrigendum	audit_log entry with reason + all bidders receive email notif `data-testid: corrigenda-publish`

MANAGEMENT · GOVERNANCE · KPIS

- Legal-grade audit: reason text is preserved on the notice record + audit log.
- Corrigenda count is a red-flag KPI — high count on one notice indicates poor initial drafting.


Chapter 7 · Tender Builder

Compose 30-page tenders from orderable sections + annexures.

Audience: Ops · QA · Mgmt

OVERVIEW

Master templates ship for GFR 2017 QCBS 70/30. Clone a master into a draft, fill each section with the rich editor, attach annexures via drag-drop, preview + export via WeasyPrint. Every save is snapshotted (max 20 rolling).



OPERATIONS TEAM · HOW TO USE

- Left column → pick a Kind (Tender / RFP / RFQ). Switching Kind resets the right pane (Bug 31c fix).
- Click a master → Clone → draft appears under 'Draft YYYY-MM-DD'.
- Drag annexure PDFs onto the bulk uploader — filenames auto-match (annex-VIII_bank.pdf → Annexure VIII, longest-code wins).
- AI Draft menu: tone (formal/plain/strict) × length (short/medium/long); shows word-diff before overwriting.
- ⟲ History drawer restores any of the last 20 snapshots (restore is itself snapshotted).

QA TEAM · TEST CASES

#	Test step	Expected outcome
1	Save section body 3 times in a row	Version count increments; History drawer shows all 3 `data-testid: tender-section-save`
2	Switch Kind tab after making unsaved changes	Right pane resets; selectedId cleared (Bug 31c) `data-testid: tender-kind-tab`
3	Export to PDF before publish	PDF has diagonal DRAFT watermark until associated notice is_published=true `data-testid: tender-export-pdf`

- Language pack: EN / RU / KK labels ship with WeasyPrint.
- Section-level auditor role can veto — legal counsel gets a distinct notif.
- KPI: average edit-cycle length; teams > 40 edits per template may need training.


Chapter 8 · Bidding Ops · Pipeline

Track every bid through the multi-role approval pipeline.

Audience: Ops · QA

OVERVIEW

The pipeline: EMD → Escrow → Admin flag → Certifier → Legal → Accounting → Committee. Each role clears their stage; stuck bids surface in the daily audit report. Rejection at any stage requires a note.



OPERATIONS TEAM · HOW TO USE

- Filter by status (submitted/emd_paid/admin_flagged/certified/legal_cleared/accounting_ok/ committee_approved/awarded/rejected).
- Click a bid → full timeline of every stage transition.
- Assign a certifier from the Assign modal; date + location required.
- Reject requires a note ≥10 chars.

QA TEAM · TEST CASES

#	Test step	Expected outcome
1	Bidder submits without EMD	Status stays 'submitted'; escrow tab shows the pending EMD `data-testid: bid-row-status`
2	Reject with a 5-char note	HTTP 400 'note must be at least 10 characters' `data-testid: bid-reject`
3	Assign certifier	Inspection record created + email dispatched with signed accept-link `data-testid: assign-certifier`

MANAGEMENT · GOVERNANCE · KPIS

- Every stage transition is an audit event with actor + previous state + new state.

- KPI: median bid cycle-time (submitted → awarded).
- SLA threshold: >7 days at any single stage triggers a daily nudge.


Chapter 9 · Bidding Ops · Committee

Form evaluation committees with chair + members + quorum + external invitees.

Audience: Ops · QA · Mgmt

OVERVIEW

One open committee per tender. Members are picked via checkbox grid (Bug 58 fix). Chair dropdown auto-filters to selected members only (Bug 58c). Quorum caps at ≤ member count (Bug 58d). Committee can be dissolved with a reason ≥8 chars, and per-invitee 'Resend' buttons regenerate the accept-token.



OPERATIONS TEAM · HOW TO USE

- Tick members from the checkbox grid — chair dropdown auto-narrows.
- Set quorum; input caps at the number of ticked members.
- Add external invitees (name + email + designation) → they receive an accept-link email.
- Dissolve committee: reason ≥8 chars; committee status becomes 'dissolved' and is preserved for audit.

QA TEAM · TEST CASES

#	Test step	Expected outcome
1	Tick 3 members, pick chair from 4th (unpicked)	Chair dropdown does not offer the 4th; chair auto-clears if unpicked after `data-testid: committee-chair`
2	Enter quorum = 10 with 4 members ticked	Input capped at 4 with live hint `data-testid: committee-quorum`
3	Dissolve committee with 6-char reason	HTTP 400 'dissolve reason must be at least 8 characters' `data-testid: committee-dissolve`
4	Resend invite to pending external	New accept-token generated; email sent; old link now 404 `data-testid: committee-resend`

MANAGEMENT · GOVERNANCE · KPIS

- COI check: evaluations.submit_score returns 400 unless the scorer has recorded a COI declaration for that notice (G2 governance).
- Chair change post-formation is a governance event — audited separately.
- KPI: median committee formation → first score < 3 business days.


Chapter 10 · Reverse Auctions

Live reverse-auction rooms with masked bidder identities.

Audience: Ops · QA

OVERVIEW

Masked identity auction (Bidder A/B/C…) with min-decrement, hard price floor, and anti-snipe extension. Draft auctions never expose the public bidder link (G5 fix). Participant validation blocks duplicates + non-registered emails.



OPERATIONS TEAM · HOW TO USE

- '+ New auction' → set min-decrement (currency), price floor, anti-snipe seconds.
- Draft mode: bidder URL hidden; explanatory hint shown instead.
- Go live → the /vendor/auction/:aid room polls every 2 s.

QA TEAM · TEST CASES

#	Test step	Expected outcome
1	Add a duplicate email to participants	HTTP 400 'duplicate participant email' `data-testid: auction-participants`
2	Open draft auction detail	Bidder URL not shown; explanatory text present `data-testid: auction-bidder-link`
3	Close a live auction	status='closed'; last valid bid becomes winning_price `data-testid: auction-close`

MANAGEMENT · GOVERNANCE · KPIS

- Anti-snipe extends deadline by N seconds if a bid lands in the final N seconds — anti-manipulation.
- Winning price is written to the linked bid record for downstream award.


Chapter 11 · Escrow (EMD)

Joint escrow accounts with dual-signature EMD releases.

Audience: Ops · QA · Mgmt

OVERVIEW

Every EMD instrument flows through a joint account operated by one PMC officer + one escrow-institution officer. Both must sign before release (G1 fix). Aging days per transaction; SLA breach flag when >7 days pending. Reconciliation summary in Stakeholder Reports.



OPERATIONS TEAM · HOW TO USE

- '+ Account' — two named officers required; backend rejects if pmc_officer.email == vendor_officer.email.
- '+ Transaction' → sign your side → wait for the other side.
- Release fires only after BOTH signatures; otherwise HTTP 409.

QA TEAM · TEST CASES

#	Test step	Expected outcome
1	Create account with same email on both sides	HTTP 400 'PMC officer and escrow officer must be different people' (G1) `data-testid: escrow-account-create`
2	Sign PMC side but not vendor side, then click Release	HTTP 409 'awaiting escrow-officer signature' `data-testid: escrow-release`
3	Open Stakeholder Reports / Escrow	aging_days per tx; sla_breach=true when >7d `data-testid: stakeholder-escrow`

MANAGEMENT · GOVERNANCE · KPIS

- G1 governance: same-login-both-sides is architecturally blocked.

- SLA threshold configurable per tenant (default 7 days).
- KPI: median release cycle-time; SLA breach count per week.


Chapter 12 · Evaluation & Scoring

Committee scoring with per-criterion weights + COI enforcement.

Audience: Ops · QA · Mgmt

OVERVIEW

Committee members score each bid against the rubric set on the notice. Weighted totals compute live. Every score requires an outstanding COI declaration for that (scorer, notice) tuple — enforcement is HTTP 400 at submit_score.



OPERATIONS TEAM · HOW TO USE

- Pick a bid → enter scores 0-100 per criterion.
- COI tick box: 'I have no conflict of interest with this bidder on this notice'.
- Weighted total updates live; committee median becomes the technical score.

QA TEAM · TEST CASES

#	Test step	Expected outcome
1	Score without ticking COI	HTTP 400 'COI declaration required' (G2) `data-testid: eval-submit`
2	Enter score > 100	HTTP 400 'score must be between 0 and 100' `data-testid: eval-score-input`
3	Rubric with weights not summing to 100	HTTP 400 at rubric save (Bug 56) `data-testid: eval-rubric-save`

MANAGEMENT · GOVERNANCE · KPIS

- G2 governance: no committee score can be submitted without an existing COI record.
- Rubric is set once per notice and locked at first score.

- KPI: score-dispersion per bid (high dispersion = need for deliberation).


Chapter 13 · L1 Comparison

Rule-based lowest-compliant winner selection.

Audience: Ops · QA · Mgmt

OVERVIEW

Distinct from Evaluation scoring: L1 filters technically-compliant bids and picks the lowest total price. Empty state lists exclusion reasons (technical not scored / non-compliant / withdrawn / notice status).



OPERATIONS TEAM · HOW TO USE

- Open L1 → the eligible set + active ranking rule badge display.
- If empty, the panel lists why each excluded bid is out.

QA TEAM · TEST CASES

#	Test step	Expected outcome
1	Run L1 with all bids under technical cutoff	Empty state with reason 'non-compliant' + count per reason `data-testid: l1-empty-state`
2	Open L1 with no closed notices	'No eligible notices' shown; ranking rule badge hidden `data-testid: l1-panel`

MANAGEMENT · GOVERNANCE · KPIS

- Ranking rule badge shows: 'lowest-compliant price wins' (transparency requirement).
- CSV export via /api/v1/stakeholder-reports/awards.csv.


Chapter 14 · Awards & POs

Draft Purchase Order, SLA, Contract PDFs on award.

Audience: Ops · QA · Mgmt

OVERVIEW

Awarding a bid drafts three PDFs: PO (`PMC-PO-YYYY-#####`), SLA, Contract — all with a diagonal DRAFT watermark until countersigned. Regenerate requires confirmation and pushes {regenerated_at, regenerated_by} into bid.award_regenerations[].



OPERATIONS TEAM · HOW TO USE

- 'Award' → confirms; three PDFs are generated + stored server-side.
- 'Regenerate' → confirmation dialog + audit toast with timestamp.
- Send to DocuSign to lift the DRAFT watermark on countersign.

QA TEAM · TEST CASES

#	Test step	Expected outcome
1	Regenerate documents	Confirmation dialog appears; on OK the toast shows timestamp + admin email; award_regenerations[] gains 1 entry `data-testid: awards-regenerate`
2	Award an already-awarded bid	HTTP 409 'bid already awarded' `data-testid: awards-award`

MANAGEMENT · GOVERNANCE · KPIS

- Every regeneration is a governance event — audit log flags 'suspicious' if >3 regenerations on the same bid.
- KPI: median time-to-award (committee approval → award).


Chapter 15 · DocuSign · Envelope Log

JWT Grant DocuSign integration + authoritative-envelope flag.

Audience: Ops · QA

OVERVIEW

PO / SLA / Contract PDFs go out via DocuSign either as Embedded (in-app iframe) or Email (hosted signing). Envelope Log per (bid_id, sub_kind) flags the authoritative envelope: status=completed wins, break ties by created_at.



OPERATIONS TEAM · HOW TO USE

- First run → 'Grant DocuSign consent' redirects to DocuSign, then comes back.
- Envelope Log rows show status + delivery mode + is_authoritative badge.
- Resend for envelopes in 'sent' status.

QA TEAM · TEST CASES

#	Test step	Expected outcome
1	Filter Envelope Log by bid_id + sub_kind	Only relevant envelopes; exactly one row has is_authoritative=true `data-testid: envelope-log-filter`
2	Two envelopes both status=completed	The one with the later created_at wins is_authoritative=true `data-testid: envelope-log-row`

MANAGEMENT · GOVERNANCE · KPIS

- Authoritative envelope is the single source of truth for legal downstream — audit ties to that envelope_id.
- Consent expires per DocuSign policy (usually 1 year) — dashboard warns 30 days out.


Chapter 16 · BOQ & Contracts

Bill-of-Quantities templates + Contract lifecycle.

Audience: Ops · QA · Mgmt

OVERVIEW

BOQ templates are imported via Excel (Sl.No | Description | Unit | Quantity | Unit Rate | Remarks). Vendors quote against the template. Only awarded bids can spawn a contract (`PMC-CON-YYYY-####`). Contracts export CSV + per-contract version timeline (creation + milestone completions + variation orders).



OPERATIONS TEAM · HOW TO USE

- Import Excel BOQ template; validate columns are exact.
- Vendors submit BOQ answers as part of the bid.
- Awarded bid → create contract; add milestones + variation orders as needed.
- Contracts sub-tab: filter by status/vendor/query; export CSV; view version timeline.

QA TEAM · TEST CASES

#	Test step	Expected outcome
1	Export contracts.csv with status=active filter	CSV downloads with correct row count; Content-Disposition: attachment header `data-testid: contracts-export-csv`
2	Open version timeline for a contract with 2 milestones + 1 VO	3 events sorted by 'at' ASC; each shows event type + amount + by `data-testid: contract-versions`

MANAGEMENT · GOVERNANCE · KPIS

- Every variation order is auditable {at, by, amount_delta, reason}.
- Milestone hit-rate feeds Stakeholder Reports / SLA.


Chapter 17 · Meetings

Schedule Jitsi / Zoom meetings tied to a notice OR marked internal.

Audience: Ops · QA

OVERVIEW

Every meeting either references a notice_ref OR is explicitly flagged as an 'Internal meeting'. Backend rejects create with HTTP 400 otherwise. Cancelled meetings are hidden by default (include_cancelled=true toggle to show).



OPERATIONS TEAM · HOW TO USE

- '+ Schedule' → pick provider (Jitsi/Zoom), subject, time, invitees.
- Tick 'Internal meeting' to skip the notice dropdown (e.g. team standup).
- Otherwise, pick a notice — invitees receive a signed accept-link.

QA TEAM · TEST CASES

#	Test step	Expected outcome
1	Create meeting without notice_ref and is_internal=false	HTTP 400 'notice_ref required unless is_internal=true' (Bug 48b) `data-testid: mtg-create`
2	Tick 'Internal meeting'	Notice dropdown disables + clears; create succeeds without notice_ref `data-testid: mtg-is-internal`

MANAGEMENT · GOVERNANCE · KPIS

- Every meeting join is logged with invitee token + timestamp.
- Zoom uses JWT app credentials; Jitsi is self-hosted (no credentials).


Chapter 18 · Vendor Intel

Bulk vendor risk register with BL / WL flags.

Audience: Ops · Mgmt

OVERVIEW

Imported watch-lists + blacklists — used to alert Committee scorers when a bidder appears on any list. Anonymised entries (—) support imports from law-enforcement feeds where identities cannot be disclosed.



OPERATIONS TEAM · HOW TO USE

- Legend bar at the top: BL = Blacklisted, WL = Watch-list, — = anonymised.
- Add entry manually OR bulk-import CSV.

QA TEAM · TEST CASES

#	Test step	Expected outcome
1	Score a bid where the vendor is on BL	Committee scorer sees an inline red BL badge on the bidder card `data-testid: eval-vendor-badge`

MANAGEMENT · GOVERNANCE · KPIS

- BL entries block auto-award; committee must override with a reason.
- Anonymised entries mask the vendor name but preserve match-hash for detection.


Chapter 19 · Product Catalog

SKU catalog feeding Stripe checkout + price-history log.

Audience: Ops · Mgmt

OVERVIEW

Products drive the public checkout page (Stripe). Every price change is written to price_history[] with {old_price, new_price, changed_by, changed_at}.



OPERATIONS TEAM · HOW TO USE

- '+ Product' → name, price, currency, description, image URL.
- Edit → save changes → history entry auto-created.

QA TEAM · TEST CASES

#	Test step	Expected outcome
1	Change product price 3 times	price_history[] has 3 entries with distinct changed_at `data-testid: product-edit-save`

MANAGEMENT · GOVERNANCE · KPIS

- Price changes are a governance event — dashboard flags >30% change.
- KPI: gross checkout revenue per SKU per month.


Chapter 20 · Engagements (Quotes)

Public quote-requests through to invoicing + aging report.

Audience: Ops · QA · Mgmt

OVERVIEW

State machine: quote_requested → quoted → invoiced → paid (or cancelled with reason ≥5 chars). Aging summary buckets receivables by age (0-7/8-30/31-60/61+ days).



OPERATIONS TEAM · HOW TO USE

- New quote requests land as engagements from the public site.
- Set quoted amount → 'Invoice' generates a Stripe checkout link.
- Cancel requires reason ≥5 chars.

QA TEAM · TEST CASES

#	Test step	Expected outcome
1	Cancel an engagement with 3-char reason	HTTP 400 'reason must be at least 5 characters' (Bug 35) `data-testid: eng-cancel`
2	GET /engagements/aging/summary	Returns 0-7/8-30/31-60/61+ buckets with counts `data-testid: eng-aging`

MANAGEMENT · GOVERNANCE · KPIS

- Aging report drives receivables collection.
- KPI: quote → paid conversion rate; median days to payment.


Chapter 21 · Masters · Roles & Permissions

Single source of truth for who can do what.

Audience: Ops · QA · Mgmt

OVERVIEW

Permissions Matrix + hierarchy Level are now unified via GET /api/v1/permissions/effective/{role} (Wave G2). One call returns {role, level, level_label, tabs, actions} — drives menu visibility + button disabled-state everywhere.



OPERATIONS TEAM · HOW TO USE

- Masters → Permissions → tick/untick actions per role per document type.
- Every save writes updated_at + updated_by; visible in the header.
- Level (0..3) is set on the Staff Master screen.

QA TEAM · TEST CASES

#	Test step	Expected outcome
1	GET /api/v1/permissions/effective/reviewer	Returns {level:1, level_label:'deputy', tabs:[…], actions:{view:true, create:true, modify:true, delete:false, publish:false}} `data-testid: permissions-effective`
2	Reviewer tries to publish a notice	HTTP 403 'insufficient permissions to publish' `data-testid: notices-publish-checkbox`

MANAGEMENT · GOVERNANCE · KPIS

- G3 governance: closed — single access-control endpoint.
- Full audit on matrix mutations.


Chapter 22 · Portal Branding

Tenant-level logo + theme + rolling logo history.

Audience: Ops · Mgmt

OVERVIEW

Every tenant gets primary_color + accent_color + favicon + logo. Every new logo upload appends to logo_history[] (max 10 rolling); GET /logo-history to fetch.



OPERATIONS TEAM · HOW TO USE

- Upload a new logo → history entry auto-created.
- PATCH /api/v1/branding/{tid}/theme with primary_color, accent_color (#RRGGBB), favicon_data_url.

QA TEAM · TEST CASES

#	Test step	Expected outcome
1	Upload 11 logos sequentially	logo_history[] contains only the last 10 entries `data-testid: branding-logo-upload`
2	PATCH theme with primary_color='red'	HTTP 422 'primary_color must match #RRGGBB' `data-testid: branding-theme-save`

MANAGEMENT · GOVERNANCE · KPIS

- Branding changes are audited — no silent tenant re-brand.


Chapter 23 · Reports · Asked-vs-Delivered + Flowcharts

Development / scope-completion snapshot for engineering handoff.

Audience: Mgmt

OVERVIEW

Original 39-page Enterprise CRM & e-Tender Revised Integrated Report is reduced to a live 'asked vs delivered' statement + three swim-lane flowcharts (platform / user guide / testing). Snapshot to /app/docs/reports/ writes all 9 artefacts + a manifest.



OPERATIONS TEAM · HOW TO USE

- 'Snapshot to disk' → 9 files land in /docs/reports/.
- Bug 38 fix: each artefact is wrapped in try/except so one failure returns errors[] instead of a 500.

QA TEAM · TEST CASES

#	Test step	Expected outcome
1	POST /api/v1/reports/snapshot	{ok:true, files:[…9 items], errors:[]} `data-testid: reports-snapshot`

MANAGEMENT · GOVERNANCE · KPIS

- Deliverable for investor code review + engineering handoff.
- Zero-error snapshot = build health.


Chapter 24 · Stakeholder Reports · G4 rebuild

Four operational reports for procurement stakeholders.

Audience: Mgmt · Ops

OVERVIEW

G4 was rebuilt in v15/v18: four live JSON + CSV reports keyed off real collections. Tenders (pipeline snapshot), Awards (PO + contract value), Escrow (aging + SLA breach), SLA (contracts + milestone hit-rate).



OPERATIONS TEAM · HOW TO USE

- Tab through the four reports; each has a CSV download button.
- Escrow report highlights SLA breach count in the top row.

QA TEAM · TEST CASES

#	Test step	Expected outcome
1	Open Stakeholder Reports / Escrow	aging_days per tx; sla_breach=true when >7d; header shows breach count `data-testid: stakeholder-escrow-sla`
2	Download tenders.csv	CSV downloads with Content-Disposition: attachment `data-testid: stakeholder-download-csv`

MANAGEMENT · GOVERNANCE · KPIS

- Circulate CSV to stakeholders without portal access.
- KPI dashboard: SLA breaches, awards/month, milestone hit-rate.


Chapter 25 · Help Requests

Triage inbound support tickets from the public site.

Audience: Ops · Mgmt

OVERVIEW

Public help form drops a ticket with kind (Sales / Support / Technical / Other) + requester identity + phone + company. Panel surfaces aging + resolution history.



OPERATIONS TEAM · HOW TO USE

- Sort by aging (oldest first).
- Update kind, mark resolved, add resolution note.

QA TEAM · TEST CASES

#	Test step	Expected outcome
1	Public submits a Help form with no email	HTTP 400 'email required' `data-testid: help-public-submit`
2	Mark resolved	Row moves to 'Resolved' tab; resolution_at + resolution_note stamped `data-testid: help-resolve`

MANAGEMENT · GOVERNANCE · KPIS

- SLA planned: 24 h first response for Sales, 72 h for Technical.


Chapter 26 · Audit Log

Chronological ledger of every substantive action.

Audience: Ops · Mgmt

OVERVIEW

Every mutation writes to audit_log with {at, actor, action, resource_type, resource_id, payload}. Global <ErrorBoundary/> catches any render hang on this screen so users are never locked out.



OPERATIONS TEAM · HOW TO USE

- Sort by 'at' DESC (default).
- Copy any row's payload to inspect the raw event.

QA TEAM · TEST CASES

#	Test step	Expected outcome
1	Render audit with 10 000 rows	Table remains scrollable; no white screen; ErrorBoundary NOT triggered `data-testid: admin-audit-panel`

MANAGEMENT · GOVERNANCE · KPIS

- Legal-grade: audit log is append-only.
- Filters (actor/type/date) planned for Bucket B.

Chapter 27 · Governance Guardrails

Five architectural controls audited by the QA team.

Audience: Mgmt · QA

OVERVIEW

G1..G5 are the guardrails that turn 'compliance theatre' into real controls. Every one is either an HTTP 400 at the API layer OR a UI element that cannot leak sensitive state.

QA TEAM · TEST CASES

#	Test step	Expected outcome
1	G1 · same-login-both-escrow-sides	HTTP 400 'must be different people' `data-testid: escrow-account-create`
2	G2 · score without COI	HTTP 400 'COI declaration required' `data-testid: eval-submit`
3	G3 · effective/{role}	Single payload merges tabs + actions + level `data-testid: permissions-effective`
4	G4 · Stakeholder Reports	Panel exposes 4 real reports + CSV `data-testid: stakeholder-reports-panel`
5	G5 · draft auction public link	Not rendered when status='draft' `data-testid: auction-bidder-link`

MANAGEMENT · GOVERNANCE · KPIS

- Bug tracker v5 · 44 of 52 observations FIXED (85 %).
- Guardrails are the pass/fail for investor code review.


Chapter 28 · Dashboard · Analytics & Drill-through

Real-time KPIs + click-through to filtered lists.

Audience: Ops · Mgmt

OVERVIEW

AI Anomaly, Pipeline Funnel, Top-Priced Bids — each card is now clickable and drills through /api/v1/dashboard-drill/* to a filtered mini-table (Bug 32/47 fixes).



OPERATIONS TEAM · HOW TO USE

- Click any card to expand a filtered mini-table.
- Click again to collapse.

QA TEAM · TEST CASES

#	Test step	Expected outcome
1	Click AI Anomaly card	Drill panel expands with 200 rows max; empty state text 'No AI-flagged bids' if none `data-testid: drill-card-anom`
2	Click Pipeline Funnel card	/dashboard-drill/pipeline?status= returns 500 rows max `data-testid: drill-card-pipe`

MANAGEMENT · GOVERNANCE · KPIS

- KPI dashboard is the daily standup screen.
- AI Copilot is advisory — no state change without human sign-off.


Chapter 29 · Sign-out & Exit

Cookie-clear + redirect to public login.

Audience: Ops · QA

OVERVIEW

Sign-out clears the HTTPOnly admin cookie and redirects to /login. Any deep-link back to /admin bounces to /login. Cookie is set to Secure + SameSite=Lax.



OPERATIONS TEAM · HOW TO USE

- Top-right → 'Sign out'.
- Session cookie cleared server-side; browser cookie invalidated.

QA TEAM · TEST CASES

#	Test step	Expected outcome
1	Click Sign out	Redirect to /login within 1 s; admin cookie no longer present `data-testid: admin-logout`
2	Navigate directly to /admin after sign-out	Bounce to /login; /api/v1/me returns 401 `data-testid: admin-logout`

MANAGEMENT · GOVERNANCE · KPIS

- Session TTL 12 h max; sliding renewal on activity.

Appendix A · Change-log

v1 · Sep 2026

Definitive master manual · every module × 4 tracks · supersedes v1..v3.2 handbook + Screenshot Manual v1 + all Observation-Response iterations.

Backend v17

Committee UX overhaul · Wave-E2 polish (7 fixes) · G2 access-control consolidation.

Frontend v20

Committee checkboxes + dissolve + resend · Tender kind-tab reset · status-token toast · Dashboard drill cards.

Backend v15

G4 rebuild · Dashboard drill endpoints · Branding theme + logo history · Engagements aging · DocuSign authoritative flag.

Frontend v18

StakeholderReportsPanel · Notices filter bar · v3.2 docs.

Appendix B · Guardrails (governance)

- G1 · Escrow dual-signature — HTTP 400 if pmc_officer.email == vendor_officer.email.
- G2 · COI cross-check — HTTP 400 at evaluations.submit_score without a COI declaration for that notice.
- G3 · Access-control unified — GET /api/v1/permissions/effective/{role} merges tabs + actions + hierarchy Level.
- G4 · Stakeholder Reports — four real reports (Tenders / Awards / Escrow / SLA) with JSON + CSV.
- G5 · Draft auction bidder link hidden when status='draft'.
- ErrorBoundary — every route is wrapped; blank screens are architecturally impossible.
- Audit — every substantive action writes to audit_log with actor + IP + payload.