

Why is selection sort said to be better than bubble sort though both are of order n square? I dont see a significant difference in their algo. Plz explain?

Write Question Details

Want Answers | 8 Comment Share Downvote

5 ANSWERS

ASK TO ANSWER

Jian Sun
Edit Biography • Make Anonymous

Write your answer, or answer later

Costya Perepelitsa

4 upvotes by Dhruv Matani, Ritesh Ranjan, Satya Nand, (more)

Who's saying it's better? I don't know anyone who says it's meaningfully better.

The best reason I think you could give to justify this would go something like this (but still be largely unconvincing):

By first scanning the entire list before locating the exact pair of numbers to swap, only two writes to memory are performed by Selection Sort for each O(n) scan, whereas Bubble Sort does writes on each and every comparison. So Selection Sort does O(n) writes to memory whereas Bubble Sort does $O(n^2)$ writes.

But this wouldn't likely amount to an appreciable difference in practice, particularly because you really shouldn't use either algorithm in production. I guess this makes Selection Sort trivially better for the lifetime of your RAM?

Perhaps you are confusing Selection Sort with Insertion Sort.

Insertion Sort actually does see a good amount of use in production in spite of running in $O(n^2)$ time, because its performance trends toward O(n) time for lists which are already mostly-sorted, which happens quite often in real-world cases (and being O(1) in space sure doesn't hurt).

For instance, Python's default list sorting algorithm is called Timsort \vec{c} , and it's a combination of Insertion Sort and Merge Sort, choosing between them according to their strengths.

Written 11 Jul, 2013. 4,884 views.





Sameer Gupta, Numerical optimization

4 upvotes by Julie Prentice, Abhilash Thachil, Dhval Mudawal, (more)

If you have to sort 100 fridges in order of their hight , you ll prefer less number of moves even if it means more comparisons.

But if you have to sort a group of 1000 people by their racing speed, it will be annoying for everyone, if your strategy is to make every possible couple of those people, race every couple, mark the winner and merge to the aggregate list in order of winning. (If you actually implement like this some of these people may punch your face), you d better ask them to race together and record the people who reach the finish line, in that order.

from Sameer Gupta's answer to Which is the best sorting algorithm for large data?

RELATED QUESTIONS

What is the difference between straight selection sort and exchange selection sort?

Regarding a selection sort, why is sorting an ordered list slower than sorting a random list?

Why is a selection sort algorithm not stable?

Which is faster: quicksort or bubble-sort?

When should one use selection sort and bubble sort ? Is there any advantage of selection sort over bubble sort or vice ver... (continue)

Why is quicksort considered to be better than merge-sort?

Sorting Algorithms: How do you perform an in-place merge in linear time in an array?

Sorting Algorithms: Let A and B be two linear arrays. How to merge these two arrays into a new array C?

Sorting Algorithms: Where do you use needle-sort in real life?

Sorting Algorithms: What are some of the best and easily implementable data structures that support finding the kth largest element quickly?

More Related Questions

Written 25 Oct, 2013. 1,686 views. Downvote Comment Share



Robin Thomas, CS Enthusiast, Programmer

3 upvotes by Dhruv Matani, Akhilesh Pandey, and Swapnil Bhargava.

Selection Sort is used normally in cases where memory writes are quite expensive than memory reads. It only does O(n) memory writes, but Bubble Sort need atleast twice that many memory writes. Experiments by Astrachan sorting strings in Java show bubble sort to be roughly 40% slower than Selection Sort

Quora

Q Search

Home











PadmaRaju Gadiraju Venkata, Professor, Computer Science & Engineering

5 upvotes by Shashank Mani Narayan, Avinandan Das, Prasad Svd, (more)

In bubble sort we compare two consecutive elements and swap the elements if they are out of order.

Total no. of swaps in the worst case is N(N-1)/2 because swapping is in the inner loop.

In selection sort swapping is done in the outer loop. So no of swaps is (N-1). Both methods will make N(N-1)/2 comparisons.

So the only difference is in no. of swaps. If copy is costly(like in the case of structures) we may see a better performance from selection sort.

Updated 14 Apr, 2014. 1,325 views.



Downvote Comment Share



Himanshu Sharma

bubble sort is complicative to trace & understand working

Written 16 Sep. 679 views.

Upvote

Downvote Comment Share

Top Stories from Your Feed

Answer promoted • 5 Mar

What are the ten most important things about personal finance someone without a finance background must know?



James Altucher, Blogger, author, social 🛘 media, invest... 🗸

8.4k upvotes by Shea Bennett, Ursula Whiteside, Tor Li, (more)

A) Don't get a salary. A salary will never make you money. B) Don't invest any of your money Investing is for wealth preservation, not wealtl creation, so first you have to make wealth C) Come up...

Read In Feed

Answer written • 2014

What is the most effective yet efficient way to get rich?



Evan Asano, CEO & Founder, Leading Influencer Age...

11k upvotes by Raj Irukulla, Pek Pongpaet, Abbe Dia: (more)

There's a story of an Italian Billionaire when asked if he had to start over from scratch what he'd do (I searched Google 50 times to find the original without luck). He replied that he'd tak any ...

Read In Feed

Answer written • 10 Mar

How good were Bill Gates and the late Steve Jobs at programming?



John Browne, world class generalist

716 upvotes by Scott Welch, Ivan Gautama, Garrick Saito, (more)

Over my 11 years at MSFT from the mid 80s to the late 90s I had numerous "Billg reviews" with different product teams, most frequently with the compiler group (C, C++). Bill's grasp technical de...

3/18/2015 (2) Why is selection sort said to be better than bubble sort though both are of order n square? I dont see a significant difference in their algo. Plz explain? -...