Telechips TCCxxxx Android Kitkat Memory Map

Rev 2.6 April 2, 2014



Revision History

Version	Date	Description		
2.6	2014-04-02	Rearrange memory map and add new reserved memory for Kitkat-mr1.1		
2.5	2014-02-13	Update memory size related to STB solution for Kitkat		
2.4	2014-02-11	Kitkat update		
2.3	2013-07-16	- Change the UMP memory size		
2.2	2013-05-22	- Add secured input buffer - Rearrange memory map for TEE		
2.1	2013-04-03	Change the size of video memory incase of 1GB DDR3 in STB solution		
2.0	2013-03-20	Update memory size related to STB solution		
1.9	2013-03-18	- Add VIDEO_MEM_EXT_SIZE for supporting multi-decoding on video.D11		
1.8	2013-02-19	- Increase VIQE memory size on TCC892x - Add JPEG_ENC_CAPTURE, JPEG_RAW_CAPTURE for DxB capture - Add NAND memory for DMA buffer on TCC893x - Change overlay memory size		
1.7	2013-02-14	Fix typos		

TCC893x 1GB Memory Map

Address (Hex)	Description	Size	Comment
80000100 - 80007FF	- ATAG	32KB	
80008000 -	Kernel Image	About 4 - 5MB	
81000000 -	ramdisk (initramfs)	About 600KB	
80000000 - 8800000) —Kernel / User	802MB	Maximum Mali heap size is 512MB
95E00000 - C000000		332.1112	Maximum UMP heap size is 72MB
88000000 - 8800000	pmem (obsolete)	0MB	
88000000 - 8800000	Secured input buffer	0MB	6MB if secured input buffer is used
88000000 - 8800000	Video Backup Buffer	0MB	2MB if video backup buffer is used
88000000 - 8B40000	O Overlay	52MB	Increase 8MB if CCFB is used Decrease 4MB if rotation is not supported
8B400000 - 8F80000	Video	68MB	
8F800000 - 8F80000	Video thumb Buffer	0MB	6MB if video thumb buffer is used
8F800000 - 91D0000	UMP	37MB	For contiguous physical memory
91D00000 - 9210000	FB WinMixer buffer	4MB	
92100000 - 9220000	RAM console	1MB	
92200000 - 9370000	VIQE / JPEG	21MB	22MB if 8M camera is used
93700000 - 9370000	External camera	0MB	21MB if external camera is used
93700000 - 9570000) FB	32MB	
95700000 - 9570000	FB (Scaler)	0MB	12MB if HDMI_UI_DISPLAY_MEM is used
95700000 - 9570000	Video_dual	0MB	8MB if Video_dual is used
95700000 - 9580000	NAND	1MB	
95800000 - 95B0000	JPEG_ENC_CAPTURE	3МВ	For DxB capture
95B00000 - 95E0000	JPEG_RAW_CAPTURE	3МВ	For DxB capture
95E00000 - 95E0000	VIDEO_MEM_EXT_SIZE	0MB	23MB if SUPPORT_MULTIVIDEO is used
88000000 - 95E0000	7 Total reserved	222MB	

^{*} Mali / UMP memory is dynamically allocated in Kernel memory

TCC892x 1GB Memory Map

Address (Hex)	Description	Size	Comment
80000100 - 80007FFF	ATAG	32KB	
80008000 -	Kernel Image	About 4 - 5MB	
81000000 -	ramdisk (initramfs)	About 600KB	
80000000 - 88000000	Kernel / User	799MB	Maximum Mali heap size is 512MB Maximum UMP heap size is 72MB
96100000 - C0000000			Maximum OMP neap size is 72MB
88000000 - 88000000	pmem (obsolete)	0MB	
88000000 - 88000000	Secured input buffer	0MB	6MB if secured input buffer is used
88000000 - 88000000	Video Backup Buffer	0MB	2MB if video backup buffer is used
88000000 - 8B400000	Overlay	52MB	Increase 8MB if CCFB is used Decrease 4MB if rotation is not supported
8B400000 - 8F800000	Video	68MB	
8F800000 - 8F800000	Video thumb Buffer	0MB	6MB if video thumb buffer is used
8F800000 - 91D00000	UMP	37MB	For contiguous physical memory
91D00000 - 92100000	FB WinMixer buffer	4MB	
92100000 - 92200000	RAM console	1MB	
92200000 - 92600000	FB WinMixer Ext Buffer	4MB	
92600000 - 93B00000	VIQE / JPEG	21MB	22MB if 8M camera is used
93B00000 - 93B00000	External camera	0MB	21MB if external camera is used
93B00000 - 95B00000	FB	32MB	
95B00000 - 95B00000	FB (Scaler)	0MB	12MB if HDMI_UI_DISPLAY_MEM is used
95B00000 - 95B00000	Video_dual	0MB	8MB if Video_dual is used
95B00000 - 95E00000	JPEG_ENC_CAPTURE	3МВ	For DxB capture
95E00000 - 96100000	JPEG_RAW_CAPTURE	3MB	For DxB capture
96100000 - 96100000	VIDEO_MEM_EXT_SIZE	0MB	23MB if SUPPORT_MULTIVIDEO is used
88000000 - 96100000	Total reserved	225MB	

^{*} Mali / UMP memory is dynamically allocated in Kernel memory

TCC893x STB 1GB Memory Map

Address (Hex)	Description	Size	Comment
80000100 - 80007FFF	ATAG	32KB	
80008000 -	Kernel Image	About 4 - 5MB	
81000000 -	ramdisk (initramfs)	About 600KB	
80000000 - 88000000	−Kernel / User	779MB	Maximum Mali heap size is 512MB
97500000 - C0000000			Maximum UMP heap size is 72MB
88000000 - 88000000	pmem (obsolete)	0MB	
88000000 - 88000000	Secured input buffer	0MB	8MB if secured input buffer is used
88000000 - 88000000	Video Backup Buffer	0MB	2MB if video backup buffer is used
88000000 - 8B000000	Overlay	48MB	Increase 8MB if CCFB is used Increase 4MB if rotation is supported
8B000000 - 91000000	Video	96MB	
91000000 - 91000000	Video thumb Buffer	0MB	6MB if video thumb buffer is used
91000000 - 93500000	UMP	37MB	For contiguous physical memory
93500000 - 93900000	FB Wmixer	4MB	
93900000 - 93A00000	RAM console	1MB	
93A00000 - 94F00000	VIQE	21MB	
94F00000 - 94F00000	External camera	0MB	16MB if external camera is used
94F00000 - 95E00000	FB	15MB	
95E00000 - 96E00000	FB (Scaler)	16MB	
96E00000 - 96E00000	Video_dual	0MB	8MB if Video_dual is used
96E00000 - 96F00000	NAND	1MB	
96F00000 - 96F00000	Output Attach	0MB	16MB if output attach is supported
96F00000 - 97200000	JPEG_ENC_CAPTURE	3МВ	For DxB capture
97200000 - 97500000	JPEG_RAW_CAPTURE	3МВ	For DxB capture
97500000 - 97500000	VIDEO_MEM_EXT_SIZE	0MB	24MB if SUPPORT_MULTIVIDEO is used
88000000 - 97500000	Total reserved	245MB	

^{*} Mali / UMP memory is dynamically allocated in Kernel memory

TCC892x STB 1GB Memory Map

Address (Hex)	Description	Size	Comment
80000100 - 80007FF	F ATAG	32KB	
80008000 -	Kernel Image	About 4 - 5MB	
81000000 -	ramdisk (initramfs)	About 600KB	
80000000 - 8800000	Kernel / User	792MB	Maximum Mali heap size is 512MB Maximum UMP heap size is 72MB
96800000 - C000000	0		Makindin etti neap size te 12 me
88000000 - 8800000	pmem (obsolete)	0MB	
88000000 - 8800000	Secured input buffer	0MB	8MB if secured input buffer is used
88000000 - 8800000	Video Backup Buffer	0MB	2MB if video backup buffer is used
88000000 - 8B00000	0 Overlay	48MB	Increase 8MB if CCFB is used Increase 4MB if rotation is supported
8B000000 - 9100000	O Video	96MB	
91000000 - 9100000	Video thumb Buffer	OMB	6MB if video thumb buffer is used
91000000 - 9350000	UMP	37MB	For contiguous physical memory
93500000 - 9390000	FB Wmixer	4MB	
93900000 - 93A0000	0 RAM console	1MB	
93A00000 - 93E0000	0 FB WinMixer Ext Buffer	4MB	
93E00000 - 9530000	VIQE	21MB	
95300000 - 9530000	External camera	0MB	16MB if external camera is used
95300000 - 9620000) FB	15MB	
96200000 - 9620000	FB (Scaler)	0MB	
96200000 - 9620000	O Video_dual	0MB	8MB if Video_dual is used
96200000 - 9620000	O Output Attach	0MB	16MB if output attach is supported
96200000 - 9650000	JPEG_ENC_CAPTURE	ЗМВ	For DxB capture
96500000 - 9680000	JPEG_RAW_CAPTURE	ЗМВ	For DxB capture
96800000 - 9680000	VIDEO_MEM_EXT_SIZE	0MB	24MB if SUPPORT_MULTIVIDEO is used
88000000 - 9680000	Total reserved	232MB	

^{*} Mali / UMP memory is dynamically allocated in Kernel memory