Contents

2 First Chapter

CONTENTS

Chapter 1

Philosopherers

```
\mathbf{v}(<, S) := \forall_{x, y \in S} (x < y \ \underline{\lor} \ x = y \ \underline{\lor} \ y < x)
                        (\langle S \rangle) := \forall_{x,y,z \in S} ((x < y \land y < z)) \implies x < z)
                   e(E, S, <) := Order(<, S) \land E \subset S \land \exists_{\beta \in S} \forall_{x \in E} (x \le \beta)
                   (E, S, <) := Order(<, S) \land E \subset S \land \exists_{\beta \in S} \forall_{x \in E} (\beta \le x)
              I(\beta, E, S, <) := Order(<, S) \land E \subset S \land \beta \in S \land \forall_{x \in E} (x \le \beta)
               (\beta, E, S, <) := Order(<, S) \land E \subset S \land \beta \in S \land \forall_{x \in E}(\beta \leq x)
 \forall (\alpha, E, S, <) := U pper Bound(\alpha, E, S, <) \land \forall_{\gamma} (\gamma < \alpha \implies \neg U pper Bound(\gamma, E, S, <))
 \forall (\alpha, E, S, <) := LowerBound(\alpha, E, S, <) \land \forall_{\beta} (\alpha < \beta \implies \neg LowerBound(\beta, E, S, <))
                  |(S,<):=\forall_E\Big(\big(\emptyset\neq E\subset S\land Bounded\,Above(E,S,<)\big)\implies \exists_{\alpha\in S}\big(LU\,B(\alpha,E,S,<)\big)\,\Big)
                 \forall (S,<) := \forall_E \Big( \big( \emptyset \neq E \subset S \land Bounded Below(E,S,<) \big) \implies \exists_{\alpha \in S} \big( GLB(\alpha,E,S,<) \big) \Big)
                                                           LUBProperty(S, <) \implies GLBProperty(S, <)
                                                                                                                                                                                                                 wts: 2
(1.1) \ (\emptyset \neq B \subset S \land Bounded Below(B, S, <)) \implies \dots
                                                                                                                                                                                                               wts: 1.2
   (1.1.1) Order(\langle,S) \land \exists_{\delta' \in S} (LowerBound(\delta',B,S,\langle))
   (1.1.2) |B| = 1 \implies \dots
                                                                                                                                                                                                              wts: 1.1.3
                                                                                                                                                                                                            from: 1.1.2
       (1.1.2.1) \ \exists_{u'}(u' \in B) \ \blacksquare \ u := choice(\{u'|u' \in B\}) \ \blacksquare \ B = \{u\} \ \blacksquare \ GLB(u, B, S, <)
       (1.1.2.2) \ \exists_{\epsilon_0 \in S} (GLB(\epsilon_0, B, S, <))
   (1.1.3) |B| = 1 \implies \exists_{\epsilon_0 \in S} (GLB(\epsilon_0, B, S, <))
   (1.1.4) |B| \neq 1 \implies \dots
                                                                                                                                                                                                             wts: 1.1.5
                                                                                                                                                                                                                from: 1
       (1.1.4.1) \ \forall_E \big( \big( \emptyset \neq E \subset S \land Bounded Above(E, S, <) \big) \implies \exists_{\alpha \in S} \big( LUB(\alpha, E, S, <) \big) \big)
      (1.1.4.2) L := \{s \in S | LowerBound(s, B, S, <)\}
      (1.1.4.3) |B| > 1 \land OrderTrichotomy(<, S) | \exists \exists_{b_1' \in B} \exists_{b_0' \in B} (b_0' < b_1')
                                                                                                                                                                                                           wts: 1.1.4.7
      (1.1.4.4) \ b_1 := choice\Big(\{b_1' \in B | \exists_{b_0' \in B}(b_0' < b_1')\}\Big) \ \blacksquare \neg Lower Bound(b_1, B, S, <)
       (1.1.4.5) b_1 \notin L \ \blacksquare \ L \subset S
                                                                                                                                                                                                              from: 1.1
       (1.1.4.6) \quad \delta := choice(\{\delta' \in S | LowerBound(\delta', B, S, <)\}) \quad \blacksquare \quad \delta \in L \quad \blacksquare \quad \emptyset \neq L
      (1.1.4.7) \quad \emptyset \neq L \subset S
       (1.1.4.8) \ \forall_{v \in L} \left( \underline{LowerBound}(y, B, S, <) \right) \ \blacksquare \ \forall_{v \in L} \forall_{x \in B} (y \le x)
       (1.1.4.9) \ \forall_{x \in B} \left( x \in S \land \forall_{y \in L} (y \le x) \right) \ \blacksquare \ \forall_{x \in B} \left( UpperBound(x, L, S, <) \right)
       (1.1.4.10) \exists_{x \in S} (UpperBound(x, L, S, <)) \blacksquare Bounded Above(L, S, <)
       (1.1.4.11) \emptyset \neq L \subset S \land Bounded Above(L, S, <)
```

$(1.1.4.12) \ \exists_{\alpha' \in S} \Big(\underbrace{LUB}(\alpha', L, S, <) \Big) \ \blacksquare \ \alpha := choice \Big(\{\alpha' \in S \Big(\underbrace{LUB}(\alpha', L, S, <) \Big) \} \Big)$	from: 1.1.4.1 wts: 1.1.4.21
$(1.1.4.13) \ \forall_x \big(x \in B \implies UpperBound(x, L, S, <) \big)$	from: 1.1.4.9 wts: 1.1.4.17
$(1.1.4.14) \ \forall_x \left(\neg UpperBound(x, L, S, <) \implies x \notin B \right)$	
$(1.1.4.15) \gamma < \alpha \implies \dots$	wts: 1.1.4.16
$(1.1.4.15.1) \neg UpperBound(\gamma, L, S, <) \blacksquare \gamma \notin B$	from: 1.1.4.12, 1.1.4.14
$(1.1.4.16) \gamma < \alpha \implies \gamma \notin B \blacksquare \gamma \in B \implies \gamma \ge \alpha$	
$(1.1.4.17) \ \forall_{\gamma \in B} (\alpha \le \gamma) \ \blacksquare \ LowerBound(\alpha, B, S, <)$	
$(1.1.4.18) \alpha < \beta \implies \dots$	wts: 1.1.4.19
$(1.1.4.18.1) \ \forall_{y \in L} (y \le \alpha < \beta) \ \blacksquare \ \forall_{y \in L} (y \ne \beta)$	from: 1.1.4.12
$(1.1.4.18.2) \beta \neq L \blacksquare \neg LowerBound(\beta, B, S, <)$	
$(1.1.4.19) \alpha < \beta \implies \neg LowerBound(\beta, B, S, <) \blacksquare \forall_{\beta \in S} \left(\alpha < \beta \implies \neg LowerBound(\beta, B, S, <) \right)$	
$(1.1.4.20) LowerBound(\alpha, B, S, <) \land \forall_{\beta \in S} (\alpha < \beta \implies \neg LowerBound(\beta, B, S, <))$	from: 1.1.4.17, 1.1.4.19
$(1.1.4.21) GLB(\alpha, B, S, <) \blacksquare \exists_{\epsilon_1 \in S} \left(GLB(\epsilon_1, B, S, <) \right)$	
$(1.1.5) B \neq 1 \implies \exists_{\epsilon_1 \in S} (GLB(\epsilon_1, B, S, <))$	
$(1.1.6) \left(B = 1 \implies \exists_{\epsilon_0 \in S} \left(GLB(\epsilon_0, B, S, <) \right) \right) \land \left(B \neq 1 \implies \exists_{\epsilon_1 \in S} \left(GLB(\epsilon_1, B, S, <) \right) \right)$	from: 1.1.3, 1.1.5
$(1.1.7) (B = 1 \lor B \ne 1) \implies \exists_{e \in S} (GLB(e, B, S, <)) \blacksquare \exists_{e \in S} (GLB(e, B, S, <))$	
$(1.2) \ \left(\emptyset \neq B \subset S \land Bounded Below(B, S, <)\right) \implies \exists_{\varepsilon \in S} \left(GLB(\varepsilon, B, S, <)\right)$	
$(1.3) \ \forall_{B} \Big(\big(\emptyset \neq B \subset S \land Bounded Below(B, S, <) \big) \implies \exists_{\varepsilon \in S} \big(GLB(\varepsilon, B, S, <) \big) \Big)$	
(1.4) GLBP roperty(S <)	

(1.4) GLBProperty(S, <)(2) $LUBProperty(S, <) \implies GLBProperty(S, <)$ FUCKING DONE

Chapter 2

First Chapter

- (1) First
 - (1.1) Second
 - (1.2) Third
- (2) Fourth

This will be an empty chapter and I will put some text here

$$\sum_{i=0}^{\infty} a_i x^i \tag{2.1}$$

The equation 2.1 shows a sum that is divergent. This formula will later be used in the page ??.

For further references see Something Linky or go to the next url: http://www.sharelatex.com or open the next file File.txt It's also possible to link directly any word or any sentence in your document. supwithit Sup With It Theorem

If you read this text, you will get no information. Really? Is there no information?

For instance this sentence. supwithit