

Simple Light Demo 💡

The Simple Light Demo is a foundational example demonstrating how to use the Finite State Machine (FSM) API to control a simple object's state based on user input.

Prerequisites

- **FSM API Package:** Ensure you have the main FSM API package installed in your project.

Contents

The demo is organized into the following folders for clarity:

- **Rendering/:** Contains the Universal Render Pipeline (URP) assets specific to this demo, including the `FSM_UniversalRenderPipelineSettings` asset.
- **Scenes/:** Holds the `SimpleLight.unity` scene file.
- **Scripts/:** Includes the `LightFSM.cs` script that implements the FSM logic.
- **ReadMe.md:** This file.

Getting Started

1. **Open the Scene:** Navigate to the Scenes folder and open the `SimpleLight.unity` scene.
2. **Run the Demo:** Press **Play** to run the scene.
3. **Control the Light:** Click anywhere on the screen or press any key to toggle the directional light on and off.

How It Works

This demo uses a single FSM with two states: **On** and **Off**.


- The `LightFSM.cs` script acts as the FSM's context.
- The `Awake()` method creates the FSM with the "On" and "Off" states and sets the initial state to "Off."
- The `Update()` method listens for any key press. When a key is pressed, it checks the current state and transitions to the opposing state ("On" transitions to "Off" and vice-versa).
- The `OnEnterOn()` and `OnEnterOff()` methods are called when the FSM enters their respective states. These methods contain the logic to set the light's active state, turning it on or off.

This demo provides a solid foundation for understanding the core FSM concepts: **states**, **transitions**, and **context**.

❤️ [Support Us](#)

🧠 Brought to you by

The Singularity Workshop – Tools for the curious, the bold, and the systemically inclined.



Because state shouldn't be a mess.