jinja2.exceptions.TemplateNotFound

jinja2.exceptions.TemplateNotFound: index.html

Traceback (most recent call last)

 $\label{local_Programs_Python_Python_S} $$ \c C:\Users\trent_AppData_Local_Programs_Python_Python_38\Lib_site-packages_flask_app.py", line $$2464$, in $$ _call__$$$

return self.wsgi_app(environ, start_response)

 $\label{local_Programs_Python_Python_S} $$ \c "C:\Users\trent_AppData_Local_Programs_Python_Python_38\Lib_site-packages_flask_app.py", line $$2450$, in wsgi_app $$$

response = self.handle_exception(e)

File "C:\Users\trent\AppData\Local\Programs\Python\Python38\Lib\site-packages\flask\app.py", line 1867, in handle_exception

reraise(exc_type, exc_value, tb)

 $\label{local_Programs_Python_Python_S_Lib_Site_packages_flask_compat.py", line 39, in reraise} \\$

raise value

 $\label{lem:c:site-packages|flask|app.py", line 2447, in wsgi_app} In wsgi_app % \label{line:site-packages|flask|app.py", line 2447, in wsgi_app} % \label{line:site-packages|flask|app.py", line 2447, line wsgi_app} % \label{line:site-packages|flask|app.py", line 2447, line wsgi_app} % \label{line:site-packages|flask|app.py", line 2447, line wsgi_app} % \label{line:site-packages|flask|app.py", line wsgi_app} % \label{line:site-packages|flask|app.py|flask|app.py|flask|app.py|flask|app.py|flask|app.py|flask|app.py|flask|app.py|flask|app.py|flask|app.py|flask|app.py|flask|app.py|flask|app.py|flask|app.py|flask|app.py|flask|app.py|flask|app.py|flask|app.py|flask|app.py|flask|app.py|flask|app.py|flask|app.py|flask|app.py|flask|app.py|flask|app.py|flask|app.py|flask|app.py|flask|app.py|flask|app.py|flask|app.py|flask|app.py|flask|app.py|flask|app.py|flask|app.py|flask|app.py|flask|app.py|flask|app.py|flask|app.py|flask|app.py|flask|app.py|flask|app.py|flask|app.py|flask|app.py|flask|app.py|flask|app.py|flask|app.py|flask|app.py|flask|app.py|flask|app.py|flask|app.py|flask|app.py|flask|app.py|flask|app.py|flask|app.py|flask|app.py|flask|app.py|flask|app.py|flask|app.py|flask|app.py|flask|app.py|flask|app.py|flask|app.py|flask|app.py|flask|app.py|flask|app.py|flask|app.py|flask|app.py|flask|app.py|flask|app.py|flask|app.py|flask|app.py|flask|app.py|flask|app.py|flask|app.py|flask|app.py|flask|app.py|flask|app.py|flask|app.py|flask|app.py|flask|app.py|flask|app.py|flask|app.py|flask|app.py|flask|app.py|flask|app.py|flask|app.py|flask|app.py|flask|app.py|flask|app.py|flask|app.py|flask|app.py|flask|app.py|flask|app.py|flask|app.py|flask|app.py|flask|app.py|flask|app.py|flask|app.$

response = self.full_dispatch_request()

 $\label{lem:c:site-packages|lask-app.py} File "C:\Users\trent\AppData\Local\Programs\Python\Python38\Lib\site-packages\flask\app.py", line 1952, in full_dispatch_request$

rv = self.handle_user_exception(e)

 $\label{local_Programs_Python_Python_S_Lib_Site} File "C:\Users\trent\\ App Data \Local_Programs \Python_Python_38 \Lib\site-packages \flask\\ app.py", line 1821, in handle_user_exception$

reraise(exc_type, exc_value, tb)

 $\label{lem:c:strent_appData_local_programs_python_python_38_lib_site-packages_flask $$\compat.py'', line 39, in reraise $$$

raise value

 $\label{lem:conversed} File "C:\Users\trent\AppData\Local\Programs\Python\Python38\Lib\site-packages\flask\app.py", line 1950, in full_dispatch_request$

rv = self.dispatch_request()

 $\label{lem:c:site-packages|flask|app.py} File "C:\Users\trent\AppData\Local\Programs\Python\Python38\Lib\site-packages\flask\app.py", line 1936, in dispatch_request$

return self.view_functions[rule.endpoint](**req.view_args)

File "C:\Users\trent\Projects\GWBootcamp\SecondProject2\app.py", line 35, in home

1 of 2 11/2/2020, 9:57 PM

```
return render_template('index.html')
  File "C:\Users\trent\AppData\Local\Programs\Python\Python38\Lib\site-packages\flask
  \templating.py", line 138, in render_template
    ctx.app.jinja_env.get_or_select_template(template_name_or_list),
  File "C:\Users\trent\AppData\Local\Programs\Python\Python38\Lib\site-packages\jinja2
  \environment.py", line 930, in get_or_select_template
    return self.get_template(template_name_or_list, parent, globals)
  File "C:\Users\trent\AppData\Local\Programs\Python\Python38\Lib\site-packages\jinja2
  \environment.py", line 883, in get_template
    return self._load_template(name, self.make_globals(globals))
  File "C:\Users\trent\AppData\Local\Programs\Python\Python38\Lib\site-packages\jinja2
  \environment.py", line 857, in _load_template
    template = self.loader.load(self, name, globals)
  File "C:\Users\trent\AppData\Local\Programs\Python\Python38\Lib\site-packages\jinja2
  \loaders.py", line 115, in load
    source, filename, uptodate = self.get_source(environment, name)
  File "C:\Users\trent\AppData\Local\Programs\Python\Python38\Lib\site-packages\flask
  \templating.py", line 60, in get_source
    return self._get_source_fast(environment, template)
  File "C:\Users\trent\AppData\Local\Programs\Python\Python38\Lib\site-packages\flask
  \templating.py", line 89, in _get_source_fast
    raise TemplateNotFound(template)
jinja2.exceptions.TemplateNotFound: index.html
```

The debugger caught an exception in your WSGI application. You can now look at the traceback which led to the error.

To switch between the interactive traceback and the plaintext one, you can click on the "Traceback" headline. From the text traceback you can also create a paste of it. For code execution mouse-over the frame you want to debug and click on the console icon on the right side.

You can execute arbitrary Python code in the stack frames and there are some extra helpers available for introspection:

- dump() shows all variables in the frame
- dump(obj) dumps all that's known about the object

Brought to you by DON'T PANIC, your friendly Werkzeug powered traceback interpreter.

2 of 2 11/2/2020, 9:57 PM