BCP MLU Preliminary Analysis

Trevor KM Day


June 25, 2020

Setup

Packages: tidyverse, lme4, MuMIn, viridis, gridExtra.

Load data

Wordbank had only age, sex, and mother's education as demographics. Here, we show those for the available subjects, as well as the correlation between MLU3m and MLU3w.



Age Mom Ed LEX SYN Part I PartII MLU3m MLU3w ## Mean 29.7 17.9 374.3 71.9 416.2 30.0 7.2 6.8 4.9 2.4 163.7 54.4 192.5 23.1 4.8 ## SD 4.5

Analysis

Since MLU3m and MLU3w are so closely correlated, I use MLU3m for here on out.

So we see that control overall improves the models, and that SYN/Part II are better than LEX/Part I, but SYN doesn't meaningfully improve over Part II.

Reanalysis

However, it turns out SYN is a superset of Part II, so we can do a direct ANOVA for more information.

```
# Demographic predictors
demo.predictors <- c("age", "sex", "educ_momed", "income_inr")</pre>
# All part I/lexical predictors
lexical.predictors <- c("action_words", "animals", "body_parts", "clothing",</pre>
                         "descriptive_words", "food_drink", "furniture_rooms",
                         "games_routines", "helping_verbs", "household",
                         "outside", "people", "places", "toys", "vehicles",
                         "sounds")
# Predictors in Part II, but also syntax
swap.predictors <- c("pronouns ", "quantifiers", "question_words", "time_words",</pre>
                       "word endings nouns", "connecting words", "locations")
# Part II/syntax
partII.predictors <- c("word_endings_verbs", "word_forms_nouns",</pre>
                         "word_forms_verbs", "complexity")
formula.syntax_demo <- paste("MLU3m ~ ",</pre>
                              paste(c(demo.predictors, "(1|data_id)"),
                                      collapse = " + "))
formula.syntax_partII <- paste("MLU3m ~ ",</pre>
                                 paste(c(demo.predictors, partII.predictors),
                                        collapse = " + "),
                                  "+ (1|data id)")
formula.syntax_SYN <- paste("MLU3m ~",</pre>
                             paste(c(demo.predictors, swap.predictors,
                                      partII.predictors),
                                    collapse = " + "),
                             "+ (1|data id)")
syntax00 <- lmer(MLU3m ~ 1 + (1|data_id), data = wMLU, REML = TRUE)</pre>
syntax0 <- lmer(formula = formula.syntax_demo, data = wMLU, REML = TRUE)</pre>
syntax1 <- lmer(formula = formula.syntax_partII, data = wMLU, REML = TRUE)
syntax2 <- lmer(formula = formula.syntax_SYN, data = wMLU, REML = TRUE)</pre>
anova(syntax00, syntax0, syntax1, syntax2)
```

refitting model(s) with ML (instead of REML)

```
## Data: wMLU
## Models:
## syntax00: MLU3m ~ 1 + (1 | data_id)
## syntax0: MLU3m ~ age + sex + educ_momed + income_inr + (1 | data_id)
## syntax1: MLU3m ~ age + sex + educ_momed + income_inr + word_endings_verbs +
## syntax1:
                word_forms_nouns + word_forms_verbs + complexity + (1 | data_id)
## syntax2: MLU3m ~ age + sex + educ_momed + income_inr + pronouns + quantifiers +
                question_words + time_words + word_endings_nouns + connecting_words +
## syntax2:
## syntax2:
                locations + word_endings_verbs + word_forms_nouns + word_forms_verbs +
## syntax2:
                complexity + (1 | data_id)
           npar
                   AIC
                           BIC logLik deviance
                                                  Chisq Df Pr(>Chisq)
              3 490.32 497.54 -242.16
                                         484.32
## syntax00
## syntax0
              10 439.74 463.81 -209.87
                                         419.74 64.5811
                                                        7
                                                           1.825e-11 ***
                                         390.87 28.8743
## syntax1
              14 418.87 452.56 -195.43
                                                         4
                                                            8.291e-06 ***
## syntax2
              21 426.51 477.05 -192.25
                                         384.51 6.3583 7
                                                               0.4986
## ---
## Signif. codes: 0 '*** 0.001 '** 0.01 '* 0.05 '.' 0.1 ' ' 1
# Improvements:
# demo > intercept-only
# partII > demo
# SYN
        !> partII
```

Conclusion

Preliminary analysis with 82 subjects shows that MLU3m is differentially associated with syntax metrics over lexical metrics. However, the proposed metric is not significantly better than traditional MCDI Part II.

Analysis plan:

- Identify other variables and test them further against BCP82 sample.
- Once phenoscreening is done, use any variables identified above and rerun.

Package info

version

```
##
                 x86_64-w64-mingw32
## platform
## arch
                 x86_64
## os
                 mingw32
## system
                 x86_64, mingw32
## status
## major
                 0.2
## minor
## year
                 2020
## month
                 06
## day
                 22
                 78730
## svn rev
## language
## version.string R version 4.0.2 (2020-06-22)
## nickname
                 Taking Off Again
```

installed.packages()[names(sessionInfo()\$otherPkgs), "Version"]

```
Matrix
##
    gridExtra
                 viridis viridisLite
                                          MuMIn
                                                      lme4
##
        "2.3"
                 "0.5.1" "0.3.0"
                                      "1.43.17"
                                                  "1.1-23"
                                                              "1.2-18"
##
      forcats
                 stringr
                             dplyr
                                         purrr
                                                    readr
                                                               tidyr
                           "1.0.1"
                 "1.4.0"
                                        "0.3.4"
                                                   "1.3.1"
                                                               "1.1.1"
##
      "0.5.0"
                          tidyverse
##
       tibble
                 ggplot2
##
      "3.0.4"
                 "3.3.2"
                             "1.3.0"
```