


Joseph Costello

CNSA161

March 27th

Active directory users and computers

1. Go into active directory user and computers tools in domain controller device
2. Right click and select new, group, name it Famous Networkers, and select global in the box on the lower right, and security in the box on the lower left.



New Object - Group

Create in: CostelloDomain.xyz/Users

Group name:
Famous Networkers


Group name (pre-Windows 2000):
Famous Networkers

Group scope:
☐ Domain local
☒ Global
☐ Universal

Group type:
☒ Security
☐ Distribution

OK Cancel

3. Right click and choose new, user this time. Name it first name _Easy, last name Make, set it's logon name to _Easy Make and click next.



Create in: CostelloDomain.xyz/Users

First name: _Easy Initials:


Last name: Make

Full name: _Easy Make

User logon name:
_Easy Make @CostelloDomain.xyz

User logon name (pre-Windows 2000):
COSTELLODOMAIN\' _Easy Make

4. On the next page of the user creation set the password to CNSAcnsa1, and make sure the box is checked for user to have to change password at next logon then click



Create in: CostelloDomain.xyz/Users

Password: [dots]

Confirm password: [dots]

☒ User must change password at next logon


☐ User cannot change password

☐ Password never expires

☐ Account is disabled

finish.

5. To add it to the group, right click on the now created user and select add to group, type in Famous Networkers, in the box and click check names, make sure it fills in with the group you created then click ok.



Select Groups

Select this object type:
Groups or Built-in security principals

From this location:
CostelloDomain.xyz

Enter the object names to select (examples):
Famous Networkers

Object Types...
Locations...
Check Names

Advanced... OK Cancel

6. Creating the user accounts is simple then, just right click on the _easy make and click copy. Fill in the names, logon names, and passwords to all of the accounts,

making sure to check the box that they have to change password on next logon.

Name	Type	Description
 _Easy Make	User	
 Administrator	User	Built-in account for ad...
 Allowed RO...	Security Group...	Members in this group c...
 Bob Metcalf	User	
 Cert Publish...	Security Group...	Members of this group ...
 Cloneable D...	Security Group...	Members of this group t...
 Denied ROD...	Security Group...	Members in this group c...
 DnsAdmins	Security Group...	DNS Administrators Gro...
 DnsUpdateP...	Security Group...	DNS clients who are per...
 Domain Ad...	Security Group...	Designated administrato...
 Domain Co...	Security Group...	All workstations and ser...
 Domain Con...	Security Group...	All domain controllers i...
 Domain Gue...	Security Group...	All domain guests
 Domain Users	Security Group...	All domain users
 Enterprise A...	Security Group...	Designated administrato...
 Enterprise K...	Security Group...	Members of this group ...
 Enterprise R...	Security Group...	Members of this group ...
 Famous Net...	Security Group...	
 Frank Heart	User	
 Gordan Moo...	User	
 Group Polic...	Security Group...	Members in this group c...
 Guest	User	Built-in account for gue...
 Key Admins	Security Group...	Members of this group ...
 Protected Us...	Security Group...	Members of this group ...
 RAS and IAS ...	Security Group...	Servers in this group can...
 Ray Tomlins...	User	
 Read-only D...	Security Group...	Members of this group ...
 Robert Khan	User	
 Schema Ad...	Security Group...	Designated administrato...
 Steve Ballmer	User	
 Steve Wozniak	User	
 Steven Jobs	User	
 Tim Berners-...	User	
 Vint Cerf	User	

- To sign into any of the accounts you just set up, go onto your custom PC and join the domain from the dell, by putting these ethernet settings, then going to advanced name settings and putting the domain as the name of the domain set on the domain

controller.

IP assignment:	Manual	
IPv4 address:	10.200.101.3	Edit
IPv4 mask:	255.255.0.0	
IPv4 gateway:	10.200.0.1	
DNS server assignment:	Manual	
IPv4 DNS servers:	10.200.123.3 (Unencrypted)	Edit

Computer Name/Domain Changes

You can change the name and the membership of this computer. Changes might affect access to network resources.

Computer name:
TPCWin10

Full computer name:
TPCWin10.CostelloDomain.xyz

More...

Member of


☒ Domain:
CostelloDomain.xyz

☐ Workgroup:


OK Cancel

8. After restarting the PC you add to the domain, sign into one of the created accounts and change the password as required.
9. To change the logon hours for the user accounts with last initial B or C, right click on their name and go into their properties, go into the 'account' window, and click the


logon hours button. Change the boxes so they look like the image below.




10. Adding the users who's last initials aren't B or C, right click on their name and select 'Add to a group...' then put Domain Guests in the box at the bottom and hit check names, then ok to add them to the group.



11. To create the 5 new computer accounts, go to the computer folder, and right click, select new computer and put the name in then click ok.



12. Creating the CLUSERS OU, right click on the domain name and select new, organizational unit, name it and click ok.



13. To make a user account in command line with the dsadd command, first go into command line. Then type the command **dsadd user "CN=CMD Test,OU=Clusers,DC=CostelloDomain,DC=xyz" -pwd CNSAcnsa1 -display "Command Line Test" -disabled no -mustchpwd yes -member of "CN=Domain**

Admins,CN=Users,DC=CostelloDomain,DC=xyz" -fn "CMD" -ln-"test" -upn

CMDTest

```
C:\Users\Administrator>dsadd user "OU=CMD Test,OU=CLUSERS,DC=CostelloDomain,DC=xyz" -pwd CNSAcnsa1 -display "Command Line Test" -disabled no -mustchpwd yes -memberof "OU=Domain Admins,OU=Users,DC=CostelloDomain,DC=xyz" -fn "CMD" -ln "test" -upn CMDTest
dsadd succeeded:OU=CMD Test,OU=CLUSERS,DC=CostelloDomain,DC=xyz
```

The 'dsadd user' part of the command is the default start of the command,

everything following that is details telling the command specific things within the new user. The 'CN=CMD Test' is for it's common name, the 'OU=Clusers' is to put it into the correct organizational unit. 'DC=CostelloDomain' and 'DC=xyz' are specifying the domain to put the user in. '-pwd CNSAcnsa1' is setting it's password to be CNSAcnsa1, '-display "Command Line Test"' is to set it's display name, '-disabled no' is to make the account enabled right away, '-mustchpwd yes' makes the user have to change their password on first login. '-memberof "CN=Domain

Admins,CN=Users,DC=CostelloDomain,DC=xyz"' sets the account as a member of the domain admin group, '-fn "CMD"' Sets it's first name, '-ln "test"' sets its last name, and '-upn CMDTest' sets its logon name.

14. To make a new user account through powershell, go into powershell and first enter the commands **Import-Module ActiveDirectory** and **\$password = Read-Host -AsSecureString "CNSAcnsa1"** Then when prompted to put a password put CNSAcnsa1. Those two things set you up to be able to edit active directory elements in powershell so now put in **\$pw = Read-Host -AsSecureString "CNSAcnsa1"; New-ADUser -Name "PWS Test" -GivenName "PWS" -Surname "Test" -SamAccountName "pwstest" -UserPrincipalName "PWSTest@CostelloDomain.xyz"**

-Path "OU=Clusters,DC=CostelloDomain,DC=xyz" -AccountPassword \$pw -Enabled
\$true -ChangePasswordAtLogon \$true -PassThru | Add-
ADPrincipalGroupMembership -MemberOf "Domain Admins"

```
PS C:\Users\Administrator> Import-Module ActiveDirectory
PS C:\Users\Administrator> $password = Read-Host -AsSecureString "CNSAcnsa1"
CNSAcnsa1: *****
PS C:\Users\Administrator> New-ADUser -Name "PWS Test" -GivenName "PWS" -Surname "Test" -SamAccountName "pwstest" -UserPrincipalName "PWSTest@CostelloDomain.xyz" -Path "OU=CLUSTERS,DC=CostelloDomain,DC=xyz" -AccountPassword $pw -Enabled $true -ChangePasswordAtLogon $true -PassThru | Add-ADPrincipalGroupMembership -MemberOf "Domain Admins"
```

In this command, the '`$pw = Read-Host-AsSecureString "CNSAcnsa1";`' first allows you to make the changes, then '`New-ADUser`' tells it to create a new user account in active directory '`-Name "PWS Test"`' sets the username, '`-GivenName "PWS"`' sets the first name and '`-Surname "Test"`' sets the last name. '`-SamAccountName "pwstest"`' sets the logon name for older systems and '`-UserPrincipalName`

`"PWSTest@CostelloDomain.xyz"` sets the logon name and tells it the domain it's under at the same time. '`-Path "OU=CLUSTERS,DC=CostelloDomain,DC=xyz"`' sets the organizational unit within the domain. '`-AccountPassword $pw`' sets the password. '`-enabled $true`' enables the account right away. '`-`

`ChangePasswordAtLogon $true`' makes it so that you have to change the user's password at first logon. '`-PassThru`' allows it to correctly read that the next segment is something separate. '`Add-ADPrincipalGroupMembership -MemberOf "Domain Admins"`' is what sets the account to be a domain admin.