
Index

Page numbers followed by “*f*” indicate figures, “*t*” indicate tables, and “*b*” indicate boxes.

A

- Abdominals, exercises for, [63b](#)
- Abductor digiti minimi
 - finger abduction and, [196](#)
 - finger MCP extension and, [191t–192t](#)
- Abductor pollicis brevis
 - metacarpals, stabilization of, [211, 211f](#)
 - opposition (thumb to little finger) and, [215f](#)
 - palpation of, [211, 211f](#)
 - substitution in, [211b](#)
 - thumb abduction and, [209, 209t, 211](#)
- Abductor pollicis longus
 - substitution in, [210b](#)
 - tendon, palpation of, [210, 210f](#)
 - thumb abduction and, [209–210, 209t, 210b](#)
- Achilles tendon, monitoring tension in, [280, 280f](#)
- Acromioclavicular joint, [92, 92f](#)
- Active resistance test, [2](#)
- Activities of daily living (ADLs), [332](#)
- Acute care facilities, manual muscle testing (usage), [13–14](#)
- Acute rehabilitation facilities, manual muscle testing (usage), [14](#)
- Adductor longus, hip internal rotation, [261t](#)
- Adductor magnus
 - hip internal rotation, [261t](#)
 - inferior, hip extension, [235t](#)
- Adductor pollicis
 - palpation of, [214, 214f](#)
 - thumb adduction and, [212, 212t](#)
- Adjoining fingers, middle phalanx (grasping) of, [197, 197f](#)
- ADLs, [Activities of daily living](#)
- Alternate form of plank testing, [67](#)
- Alternate rhomboid test, [111](#)
- Ankle plantar flexion, [276–280, 276f, 281b](#)
 - Achilles tendon, monitoring tension in, [280, 280f](#)
 - calcaneus, movement of, [280, 280f](#)
 - cross section, [276f](#)
 - fingers, used, [278, 278f](#)
 - flexor digitorum longus, [277t](#)

flexor hallucis longus, 277*t*
gastrocnemius, 276, 277*t*
initial plantar range, 279, 279*f*
muscle, 277*t*
plantaris, 277*t*
posterior, 276*f*
range of motion, 277*b*
soleus, 276, 277*t*
stable point of resistance in, 280, 280*f*
tibialis posterior, 277*t*
untrained subjects, average values of, 279*t*

Anterior deltoid, shoulder flexion and, 118

Anterior superior iliac spine (ASIS), 233, 233*f*

Arms

abduction of
elbow extension (accomplishment) in, 159, 159*f*
external rotation and, 163*f*
adduction of, 110, 110*f*
cross section of, 164*f*
hand resistance in, 95, 95*f*
maintenance, 97, 97*f*
support of, 106, 106*f*
in flexion/abduction range, 137, 137*f*
in shoulder abduction, 143, 143*f*
in shoulder position, 110, 110*f*, 153
weight, support, 103, 103*f*

ASIS, Anterior superior iliac spine

Available range of motion, 5–6

Axilla (inferior margin), teres minor (palpation) on, 142, 142*f*

B

Back extensor, endurance capacity of, 48

Belly press test, 149

Bench press test, 315–316, 316*f*

Biceps

antecubital space, tendon (palpation) in, 153, 153*f*
elbow flexion and, 150
shoulder abduction and, 127*t*
shoulder flexion and, 119*t*
suggested exercise for, 154*b*

Biceps brachii

elbow flexion and, 151*t*
forearm supination and, 151, 151*f*, 160–163, 161*t*
substitution in, 130*b*

Biceps curl, 315, 315*f*

Biceps femoris

knee flexion, 265*t*
long head
hip extension, 235*t*
knee flexion, 265*t*
short head, knee flexion, 265*t*

Body-weight testing, 327–328

 pull-ups (chin-ups) test, 327, 327*b*, 327*t*

 push-ups test, 328, 328*t*–329*t*

Book, lifting, 342, 342*f*

 in modified physical performance test, 340

Brachialis

 elbow flexion and, 150, 151*t*

 forearm, in pronation, 152, 152*f*

 suggested exercise for, 154*b*

Brachioradialis

 elbow flexion and, 150, 151*t*

 forearm and

 lateral surface, palpation of, 153, 153*f*

 in mid position, 152, 152*f*

 suggested exercise for, 154*b*

Break test, 2

 alternative of, 2

 in MMT, 17

Bulbocavernosus, in pelvic floor, 83*t*

C

Cable tensiometry testing, isometric, 320, 320*f*

Calcaneus, 280, 280*f*

Capital extension, 21–24, 21*f*, 24*b*

 example of, 25*f*

 grade 2, grade 1, and grade 0, 24, 24*f*

 grade 3, 23, 23*f*

 grade 5 and grade 4, 23, 23*f*

 muscles in, 22*t*

 posterior view of, 21*f*

 range of motion, 21*b*

Capital extensors

 palpation of, 24

 weakness, 31

Capital flexion (chin tuck), 30–33, 30*f*, 33*b*

 anterior view of, 30*f*

 deep muscles of, palpation of, 33

 example of, 25*f*

 forward head posture in, 31, 31*f*

 grade 2, grade 1, and grade 0, 33, 33*f*

 grade 3, 32–33, 32*f*

 grade 5 and grade 4, 32, 32*f*

 impairment/absence of, 33

 muscles in, 30*t*

 patient, starting position of, 31, 31*f*

 range of motion, 30*b*

 small muscles of, palpation of, 33

Capital flexor muscles, palpation of, 33

Carpometacarpal (CMC) joint, angle of, 203

Case studies, 383–389

- in knee extension, 385
 - in muscle weakness
 - compromised gait and function secondary to, 385b–386b
 - fatigue secondary to, 386b
 - following childbirth, 388b
 - following hip surgery, 388b
 - following nerve injury, 387b
 - in plantar flexion, 386
 - in shoulder pain, 384b
- Central nervous system (CNS) signs, presence of, 33
- Cervical extension, 26–29, 29b
 - example of, 25f
 - grade 2, grade 1, and grade 0, 29, 29f
 - grade 3, 28–29, 28f
 - grade 5 and grade 4, 28, 28f
 - innervation of, 26f
 - muscles in, 27t
 - posterior view of, 26f
 - range of motion, 26b
- Cervical flexion, 34–37, 34f
 - anterior view of, 34f
 - example of, 25f
 - grade 2, grade 1, and grade 0, 37, 37f
 - grade 3, 36, 36f
 - grade 5 and grade 4, 36, 36f
 - muscles in, 35t
 - range of motion, 34b
 - substitution in, 37b
- Cervical rotation, participating muscles in, 39b
- Chair stand, 334–336, 335b
 - arms extended in, 335, 335f
 - feet position in, 334, 334f
 - five-repetition, 348, 348b, 348f
 - in moderately disabled women, 336, 336t
 - modified physical performance test and, 352t
 - normal range of, 336t
 - quality of movement in, 334, 334f
 - sit-to-stand move in, 335
 - testing of gluteus medius in, 335, 335f
 - 30-second version, 334
 - timed five-repetition version, 334
 - trunk, excessive bending forward of, weak quadriceps and, 335, 335f
- Chest, cross sections of arm muscles in, 116f
- Childbirth, muscle weakness following, case study in, 388b
- Chin tuck, Capital flexion
- Clavicle (medial half), pectoralis major (palpation) on, 137, 137f
- Clavicular head
 - cervical flexion, 35f
 - grades 5/4, shoulder horizontal adduction and
 - patient instructions in, 136
 - patient position in, 135
 - test of, 136
 - therapist instruction in, 136, 136f

Clavicular part
shoulder horizontal adduction and, 135*t*
shoulder internal rotation and, 145*t*

Closed chain, 310*b*

Cohen, weighted Kappa, 16

Coin, picking up of, 343, 343*b*, 343*f*
in modified physical performance test, 340

Community mobility requirements, 15*b*

Compromised gait, secondary to muscle weakness, case study in, 385*b*–386*b*

Concentric contraction, 9*b*

Contractile activity, detection ability of, 12

Contractions, types of, 9*b*

Contracture, impact, 5–6

Contralateral shin, 233, 233*f*

Coracobrachialis, shoulder flexion and, 118, 119*t*

Core muscles, 64*f*–65*f*, 65*t*
tests for, 64–70
alternate form of plank testing, 67
front abdominal power test, 69, 69*f*
isometric trunk flexor endurance test, 69, 69*f*
prone plank test, 66, 66*f*, 66*t*
side bridge endurance test, 67, 67*b*, 67*f*
timed partial curl up test, 68, 68*f*, 68*t*
unilateral supine bridge test, 70, 70*f*

Core strength, 64–70
exercises for, 70*b*

Core testing, 386

Cuff muscles, shoulder abduction and, 127*t*

Cyriax method, of testing contractile lesions, 329

D

Deep back muscles, in trunk rotation, 59*t*

Deep muscles, of capital flexion, palpation of, 33

Delirium, presence of, 12

Deltoid
palpation of, 129, 129*f*
superior/anterior surfaces, palpation of, 121, 121*f*
supraspinatus, work (combination) and, 130
testing, 117

Deltoid (anterior)
shoulder flexion and, 119*t*
shoulder horizontal adduction and, 135*t*
suggested exercise for, 121*b*

Deltoid (middle)
shoulder abduction and, 127*t*
shoulder horizontal abduction and, 131*t*
suggested exercise for, 125*b*, 130*b*

Deltoid (posterior)

- shoulder extension and, [123t](#)
- shoulder external rotation and, [140t](#)
- shoulder horizontal abduction and, [131t](#)
- suggested exercise for, [125b](#)

Diaphragm

- maximal expiratory pressure, [76](#)
- maximal inspiratory pressure, [76, 76f](#)
- preliminary examination of, [75](#)
- in quiet inspiration, [71f, 73t–74t](#)

Digastric muscle, in capital flexion, [30t](#)

Direct force measurements, [4](#)

Distal interphalangeal (DIP) finger flexion, muscles and, [181t](#)

Distal interphalangeal (DIP) tests, [185](#)

- for flexor digitorum profundus, [185](#)
- grade 2, grade 1, and grade 0 of, [185](#)
- grade 5, grade 4, and grade 3 of, [185, 185f](#)
- substitutions in, [185b](#)

Distal phalanx, of thumb, [207, 207f](#)

Distal thigh, for comfort, [273, 273f](#)

Dorsal interossei

- finger abduction and, [195](#)
- finger MCP extension and, [189t, 191t–192t](#)
- palpation of, [196, 196f](#)

Duchenne muscular dystrophy, intrarater reliability of, [16](#)

E

Ear, temporal area above, hand placement on, [38, 38f](#)

Eating task, physical performance test and, [340](#)

Eccentric contraction, [9b](#)

Elastic band testing, [318, 318f, 318t, 319b](#)

Elbow extension, [155–158, 159b, 159f, 370, 370f](#)

- cross section level of, [155f](#)
- grade 2, grade 1, and grade 0 of, [158](#)
- grade 5, grade 4, and grade 3 of, [157, 157f](#)
- illustration of, [155f](#)
- limb, parallel position of, [158, 158f](#)
- muscles and, [156t](#)
- posterior view of, [155f](#)
- prone position test for, [159](#)
- range of motion of, [156b](#)
- substitutions in, [159b](#)
 - via external rotation, [159, 159f](#)
 - via horizontal adduction, [159, 159f](#)

- triceps brachii and, [155](#)
- triceps tendon, tension in, [158, 158f](#)

Elbow flexion, [108, 108f, 150–154, 154b, 369, 369f](#)

- anterior view of, [150f](#)
- biceps and, [150](#)

brachialis and, 150
brachioradialis and, 150
cross section level of, 150f
forearm supination in, 151, 151f
grade 1 and grade 0 of, 154
grade 2 of, 153
grade 5, grade 4, and grade 3 of, 151–152
illustrations of, 150f
manual resistance, absence of, 132f
muscle and, 151t
range of motion of, 151b
scapular adduction in, 102, 102f
sitting position, alternate, 153, 153f

Elbows

counterforce at, 148, 148f
cupping of, 152, 152f
distal humerus, resistance of, 105–106, 105f
extension of, 95, 95f
flexors, position of, 153
hand resistance in, 128, 128f
posterior arm contour in, 132, 132f
outside, stabilization of, 146, 146f
resistance of, 108, 108f
downward, 136, 136f
outward, 136, 136f
stabilization, hand resistance of, 141, 141f
straightness of, 124, 124f
support of, 96, 96f

Endurance, 64–70

Equipment-based strength testing, 311–320
elastic band testing, 318, 318f, 318t, 319b
free weights testing, 315, 315f–316f, 316b, 317t
interpretation of, 311
isokinetic testing, 317
isometric cable tensiometry testing, 320, 320f
latissimus dorsi pull-down test, 314, 314f
leg press test, 312–313, 312f, 313b, 313t
sitting unilateral knee extension test, 311–312, 311f, 312b

Erector spinae, in core, 65t

Exercises, of muscle test, 9

Extensor carpi radialis brevis, wrist extension and, 174, 175t, 178

Extensor carpi radialis longus

elbow flexion and, 151t
wrist extension and, 174, 175t, 178

Extensor carpi ulnaris, wrist extension and, 174, 175t, 178

Extensor digiti minimi

finger MCP extension and, 186, 187t, 191t–192t
test of, 188
wrist extension and, 175t

Extensor digitorum

finger MCP extension and, 186, 187t, 191t–192t

test of, 188

wrist extension and, 175*t*

Extensor digitorum longus

foot dorsiflexion and inversion, 284*t*

foot eversion, with plantar flexion, 290*t*

Extensor hallucis longus

foot dorsiflexion and inversion, 284*t*

foot inversion, 287*t*

Extensor indicis

finger MCP extension and, 186, 187*t*

test of, 188

wrist extension and, 175*t*

Extensor pollicis brevis

first metacarpal base, abductor pollicis longus tendon (palpation) of, 210, 210*f*

thumb abduction and, 209*t*

thumb MCP and IP extension and, 205, 206*t*

Extensor pollicis longus

tendon, palpation of, 208, 208*f*

thumb MCP and IP extension and, 205, 206*t*

F

Fatigue, secondary to muscle weakness, case study in, 386*b*

FHP, Forward head posture

Fibularis brevis

ankle plantar flexion, 277*t*

plantar flexion, 277*t*

Fibularis longus

ankle plantar flexion, 277*t*

plantar flexion, 277*t*

Fibularis (peroneus) tertius

foot dorsiflexion and inversion, 284*t*

foot eversion with plantar flexion, 290*t*

Fifth metacarpal (radial side), opponens digiti minimi (palpation) on, 217, 217*f*

Finger abduction, 195–199

dorsal interossei and, 195

dorsal view of, 195*f*

grade 2, grade 1, and grade 0 of, 196

grade 5 and grade 4 of, 195–196, 195*f*

illustration of, 195*f*

range of motion of, 195*b*

palmar interossei and, 197, 198*b*, 198*f*

adjoining fingers, middle phalanx (grasping) of, 197, 197*f*

grade 2, grade 1, and grade 0 of, 198

grade 5 and grade 4 of, 197–198

illustration of, 197*f*

palmar view of, 197*f*

range of motion of, 197*b*

resistance of, 197, 197*f*

substitution in, 198*b*

thumb muscles and, 199

Finger MCP extension, 186–194

extensor digitorum, extensor indicis, and extensor digiti minimi, 186, 188*b*

cross section level of, 186f
dorsal views of, 186f
grade 2, grade 1, and grade 0 of, 188
grade 5, grade 4, and grade 3 of, 188
illustration of, 186f
IP joints, in flexion, 188, 188f
long finger, dorsal interossei (test) of, 196, 196f
muscles and, 187t
range of motion of, 187b
substitution in, 188b

interossei and lumbricals, 190, 194b

grade 2, grade 1, and grade 0 of, 194
grade 5, grade 4, and grade 3 of, 193, 193f
illustration of, 190f
muscles and, 191t–192t
palmar view of, 190f
range of motion of, 190b
substitution of, 194b

Finger PIP and DIP flexion, 180–182

cross section level of, 180f
flexor digitorum profundus and, 180, 181t
flexor digitorum superficialis and, 180, 181t
grade 5, grade 4, and grade 3 of, 182, 182f
illustration of, 180f
muscle and, 181t
palmar view of, 180f
range of motion of, 181b

First metacarpal, opponens pollicis (palpation) of, 217, 217f

Five-repetition chair stand, 348, 348b, 348f

Fixed joint limitation, impact, 5–6

Flexor carpi radialis

elbow flexion and, 151t
forearm pronation and, 166t
tendons, palpation of, 173, 173f
test of
 grade 3 of, 172, 172f
 grade 5 and 4 of, 171, 171f
wrist flexion and, 169, 171f

Flexor carpi ulnaris

elbow flexion and, 151t
tendons, palpation of, 173, 173f
test of
 grade 3 of, 172, 172f
 grade 5 and 4 of, 171, 171f
wrist flexion and, 169, 171f

Flexor digiti minimi brevis, finger MCP extension and, 191t–192t

Flexor digitorum longus

ankle plantar flexion, 277t
foot inversion, 287t
plantar flexion, 277t

Flexor digitorum profundus

DIP tests for, 185
finger MCP extension and, 191t–192t
finger PIP and DIP flexion and, 180, 181t
wrist flexion and, 171f

Flexor digitorum superficialis

- finger MCP extension and, [191*t*–192*t*](#)
- finger PIP and DIP flexion and, [180, 181*t*](#)
- palpation of, [184, 184*f*](#)
- wrist flexion and, [171*f*](#)

Flexor hallucis brevis, hallux and toe MP flexion, 293, 294*t*

Flexor hallucis longus

- ankle plantar flexion, [277*t*](#)
- foot inversion, [287*t*](#)
- plantar flexion, [277*t*](#)

Flexor pollicis brevis

- opposition (thumb to little finger) and, [215*t*](#)
- thumb MP/IP flexion and, [201, 202*t*](#)

Flexor pollicis longus

- tendon location/palpation of, [203, 203*f*](#)
- thumb MP/IP flexion and, [201, 202*t*](#)
- wrist flexion and, [171*f*](#)

Floor rise, 355, 356*b*

- assistance in, [356, 356*f*](#)
- head and shoulders raised, [355, 355*f*](#)
- strength in, requirement for, [356, 356*f*](#)

Foot, plantar view of, 297*f*

Foot dorsiflexion and inversion, 283–285, 283*f*, 285*b*, 379, 379*f*

- anterior, [283*f*](#)
- cross section, [283*f*](#)
- extensor digitorum longus, [284*t*](#)
- extensor hallucis longus, [284*t*](#)
- fibularis (peroneus) tertius, [284*t*](#)
- muscles, [284*t*](#)
- range of motion, [284*b*, 284*t*](#)
 - completion, [284*f*, 285](#)
- resistance, [284–285, 285*f*](#)
- substitution, [285*b*](#)
- tibialis anterior, [283, 284*t*](#)
 - palpation of, [285, 285*f*](#)

Foot eversion, with plantar flexion, 289–292, 289*f*, 292*b*

- anterolateral, [289*f*](#)
- cross section, [289*f*](#)
- extensor digitorum longus, [290*t*](#)
- fibularis tertius, [290*t*](#)
- gastrocnemius, [290*t*](#)
- muscle, [290*t*](#)
- peroneus brevis, [289, 290*t*](#)
 - tendon, palpate, [292, 292*f*](#)
- peroneus longus, [289, 290*t*](#)
- range of motion, [290*b*](#)
- resistance, [291, 291*f*](#)
 - without, [291, 291*f*](#)

Foot inversion, 286–288, 286*f*, 288*b*, 379, 379*f*

- cross section, [286*f*](#)
- extensor hallucis longus, [287*t*](#)
- flexor digitorum longus, [287*t*](#)

flexor hallucis longus, 287*t*

muscle, 287*t*

plantar view, 286*f*

range of motion, 286*b*

full, 288, 288*f*

resistance, 287, 287*f*

soleus, 287*t*

substitution, 288*b*

tibialis anterior, 287*t*

tibialis posterior, 286, 287*t*

palpate tendon, 288, 288*f*

Forced expiration, 78, 78*b*

grading, 78

muscles of, 79*t*–80*t*

Forearm pronation, 165–168, 168*b*

cross section level of, 165*f*

grade 1 and grade 0 of, 168

grade 3, grade 4, and grade 3 of, 167

illustrations of, 165*f*

muscles and, 166*t*

palmar view of, 165*f*

pronator quadratus and, 165

pronator teres and, 165

palpation of, 168, 168*f*

range of motion of, 166*b*

resistance, absence of, 167, 167*f*

shoulder rotation/abduction of, 168*b*, 168*f*

substitution in, 168*b*

volar (flexor) surface, hypothenar eminence (resistance application) over, 167, 167*f*

Forearm supination, 160–163, 163*b*

anterior view of, 160*f*

biceps brachii and, 160

cross section level of, 160*f*

grade 1 and grade 0, 163

grade 5, grade 4, and grade 3, grade 2 of, 161–162

hands, grasping of, 161, 161*f*

illustration of, 160*f*

muscles and, 161*t*

partial range of motion of, 162, 162*f*

range of motion of, 161*b*

substitution in, 163*b*, 163*f*

supinator and, 160, 161*t*

wrist, in neutral position, 171, 171*f*

finger, test of, 182, 182*f*

Forearms

cross section of, 164*f*

distal surface support of, 133, 133*f*

dorsal surface, hand (downward resistance) on, 157, 157*f*

hanging, 157, 157*f*

lateral surface, palpation of, 153

in mid position

brachioradialis, 152, 152*f*

elbow support, 172, 172*f*

movement of, 141*f*

friction elimination in, 142, 142f
positions, of elbow flexion, 152
in pronation, brachialis, 152, 152f
in supination, biceps brachii, 151, 151f
support, supinator palpation in, 163, 163f
volar (flexor) of
 hand resistance at, 146, 146f
 wrist, hand resistance over, 151f, 152

Forefoot, hand, resistance of, 291, 291f

Forward head posture (FHP), in capital flexion, 31, 31f

Fourth dorsal interossei, finger test for, 196, 196f

Frailty, diagnostic criteria for, 14b

Free weights testing, 315, 315f–316f, 316b, 317t

Front abdominal power test, 69, 69f

Functional abilities, representation by, 332

Functional assessment tests, 332

Functional movement, muscles essential for, 333t

Functional performance
 measurement of, 333
 testing of, 331–360, 334f

Functional task performance, measurement of, 333

Functional testing, 332

G

Gait, 357–358
 compromised, secondary to muscle weakness, case study in, 385b–386b
 critical determinants of, 358

Gait speed, 337–338, 338b
 conversions for, 338t
 mean usual gait speed, 339t
 moderately disabled women, norms for, 339t
 norms for, 339t
 self-selected walking speed in, 337f
 timing of, beginning of, 337, 337f

Garment, putting and taking off of, 342–343, 342f–343f
 modified physical performance test and, 340

Gastrocnemius
 ankle plantar flexion, 277t
 foot eversion with plantar flexion, 290t
 knee flexion, 265t
 plantar flexion, 277t
 substitutions, 269
 test, 278–280
 weakness of, 357–358

Geniohyoid muscle, in capital flexion, 30t

Gluteus maximus

 in core, 65t
 hip abduction, 244–247

hip adduction, 253*t*
hip extension, 234, 235*t*
hip internal rotation, 261*t*
isolate, hip extension test to, 238–239, 239*b*, 239*f*
strength demand for, 357
in trunk extension, 43*t*–44*t*
weakness of, 357

Gluteus medius

hip abduction, 244–247, 244*t*, 249*t*
hip extension, 235*t*
hip flexion, 227*t*
hip internal rotation, 261*t*
Trendelenburg sign in, 5
weakness of, 357

Gluteus minimus

hip abduction from flexed position, 249*t*
hip internal rotation, 261*t*

Gracilis, knee flexion, 265*t*

Grade 0 muscle, 5

Grade 1 muscle, 4–5

Grade 2 muscle, 4

Grade 3 muscle, 4

Grade 4 muscle, 4

revisited, 5

Grade 5 muscle, 4

Gravity, elimination of, 142

Grip strength, 218, 219*b*–220*b*

patient instructions in, 218, 218*f*
patient position in, 218, 218*f*
scoring of, 218, 219*t*
therapist instruction in, 218, 218*f*

H

Hallux, IP joints, flexion of, 298*t*

Hallux and toe DIP and PIP flexion, 297–299, 297*f*, 299*b*, 299*f*
cross section, 297*f*
muscle, 298*t*
range of motion, 298*b*

Hallux and toe MP and IP extension, 300–302, 303*b*

anterolateral view, 300*f*
cross section, 300*f*
extensor digitorum brevis, 301*t*
extensor digitorum longus, 301*t*
extensor hallucis longus, 301*t*
MP joint, thumb in, 302, 302*b*, 302*f*
muscle, 301*t*
range of motion, 301*b*
thumb, dorsum, 301*f*

Hallux and toe MP flexion, 293, 293*f*

flexor hallucis brevis, 293, 294*t*
lumbricales, 293, 294*t*
muscle, 294*t*
plantar surface, 293*f*
range of motion, 293*b*

Hallux MP flexion, 295, 295*b*, 295*f*

Hamstrings

in aggregate, 266, 266*f*
in core, 65*t*
grading, 267, 267*f*
hip extension, 234
palpation of, 237, 237*f*

Handheld dynamometry (HHD), 361–381

clinimetric properties in, 362
elbow extension in, 370, 370*f*
elbow flexion in, 369, 369*f*
foot dorsiflexion and inversion in, 379, 379*f*
general procedures in, 363
hip abduction in, 374, 374*f*
hip extension in, 373, 373*f*
hip external rotation in, 375, 375*f*
hip flexion in, 372, 372*f*
hip internal rotation in, 376, 376*f*
knee extension in, 378, 378*f*
knee flexion in, 377, 377*f*
reference scores in, 363
shoulder abduction in, 366, 366*f*
shoulder extension in, 365, 365*f*
shoulder external rotation in, 367, 367*f*
shoulder flexion in, 364, 364*f*
shoulder internal rotation in, 368, 368*f*
testing specific actions in, 363, 363*b*
wrist extension in, 371, 371*f*

Handheld myometry, Handheld dynamometry

Hands

elevation, wrist support and, 177, 177*f*
friction, elimination of, 142, 142*f*
muscles of, testing of, 179
 extrinsic, 179
 intrinsic, 189, 189*t*
palm, resistance (application) over, 171, 171*f*

Head

flexion and extension of, 25*f*
position of, 100, 100*f*

Heel rise, failure of, 5

HHD, Handheld dynamometry

Hip abduction, 244–247, 244*f*, 248*b*, 374, 374*f*
 ankle, resistance, 245
 case study in, 385
 external rotation, 247, 247*f*
 from flexed position, 249–251, 249*f*
 anterolateral thigh, palpation of tensor fasciae latae on, 251, 251*f*

crest of the ilium, hand providing stabilization in, 250, 250f
cross section, 249f
lateral, 249f
muscles, 249t
range of motion, 249b
tensor fasciae latae, 249, 249t
trunk, lean, 251, 251f
uppermost limb, 250, 250f
without resistance, 250, 250f, 254, 254f

gemellus inferior, 244t
gemellus superior, 244t
gluteus maximus, 244t
gluteus medius, 244, 244t
gluteus minimus, 244, 244t
hand, resistance of, 245f–246f, 246
hip-hike substitution, 247, 247f
knee, medial surface of, 254, 254f
lateral, 244f
limb, partial abduction range, 247, 247f
obturator internus, 244t
pelvis rotated, 245, 245f
range of motion, 244b
resistance, straight downward, 254, 254f
sartorius, 244t
substitutions, 247b, 247f
tensor fasciae latae, 244t
without resistance, 246, 246f

Hip adduction, 252–256, 252f, 256b

adductor magnus, brevis, and longus, 252, 253t
anterior, 252f
cross section, 252f
gracilis, 252, 253t
hip flexor substitution, 256, 256f
limb, decrease friction, 255, 255f
muscles, 253t
obturator externus, 253t
pectineus, 252, 253t
proximal medial thigh, adductor mass on, 256, 256f
range of motion, 253b
substitution, 256b, 256f

Hip extension, 234–243, 373, 373f

case study in, 385
cross section, 234f
gluteus maximus, 234, 235t
grade 1 and grade 0, 237, 237f
grade 2, 237, 237f
grade 5, grade 4, and grade 3, 236, 236b, 236f
hamstrings, 234
ischial tuberosity, hamstring palpation, 237, 237f
locking, 243, 243f
posterior, 234f
range of motion, 235b
substitutions, 237b
test limb, therapist support, 237, 237b, 237f

Hip extension test, 238–239

for hip flexion tightness, 240–241, 240*b*, 240*f*
modified, avoid obscuring test positions, 240, 240*b*, 240*f*
pelvis, alignment of, stabilize or maintain, 238, 238*f*
supine hip extension test, 242–243, 243*b*
without resistance, 238, 238*f*

Hip extensor muscles, aggregate, 236, 236*b*, 236*f*

Hip external rotation, 257–260, 257*b*, 257*f*, 259*f*, 375, 375*f*
grade 2 alternate test, 260, 260*b*, 260*f*
muscle, 258*t*
no resistance, 259, 259*f*
range of motion, 257*b*
present, 259*f*

Hip flexion, 226–229, 226*f*, 230*b*, 372, 372*f*
abduction, and external rotation with knee flexion, 231–233
distal leg, medial-anterior surface of, 232, 232*f*
grade 1 and grade 0, 233, 233*f*
grade 2, 233, 233*b*, 233*f*
grade 5, grade 4, and grade 3, 232, 232*f*
muscles, 232*t*
sartorius, 231, 231*f*, 233*b*
substitution, 233*b*
anterior, 226*f*
grade 1 and grade 0, 229, 229*f*
grade 2, 229, 229*f*
grade 5, grade 4, and grade 3, 228, 228*b*, 228*f*
iliacus, 226
level of cross section, 226*f*
muscles, 227*t*
psoas major, 226
range of motion, 227*b*
substitutions, 230*b*, 230*f*
tightness, hip extension tests modified for, 240–241, 373, 373*f*

Hip flexion substitution, 269, 269*f*

Hip-hike substitution, 247, 247*f*

Hip internal rotation, 261–263, 261*f*, 376, 376*f*
glutei medius, 261
glutei minimus, 261
grading, 262, 262*f*–263*f*, 263*b*
lateral, 261*f*
muscle, 261*t*
range of motion, 261*b*
tensor fasciae latae, 261

Hips
extension, weakness, 45, 45*f*
extensor, strong, 47*b*
flexor
stabilization, 55, 55*f*
substitution, 256*b*, 256*f*
internally rotating, 256, 256*f*

Hip surgery, muscle weakness following, case study in, 388*b*

Home health setting, manual muscle testing of, 15

Hop tests, 326, 326*f*

Horizontal adduction, usage of, 159, 159*f*

Humeral head, forearm pronation and, 166*t*
Hypothenar, finger MCP extension and, 189*t*
Hypothenar eminence
 resistance application with, 167, 167*f*
 usage of, 171, 171*f*

I

Iliacus, hip flexion, 226, 227*t*
Iliococcygeus, in pelvic floor, 83*t*
Iliocostalis cervicis, in cervical extension, 27*t*
Iliocostalis lumborum
 in pelvis elevation, 50*f*
 in trunk extension, 43*t*–44*t*
Iliocostalis thoracis, in trunk extension, 43*t*–44*t*
Ilium, crest, hand providing stabilization, 250, 250*f*
Inferior oblique head, in cervical flexion, 35*t*
Infraspinatus
 shoulder abduction and, 127*t*
 shoulder external rotation and, 139, 140*t*
 shoulder horizontal abduction and, 131*t*
 suggested exercise for, 143*b*
Innervation, example of, 26*f*
Inspiratory training, exercise for, 77*b*
Intercostales externi, in quiet inspiration, 73*t*–74*t*
Intercostales interni
 in forced expiration, 79*t*–80*t*
 in quiet inspiration, 73*t*–74*t*
Intercostales intimi, in quiet inspiration, 73*t*–74*t*
International Classification of Functioning (ICF) disablement model, 332
Interphalangeal (IP) joints
 extension of, 194, 194*f*
 MCP joints, in flexion, 188, 188*f*
 position of, 203, 203*f*
Interspinales cervicis, in cervical extension, 27*t*
Interspinales lumborum, in trunk extension, 43*t*–44*t*
Interspinales thoracis, in trunk extension, 43*t*–44*t*
Intertransversarii cervicis, in cervical extension, 27*t*
Intertransversarii lumborum, in trunk extension, 43*t*–44*t*
Intertransversarii thoracis, in trunk extension, 43*t*–44*t*
Intrinsics-plus test, 192, 192*f*
Ischial tuberosity, palpate hamstring at, 237, 237*f*
Ischiococcygeus, in pelvic floor, 83*t*
Isokinetic dynamometry, 362
Isokinetic testing, 317

Isometric cable tensiometry testing, 320, 320f

Isometric contraction, 9b

Isometric trunk flexor endurance test, 69, 69f

J

Jobe test, 127

Joint range of motion (limitation), contracture/fixed joint limitation (impact), 5–6

K

Kendall examination, 13b

Kinetic chain, 310b

Knee extension, 270–274, 270f, 273b, 275b, 378, 378f

anterior, 270f

case study in, 385

cross section, 271f

grading, 273, 273f

muscles, 272f

patellar tendon, palpate, 274, 274f

quadriceps femoris, 270

range of motion, 271b

rectus femoris, 272f

resistance, 273

substitutions, 275b

underside, support, 274, 274f

vastus intermedius, 272t

vastus lateralis, 272t

vastus medialis longus, 272t

vastus medialis oblique, 272t

Knee flexion, 264–268, 264f, 269b, 377, 377f

cross section, 264f

grade 1 and grade 0, 268, 268f

grade 2, 268, 268f

hamstring muscles, 264, 266

leg, posterior surface of, 266

muscle, 265t

posterior, 264f

range of motion of, 265b

resistance, 266, 266f

substitutions, 269b

L

Lateral hamstring test (biceps femoris), 267–268, 267f

Lateral head, elbow extension and, 156t

Latissimus dorsi

alternate test for, 115

in forced expiration, 79t–80t

grade 5, grade 4, and grade 3, grade 2, and grade 1 of, 114, 114f

illustrations of, 112f–113f

muscle and, 113t

- in pelvis elevation, 50*t*
 - posterior view of, 112*f*
 - scapular depression/adduction and, 105*t*, 112–115
 - shoulder extension and, 123*t*
 - shoulder internal rotation and, 145*t*
 - suggested exercise for, 115*b*
- Latissimus dorsi pull-down test, 314, 314*f***
- Leg extension machine, in knee extension, 385**
- Leg press test, 312–313, 312*f*, 313*b*, 313*t***
- Legs**
 - cross sections of, 282*f*
 - lift, 240, 240*f*
 - posterior surface, hand provides resistance on, 266
 - posterior view of, 286*f*, 297*f*
- Levator ani, in pelvic floor, 83*t***
- Levator scapulae**
 - in cervical extension, 27*t*
 - in cervical rotation, 39*b*
 - scapular adduction (retraction) and, 102*t*
 - scapular adduction/downward rotation and, 108*t*
 - scapular elevation and, 99*t*
- Levatores costarum, in quiet inspiration, 73*t*–74*t***
- Limbs**
 - parallel position of, 158
 - partial abduction range, 247, 247*f*
- Locomotion, importance of, 357**
- Long finger dorsal interossei, test for, 196, 196*f***
- Long head, elbow extension and, 156*t***
- Longissimus capititis**
 - in capital extension, 22*t*
 - in cervical rotation, 39*b*
- Longissimus cervicis, in cervical extension, 27*t***
- Longissimus thoracis, in trunk extension, 43*t*–44*t***
- Long-term care facilities, manual muscle testing (usage) of, 14–15**
- Longus capititis**
 - in capital flexion, 30*t*
 - in cervical rotation, 39*b*
- Longus colli**
 - in cervical flexion, 35*t*
 - inferior oblique, in cervical rotation, 39*b*
- Lumbar spine**
 - exercises for, 48*b*
 - in trunk extension, 45, 45*f*, 48
- Lumbrales**
 - hallux and toe MP flexion, 293, 294*t*
 - toe MP flexion, 296
- Lumbricals, finger MCP extension and, 189*t*, 191*t*–192*t***

M

Mandible, hands under, cupping of, 32, 32*f*

Manual muscle examination, documentation of, 7*f*–9*f*

Manual muscle testing (MMT)

- accuracy of, 3
- applicability of, 17
- break test in, 17
- ceiling effect in, 17
- diagnostic validity in, 17
- enhancement of, 16–17
- handheld dynamometers and, 362
- in hip abduction, 385
- history of, 12
- limitations of, 16–17
- objectivity of, 16
- patient, influence of, 13
- population variation of, 16
- principles of, 1–10
- relevance of, 11–18
- reliability in, 16–17
- sensitivity of, 17
- strength testing technique of, 12
- tester strength of, 17
- usage, in clinical setting, 13–16
- validity of, 16–17
- variability of, 17

Manual muscle testing alternatives, 307–330

- body-weight testing, 327–328
 - pull-ups (chin-ups) test, 327, 327*b*, 327*t*
 - push-ups test, 328, 328*t*–329*t*
- considerations, 308
- Cyriax method of testing contractile lesions, 329
- equipment-based strength testing, 311–320
 - elastic band testing, 318, 318*f*, 318*t*, 319*b*
 - free weights testing, 315, 315*f*–316*f*, 316*b*, 317*t*
 - interpretation of, 311
 - isokinetic testing, 317
 - isometric cable tensiometry testing, 320, 320*f*
 - latissimus dorsi pull-down test, 314, 314*f*
 - leg press test, 312–313, 312*f*, 313*b*, 313*t*
 - sitting unilateral knee extension test, 311–312, 311*f*, 312*b*
- multiple-repetition maximum test, 310, 310*t*–311*t*
- one-repetition maximum test, 309
- power testing, 321–326
 - hop and standing long jump tests, 326, 326*f*
 - Margaria-Kalamen stair sprint test, 321, 322*t*
 - medicine ball throw test, 323, 323*f*
 - shot put test, 323–324, 324*f*
 - vertical jump test, 324, 324*f*, 325*t*
- tips for, 308*b*

Manual resistance, application of, 2

Margaria-Kalamen stair sprint test, 321, 322*t*

Mat table, firmness of, 6

Medial hamstring test, knee extension, 266, 266*f*

Medial head, elbow extension and, 156*t*
Medicine ball throw test, 323, 323*f*
Metacarpals, stabilization of, 210, 210*f*
 in thumb adduction, 213, 213*f*
Middle deltoid, shoulder abduction and, 126
Middle finger, finger adduction toward, 198, 198*f*
MMT, [Manual muscle testing](#)
Moderately disabled women, chair stand in, 336, 336*t*
Modified physical performance test, 340–349
 chair stand (five-repetition) and, 348, 348*b*, 348*f*
 full tandem stance in, 348*f*
 lifting book in, 340
 picking up a coin in, 340
 scoring of, 349*b*, 349*f*
 form for, 350*f*
 standing static balance task in, 347
 feet together stance in, 347, 347*f*
 full tandem stance in, 348, 348*b*
 semi-tandem stance in, 347, 347*f*
Multifidi
 in cervical extension, 27*t*
 in core, 65*t*
 in trunk extension, 43*t*–44*t*
Multiple-repetition maximum test, 310, 310*t*–311*t*
Muscle actions, 363*b*
Muscles
 belly, grasping (avoidance), 12
 contour and bulk, differences (sensitivity) in, 12
 essential for functional movements, 333*t*
 fibers, direction of, 12
 function of, 12
 location and anatomic features of, 12
 scapular adduction (retraction) and, 102*t*
Muscle strength scoring convention, 2
Muscle test, 2–10
 available range of motion of, 5–6
 contractile activity, detection ability of, 12
 contractions, types of, 9*b*
 criteria for assigning, 3–6
 grade 0 muscle, 5
 grade 1 muscle, 4–5
 grade 2 muscle, 4
 grade 3 muscle, 4
 grade 4 muscle, 4
 grade 4 muscle revisited, 5
 grade 5 muscle, 4
 plus (+) and minus (-) grades, 5
 example, short lever (usage), 2
 exercises of, 9
 external force (resistance), application of, 2–3
 grading system of, 2
 making test, 2

method, standardization of, 12
numeric 0 to 5 system of, 2
numerical score, 2*t*
patient, position, importance of, 6
positioning, usage (consistency) of, 12
preparation for, 6–9
prime movers of, 10
principles of, 1–10
procedures
 modification ability of, 12
 overview of, 2–3
qualitative score, 2*t*
range of motion values, deviation of, 12
results, fatigue of, 12
stabilization of, 3
 usage (consistency) of, 12
surface friction, control, 6
therapist shortcuts, avoidance of, 12
usage, 2
value, examiner (relationship) of, 12–13

Muscle weakness, case study in

compromised gait and function secondary to, 385b–386b
fatigue secondary to, 386b
following childbirth, 388b
following hip surgery, 388b
following nerve injury, 387b

Mylohyoid muscle, in capital flexion, 30*t*

N

Nagi model of Disablement, 332

Neck

flexion and extension of, 25*f*
muscles of, testing, 19–40, 39b

Nerve injury, muscle weakness following, case study in, 387b

Nondominant arm, force (elicitation) of, 168

O

Oblique head, thumb adduction and, 212*t*

Obliquus capitis inferior

in capital extension, 22*t*
in cervical rotation, 39b

Obliquus capitis superior, in capital extension, 22*t*

Obliquus externus abdominis

in forced expiration, 79*t*–80*t*
in pelvis elevation, 50*t*
in trunk flexion, 54*t*
in trunk rotation, 59*t*

Obliquus internus, in forced expiration, 79*t*–80*t*

Obliquus internus abdominis

in pelvis elevation, 50*t*

in trunk flexion, 54*f*
in trunk rotation, 59*t*

Occiput, resistance over, 23, 23*f*

Omohyoid muscle, in cervical flexion, 35*t*

One-repetition maximum test, 309

Open chain, 310*b*

Opponens digiti minimi
finger MCP extension and, 191*t*–192*t*
opposition (thumb to little finger) and, 215, 215*t*
resistance for, 216, 216*f*

Opponens pollicis
opposition (thumb to little finger) and, 215, 215*t*
resistance, application of, 216, 216*f*

Opposition (thumb to little finger), 215–217, 217*b*
fifth metacarpal (radial side), opponens digiti mini (palpation) on, 217, 217*f*
first metacarpal, opponens pollicis (palpation) of, 217, 217*f*
grade 5 to grade 0 of, 216–217, 216*f*
illustration of, 215*f*
muscles and, 215
opponens digiti minimi and, 215
opponens pollicis and, 215
palmar view of, 215*f*
range of motion of, 215*b*
substitutions in, 217*b*

Outpatient clinics, manual muscle testing (usage), 15

P

Palmar interossei
finger adduction and, 197, 198*b*, 198*f*
finger MCP extension and, 189*t*, 191*t*–192*t*

Palmaris longus, thumb abduction and, 209*t*

Parieto-occipital area, resistance over, 28, 28*f*

Patellar tendon, palpate, 274, 274*f*

Pectineus, hip flexion, 227*t*

Pectoralis major
clavicular fibers
palpation of, 137, 137*f*
shoulder flexion and, 119*t*
in quiet inspiration, 73*t*–74*t*
scapular depression/adduction and, 105*t*
shoulder horizontal abduction and, 134, 137*b*
shoulder internal rotation and, 145*t*
suggested exercise for, 137*b*

Pectoralis minor
scapular abduction and upward rotation and, 94*t*
scapular depression/adduction and, 105*t*

Pelvic floor, 81–85
anatomy of, 82, 82*f*
functions of, 81

instrumented testing, 85
musculature, sexual dysfunction, 81
rectal testing, 85
risk management considerations in, 85
strength, 81
vaginal testing, 85

Pelvic floor muscles, 83*t*

activation, presence, 82
function, assessment of, 82
grading of, 83–84
scales, 83–84
Modified Oxford Scale in, 83–84
perineum, 83*t*
as sling, 81, 81*f*
strength
quantification of, 82
visualization of, 82
test description and procedure, 83, 83*f*
testing of, 78*f*, 83–84
visualization difficulty, 82
weakened, 81

Pelvis, alignment, stabilization and maintenance, 236

Pelvis elevation

grade 1 and grade 0, 52
grade 3 and grade 2, 51, 51*f*
grade 5 and grade 4, 51, 51*f*
hint in, 52*b*
muscles in, 50*t*
posterior, 49*f*
range of motion, 49*b*
substitution in, 52*b*

Perineometer, 84–85, 84*b*

Perineometer test, 84, 84*f*

Physical performance test, 340–349

climbing stairs in
four flights of, 345, 345*b*
one flight of, 345, 345*f*
eating task in, 341, 341*f*
lifting book in, 342, 342*f*
modified, 340–349
feet together stance in, 347, 347*f*
scoring for, 349*t*, 350*f*
semi-tandem stance in, 347, 347*f*
standing static balance task in, 347
picking up a coin from the floor in, 343, 343*b*, 343*f*
putting on and taking off a garment, 342–343, 342*f*–343*f*
scoring form for, 346*f*
360° turn in, 344, 344*b*, 344*f*
timed 50-foot walk in, 344, 344*b*
writing a sentence in, 341, 341*f*

Physical therapy, strength testing technique in, 12

Physically active older adults, chair stand normative ranges for, 336, 336*t*

Plantar flexion, case study in, 386

Plantaris
ankle plantar flexion, 277t
knee flexion, 265t
plantar flexion, 277t

Plinth, firmness of, 6

Poliomyelitis epidemic, MMT (appearance) of, 12

Popliteus, knee flexion, 265t

Population variation, in MMT, 16

Posterior deltoid
fibers, palpation of, 133, 133f
shoulder horizontal abduction and, 131, 133b
suggested exercise for, 133b

Posterior leg, resistance on, 236, 236f

Postoperative patient, strength assessment in, 13–14

Power testing, 321–326
hop and standing long jump tests, 326, 326f
Margaria-Kalamen stair sprint test, 321, 322t
medicine ball throw test, 323, 323f
shot put test, 323–324, 324f
vertical jump test, 324, 324f, 325t

Pronator quadratus, forearm pronation and, 165, 166t

Pronator teres
elbow flexion and, 151t
forearm pronation and, 165, 166t
palpation of, forearm pronation and, 168, 168f

Prone plank test, 66, 66f, 66t

Prone test, 280

Proximal interphalangeal (PIP) finger flexion, muscles and, 181t

Proximal interphalangeal (PIP) tests, 183–184, 184b
for flexor digitorum superficialis, 183
palpation of, 184, 184f
grade 2, grade 1, and grade 0 of, 184
grade 5, grade 4, and grade 3 of, 183, 183f
range of motion, resistance (absence) of, 183, 183f
substitutions in, 184b

Proximal medial thigh, adductor mass on, 256, 256f

Proximal phalanx, base, dorsal interosseus (palpation) of, 196, 196f

Psoas major
hip flexion, 226, 227t
in trunk flexion, 54t

Psoas minor, in trunk flexion, 54t

Pubococcygeus, in pelvic floor, 83t

Puborectalis, in pelvic floor, 83t

Pull-ups (chin-ups) test, 327, 327b, 327t

Push-ups test, 328, 328t–329t

Q

Quadratus lumborum

- in pelvis elevation, [50t](#)
- in trunk extension, [43t–44t](#)

Quadriceps

- functional strength, assessment, [275b](#)
- weakness of, [357](#)

Quadriceps femoris, knee extension, [270](#)

Quiet inspiration, [71–77, 71f–72f](#)

- diaphragm, [71f, 75–76, 75f–76f, 76b](#)
- intercostals, [77](#)
- muscles of, [73t–74t](#)
- range of motion, [72b](#)

R

Range of motion

- availability of, [5–6](#)
- resistance in, absence of, [38, 38f](#)
- values, deviation of, [12](#)

Rectus abdominis

- in core, [65t](#)
- in forced expiration, [79t–80t](#)
- in trunk flexion, [54t](#)

Rectus capitis anterior, in capital flexion, [30t](#)

Rectus capitis lateralis, in capital flexion, [30t](#)

Rectus capitis posterior major

- in capital extension, [22t](#)
- in cervical rotation, [39b](#)

Rectus capitis posterior minor, in capital extension, [22t](#)

Rectus femoris

- hip flexion, [227t](#)
- knee extension, [272t](#)

Resistance

- application of, [2–3](#)
- term, usage, [2](#)

Rhomboid major

- scapular adduction (retraction) and, [102t](#)
- scapular adduction/downward rotation and, [108t](#)
- scapular elevation and, [99t](#)
- shoulder horizontal abduction and, [131t](#)

Rhomboid minor

- scapular adduction (retraction) and, [102t](#)
- scapular adduction/downward rotation and, [108t](#)
- scapular elevation and, [99t](#)

Rhomboids, suggested exercise for, [111b](#)

Rhomboid test, alternate, [111](#)

Rib cage, scapula, proximity of, [91](#)

Rotator cuff, 138

Rotatores cervicis

in cervical extension, 27*t*

in cervical rotation, 39*b*

Rotatores lumborum, in trunk extension, 43*t*–44*t*

Rotatores thoracis, in trunk extension, 43*t*–44*t*

S

Sartorius, 231

hip flexion, 227*t*

knee flexion, 265*t*

Scalenus anterior

in cervical flexion, 35*t*

in cervical rotation, 39*b*

in quiet inspiration, 73*t*–74*t*

Scalenus medius

in cervical flexion, 35*t*

in cervical rotation, 39*b*

in quiet inspiration, 73*t*–74*t*

Scalenus posterior

in cervical flexion, 35*t*

in cervical rotation, 39*b*

in quiet inspiration, 73*t*–74*t*

Scapulae

axillary borders, fingers, extension of, 92

cardinal planes of, 90*f*

observation of, 91, 91*f*

position of, 91, 91*f*

abnormality, 93, 93*b*, 93*f*

range of motion of, 92

rest, position (abnormality), 93, 93*b*, 93*f*

symmetry of, 91, 91*f*

vertebral border motion of, 92, 92*f*

winging of, 91

Scapular abduction

direction of, 111, 111*f*

muscles and, 94*t*

range of motion of, 92

serratus anterior, 94

grading of, 95

trapezius, middle fibers and rhomboid major and minor, 101

upward rotation and, 94–97, 94*t*, 97*b*

grade 1 and grade 0 of, 97

grade 2 of, 96

grade 5, grade 4, and grade 3 of, 95

muscles and, 94*f*

range of motion of, 94*b*

Scapular adduction (retraction), 101–103, 103*b*

cross section level of, 101*f*

grade 2, grade 1, and grade 0 of, 103

grade 5, grade 4, and grade 3 of, 102–103, 102*f*–103*f*

illustrations of, 101*f*

- muscles and, 102*t*
 - range of motion of, 102*b*
 - substitution in, 103*b*
- Scapular adduction (retraction)/downward rotation, 107–111, 111*b***
- alternate Rhomboid test, 111
 - cross section level of, 107*f*
 - grade 2, grade 1, and grade 0 of, 110
 - grade 5, grade 4, and grade 3 of, 108–109, 109*f*
 - illustration of, 107*f*
 - manual resistance, absence of, 109, 109*f*
 - maximal resistance in, 109, 109*f*
 - muscles and, 108*t*
 - posterior view of, 107*f*
 - range of motion of, 108*b*
 - rhomboids and, 107
- Scapular depression/adduction, 104–106, 106*b***
- cross section level of, 104*f*
 - grade 2, grade 1, and grade 0 of, 106
 - grade 5, grade 4, and grade 3 of, 105–106, 105*f*
 - illustration of, 104*f*
 - muscles and, 105*t*
 - range of motion of, 104*b*
 - trapezius, lower and middle fibers, 104
- Scapular elevation, 98–100, 100*b***
- cross section level of, 98*f*
 - grade 2, grade 1, and grade 0 of, 100
 - grade 5, grade 4, and grade 3 of, 99–100, 100*f*
 - illustration of, 98*f*
 - muscles in, 99*t*
 - posterior view of, 98*f*
 - range of motion of, 99*b*
 - trapezius, upper fibers and levator scapula, 98
- Scapular vertebral border, 108*f*, 109**
- Scapulohumeral rhythm, 91**
- Screening tests, 6**
- Second dorsal interossei, finger test for, 196, 196*f***
- Semimembranosus**
- hip extension, 235*t*
 - hip internal rotation, 261*t*
 - knee flexion, 265*t*
 - medial hamstring test, 266
- Semispinalis capitis**
- in capital extension, 22*t*
 - in cervical rotation, 39*b*
- Semispinalis cervicis**
- in cervical extension, 27*t*
 - in cervical rotation, 39*b*
- Semispinalis thoracis, in trunk extension, 43*t*–44*t***
- Semitendinosus**
- hip extension, 235*t*

hip internal rotation, 261*t*

knee flexion, 265*t*

medial hamstring tests, 266

Serratus anterior

scapular abduction and, 94

origin/insertion of, 94*t*

suggested exercise for, 97*b*

weakness, sign of, 91

Shot put test, 323–324, 324*f*

Shoulder abduction, 126–129, 130*b*, 168*b*, 168*f*, 366, 366*f*

arm

by sliding, 129, 129*f*

support, 143, 143*f*

biceps brachii substitution and, 130*b*

cross section level of, 126*f*

grade 1 and grade 0 of, 129

grade 2 of, 129

grade 5, grade 4, and grade 3 of, 128

illustration of, 126*f*

lateral view of, 126*f*

manual resistance of, 128, 128*f*

middle deltoid and, 126

muscle and, 127*t*

range of motion of, 126*b*

supraspinatus and, 126

Shoulder abductors, testing, 319

Shoulder extension, 122–125, 365, 365*f*

cross section level of, 122*f*

grade 1 and grade 0 of, 125, 125*f*

grade 5, grade 4, and grade 3 of, 124, 124*f*

illustration of, 122*f*

lateral view of, 122*f*

latissimus dorsi and, 122

long head of triceps and, 122

muscles and, 123*t*

posterior deltoid and, 122

range of motion of, 123*b*

teres major and, 122

Shoulder external rotation, 139–143, 143*b*, 367, 367*f*

cross section level of, 139*f*

dorsal view of, 139*f*

grade 2, grade 1, and grade 0 of, 142

grade 5, grade 4, and grade 3 of, 141

alternate position for, 143, 143*f*

illustration of, 139*f*

infraspinatus and, 139

manual resistance, absence of, 141

muscles and, 140*t*

range of motion of, 140*b*

teres minor and, 139

Shoulder flexion, 118–121, 364, 364*f*

anterior deltoid and, 118

anterior view of, 118*f*

clavicular portion of pectoralis major and, 118
coracobrachialis and, 118
grade 2, grade 1, and grade 0 of, 121
grade 5, grade 4, and grade 3 of, 120, 120f
illustration of, 118f
muscles and, 119t
range of motion of, 119b
rotator cuff and, 118
substitutions in, 121b, 121f
supraspinatus and, 120

Shoulder horizontal abduction, 131–137

pectoralis major and, 134, 137b
cross section level of, 134f
grade 2, grade 1, and grade 0 of, 137
grade 5 and grade 4 of, 135–136
illustrations of, 134f
muscles and, 135t
range of motion of, 135b
posterior deltoid and, 131, 133b
grade 2, grade 1, and grade 0 of, 133
grade 5, grade 4, and grade 3 of, 132
illustration of, 131f
muscle and, 131t
posterior view of, 131f
range of motion of, 131b
triceps brachii substitution in, 133b

Shoulder internal rotation, 144–149, 149b, 368, 368f

anterior view of, 144f
belly press test for, 149
cross section level of, 144f
grade 2, grade 1, and grade 0 of, 147, 147f
grade 5, grade 4, and grade 3 of, 146
alternate test for, 148–149, 149f
illustration of, 144f
muscles and, 145t
range of motion of, 145b
subscapularis and, 144

Shoulder pain, case study in, 384b

Shoulders

elevates (shrugs), 99, 99f
girdle strength testing, 91–93
preliminary examination of, 91–93
gravity, elimination of (shoulder external rotation test), 142
internal rotation of, 108, 108f
arm extension/adduction, 110, 110f
pronation, attempt, 168, 168f
joints, deltoid, superior/anterior surfaces (palpation) of, 121, 121f
range of motion, improvement of, 92
stabilization of, 120, 120f
hand, usage of, 120, 120f
superior aspect, stabilization of, 133, 133f
supine position, rotation (testing) during, 142

Side bridge endurance test, 67, 67b, 67f

Sitting position, alternate, 153, 153f

Sitting unilateral knee extension test, 311–312, 311f, 312b

Small muscles, of capital flexion, palpation of, 33

Soleus

- ankle plantar flexion, 276, 277*t*
- foot inversion, 287*t*
- heel rise, failure of, 5
- plantar flexion, 277*t*
- test, 278–280, 278*f*
- weakness of, 357–358

Sørensen lumbar spine extension test, 48, 48*b*, 48*f*, 48*t*

Sphincter urethrae, in pelvic floor, 83*t*

Spinalis capitis, in capital extension, 22*t*

Spinalis cervicis, in cervical extension, 27*t*

Spinalis thoracis, in trunk extension, 43*t*–44*t*

Splenius capitis

- in capital extension, 22*t*
- in cervical rotation, 39*b*

Splenius cervicis

- in cervical extension, 27*t*
- in cervical rotation, 39*b*

Squat test, 320, 320*f*

Stability, 64–70

Stabilization, techniques, usage (consistency) of, 12

Stair climb test, 353–354, 353*f*, 354*b*, 354*t*

- four flights of, 345, 345*b*

- in modified physical performance test, 340

- one flight of, 345, 345*f*

Standing long jump tests, 326, 326*f*

Standing static balance task, 347

- feet together stance in, 347, 347*f*

- full tandem stance in, 348, 348*b*

- semi-tandem stance in, 347, 347*f*

Starting weight, in one-repetition maximum test, 309

Sternal head

- in cervical flexion, 35*t*

- grades 5/4, shoulder horizontal adduction and

- patient instructions in, 136

- patient position in, 135

- test of, 136

- therapist instruction in, 136, 136*f*

Sternal part, shoulder horizontal adduction and, 135*t*

Sternoclavicular joints, 92, 92*f*

Sternocleidomastoid muscle

- in cervical flexion, 35*t*

- in cervical rotation, 39*b*

- flexion to isolate, 38

- grade 2, grade 1, and grade 0, 38, 38*f*

- grade 5, grade 4, and grade 3, 38, 38*f*

- range of motion, 38*b*

Sternohyoid muscle, in cervical flexion, 35*t*

Sternothyroid muscle, in cervical flexion, [35t](#)

Strength

- assessment, indications of, [13](#)
- clinimetric properties of, handheld dynamometry in, [362](#)
- curvilinear relationship (conceptual design), [332f](#)
- testing, total lower extremity, case study in, [385](#)

Stylohyoid muscle, in capital flexion, [30t](#)

Subscapularis

- shoulder abduction and, [127t](#)
- shoulder internal rotation and, [144](#), [145t](#)
- suggested exercise for, [149b](#)
- tendon, palpation for, [147](#), [147f](#)

Superior oblique head, in cervical flexion, [35t](#)

Supination, occurrence of, [142](#)

Supinator

- forearm supination and, [160](#), [161t](#)
- palpation, forearm support in, [163](#), [163f](#)

Supine hip extension test, [242–243](#), [243b](#)

hip flexion, [243](#), [243f](#)

leg, lift, [242](#), [242f](#)

Supine (grade 0) muscle, shoulder horizontal abduction (alternate test) for, [133](#)

Supraspinatus

- peak activation of, [130](#)
- shoulder abduction and, [126](#), [127t](#)
- shoulder external rotation and, [140t](#)
- shoulder flexion and, [119t](#)
- suggested exercise for, [121b](#), [130b](#)
- testing, [127b](#)

T

Tensor fasciae latae

- hip flexion, [227t](#)
- hip internal rotation, [261](#), [261t](#)
- knee flexion, [265t](#)

Teres major

- shoulder extension and, [123t](#)
- shoulder internal rotation and, [145t](#)
- suggested exercise for, [137b](#)

Teres minor

- palpation of, [142](#), [142f](#)
- shoulder abduction and, [127t](#)
- shoulder external rotation and, [139](#), [140t](#)
- shoulder horizontal abduction and, [131t](#)
- suggested exercise for, [143b](#)

Thenar, finger MCP extension and, [189t](#)

Thenar eminence

- abductor pollicis brevis palpation in, [211](#), [211f](#)
- flexor pollicis longus tendon (palpation) in, [203](#), [203f](#)

Thigh, cross sections of, [241f](#)

Thoracic wall (lateral aspects), latissimus dorsi (fiber palpation) on, [115, 115f](#)

360° turn, [344, 344b, 344f](#)

in modified physical performance test, [340](#)

Thumb abduction, [209](#)

abductor pollicis brevis and, [209, 211](#)

grade 2, grade 1, and grade 0 of, [211](#)

grade 5, grade 4, and grade 3 of, [211](#)

substitution in, [211b](#)

abductor pollicis longus and, [209–210, 210b](#)

grade 5 to grade 0 of, [210](#)

substitution in, [210b](#)

dorsal view of, [209f](#)

illustration of, [209f](#)

muscles and, [209t](#)

palmar view of, [209f](#)

range of motion of, [209b](#)

Thumb adduction, [212–214, 214b](#)

adductor pollicis and, [212](#)

palpation of, [214, 214f](#)

grade 2 and grade 1 of, [214](#)

grade 5, grade 4, and grade 3 of, [213](#)

illustration of, [212f](#)

metacarpals, stabilization of, [213, 213f](#)

muscles and, [212t](#)

palmar view of, [212f](#)

range of motion of, [212b](#)

substitutions in, [214b, 214f](#)

wrist, stabilization of, [214, 214f](#)

Thumb MCP and IP extension, [205, 208b](#)

cross section level of, [205f](#)

dorsal views of, [205f](#)

extensor pollicis brevis and, [205](#)

extensor pollicis longus and, [205](#)

grade 2, grade 1, and grade 0 of, [208](#)

grade 5, grade 4, and grade 3 of, [207](#)

illustration of, [205f](#)

joint extension in, [208, 208f](#)

muscles and, [206t](#)

range of motion of, [206b](#)

substitution in, [208b](#)

Thumb MCP and IP flexion, [201](#)

cross section level of, [201f](#)

distal phalanx, resistance of, [204, 204f](#)

flexor pollicis brevis and, [201](#)

flexor pollicis longus and, [201](#)

grade 5 to grade 0 of, [203–204](#)

illustration of, [201f](#)

muscles and, [202t](#)

palmar view of, [201f](#)

range of motion of, [202b](#)

substitution in, [203b–204b](#)

Thumbs

in adduction, 203
distal joint extension of, 208, 208*f*
distal phalanx of, 207, 207*f*
medial rotation of, 216, 216*f*
motions of, 200*f*
muscles of, 199

Thyrohyoid muscle, in cervical flexion, 35*t*

Tibialis anterior

foot dorsiflexion and inversion, 283, 284*t*
foot inversion, 287*t*
weakness of, 357

Tibialis posterior

ankle plantar flexion, 277*t*
foot inversion, 286, 287*t*
palpate tendon of, 288, 288*f*
plantar flexion, 277*t*

Timed 50-foot walk, 344, 344*b*

Timed partial curl up test, 68, 68*f*, 68*t*

Timed up and go (TUG), 351–352, 351*f*

normative reference values for, 352*t*
norms, 352, 352*b*

Toe MP flexion, 293, 293*f*, 296, 296*b*, 296*f*

dorsum, stabilizing of, 295, 295*f*
flexor hallucis brevis, 294*t*
lumbricales, 293, 294*t*
muscle, 294*t*
plantar surface, 293*f*
range of motion, 293*b*

Toes, IP joints, flexion of, 298*t*

Total lower extremity strength testing, case study in, 385

Transverse head, thumb adduction and, 212*t*

Transversus abdominis

in core, 65*t*
in forced expiration, 79*t*–80*t*

Transversus perinei profundus, in pelvic floor, 83*t*

Transversus perinei superficialis, in pelvic floor, 83*t*

Transversus thoracis, in forced expiration, 79*t*–80*t*

Trapezius

in cervical extension, 27*t*
on slack, 130

Trapezius (lower)

scapular abduction and upward rotation and, 94*t*
scapular adduction (retraction) and, 102*t*
scapular depression/adduction and, 105*t*
suggested exercise for, 106*b*

Trapezius (middle)

fibers, palpation of, 103, 103*f*
scapular adduction (retraction) and, 102*t*
scapular depression/adduction and, 105*t*

shoulder horizontal abduction and, 131*t*
suggested exercise for, 103*b*

Trapezius (upper)

in cervical rotation, 39*b*
scapular abduction and upward rotation and, 94*t*
scapular adduction (retraction) and, 102*t*
scapular elevation and, 99*t*
suggested exercise for, 100*b*

Trendelenburg sign, positive value of, 5

Triceps brachii

elbow extension and, 155, 156*t*
long head
shoulder extension and, 123*t*
substitution by, 133*b*
suggested exercise for, 159*b*

Triceps tendon, tension in, 158, 158*f*

Trunk, muscles of, testing, 41–87, 85*b*

Trunk extension, 42–48

lumbar spine, 45, 45*f*, 48
muscles, 43*t*–44*t*
posterior, 42*f*
range of motion, 42*b*
thoracic spine, 46–48, 46*f*–47*f*, 47*b*

Trunk flexion, 53–58

anterior, 53*f*
grade 2, grade 1, and grade 0, 57–58, 57*f*–58*f*
grade 3, 56, 56*f*
grade 4, 56, 56*f*
grade 5, 55, 55*f*
hints in, 58*b*
muscles, 54*t*
range of motion, 53*b*
testing, 12

Trunk rotation, 59–63

anterior, 59*f*
grade 1 and grade 0, 63, 63*f*
grade 2, 62, 62*f*
grade 3, 61*f*
grade 4, 61, 61*f*
grade 5, 60, 60*b*, 60*f*
muscles, 59*t*
range of motion, 59*b*

TUG, Timed up and go

U

Ulnar head, forearm pronation and, 166*t*

Unilateral knee extension test, sitting, 311–312, 311*f*, 312*b*

Unilateral supine bridge test, 70, 70*f*

Untrained subjects, average values for, ankle plantar flexion, 279*t*

Upper back stabilization, forearm in, usage of, 29, 29f
Upper extremity, muscles of, 89–223
Upper trapezius, scapular elevation and, 99t
Upward rotation and scapular abduction, 94–97, 94t, 97b
 grade 1 and grade 0 of, 97
 grade 2 of, 96
 grade 5, grade 4, and grade 3 of, 95
 muscles and, 94t
 range of motion of, 94b

V

Vastus intermedius, knee extension, 272t
Vastus lateralis, knee extension, 272t
Vastus medialis longus, knee extension, 272t
Vastus medialis oblique, knee extension, 272t
Vertical intermediate head, in cervical flexion, 35t
Vertical jump test, 324, 324f, 325t
Volar (flexor) surface, hand resistance over, 151f, 152

W

Walking
 speed, gender/age differentiation of, 337f
 task, in modified physical performance test, 340
 timed 50-foot, 344, 344b
Weakened muscles, 3
Wellness clinics, manual muscle testing of, 16
Whole muscle, grades 5/4, shoulder horizontal adduction and
 patient position in, 135
 test of, 136, 136f

Wrist

dorsal surface of
 resistance, application, 161, 161f
 tendon palpation, 178, 178f
dorsum, tendon palpation on, 178, 178f
flexor muscles, relaxation of, 153
lateral palmar aspect, flexor carpi radialis (location) on, 171f, 173
neutral position of, finger, test, 183, 183f
palmar surface, palpation of, 184, 184f
Wrist extension, 174–178, 178b, 371, 371f
 cross section level of, 174f
 dorsal surface, tendon palpation on, 178, 178f
 dorsal views of, 174f
 dorsum, tendon palpation on, 178, 178f
 extensor carpi radialis brevis and, 174, 175t
 extensor carpi radialis longus and, 174, 175t
 extensor carpi ulnaris and, 174, 175t
 extensor digiti minimi and, 175t
 extensor digitorum and, 175t

extensor indicis, and, [175t](#)
grade 1 and grade 0 of, [178](#)
grade 2 of, [177](#)
grade 5, grade 4, and grade 3 of, [175–176, 175f–176f](#)
illustration of, [174f](#)
muscles and, [175t](#)
range of motion of, [175b](#)
substitution in, [178b](#)
suggested exercise of, [178b](#)
wrist support, hand elevation and, [177, 177f](#)

Wrist flexion, 169–173, 173b

cross section level of, [169f](#)
elbow support in, [172, 172f](#)
flexor carpi radialis and, [169](#)
 tendons, palpation of, [173, 173f](#)
flexor carpi ulnaris and, [169](#)
 tendons, palpation of, [173, 173f](#)
grade 1 and grade 0 of, [173](#)
grade 2 of, [172](#)
grade 3 of, [172](#)
grade 5 and grade 4 of, [171](#)
illustration of, [169f](#)
muscles and, [170t](#)
neutral position, forearm supination in, [171, 171f](#)
palmar view of, [169f](#)
range of motion of, [170b](#)

Writing task, physical performance test and, 340