

SUPPLEMENT TO “NEURAL BELLMAN OPERATORS”

QIAN QI

Peking University

This supplement gives the primitive-domain verification, numerical and statistical details, complete resource records and direct economic comparisons for the retained R49 evidence and the R52 revision. The reference-advantage, terminal-improvement and finite-sweep accuracy proofs are included here; all earlier proofs remain in the complete development supplement. The records distinguish deterministic mathematical guarantees, outward numerical enclosures and the independent-bin assumption supporting finite-sample inference.

1. PRIMITIVE DOMAIN AND EXACT MODULI

Use the family in main equations (42)–(43), with $d = 2, 3, 4$. Capacity is between $1/8$ and $1/4$ and has ℓ^1 modulus $1/(8d)$. Every component of the dynamics is at least $1/32$. A direct upper bound is $29/32$ for the larger action exposure and $27/32$ for the smaller one. Thus the cube is invariant without an action-dependent exit event. The numerical clipping to $[0, 1]$ is inactive on the true primitive image; it does not authorize out-of-domain evaluation.

For $d \geq 2$, the sums of the absolute entries in a state column of the transition derivative are bounded by $1/2 + 1/16 + 1/8 = 11/16$. The action derivative has ℓ^1 norm $\sum_j \gamma_j$. The action derivative of current cost is $2pa + 16a^3 \leq p/2 + 1/4$. These are bounds between feasible pairs, not a claim that the same action is feasible at both states.

On either shortage region the state gradient is affine. The derivative of the squared-target and imbalance terms in coordinate j , after multiplication by d , is $4(x_j - 5/8) + (2x_j - x_{j-1} - x_{j+1})/2$. In the shortage region add $-8(1/2 - 2\sum x/d)$. The terminal target derivative replaces 4 by 8. A linear functional on each region reaches its extrema at region vertices. For the declared dimensions, these are cube vertices and vertices with all but at most one coordinate at zero or one and $\sum x = d/4$. Exact evaluation gives absolute derivative bounds $13/(2d)$ and $9/d$. The added

regression verifies these vertices rationally. The proof does not assert that these convenient formulas remain valid for untested arbitrary d .

The state covering radius of a nonuniform tensor grid is half the sum of its maximum coordinate spacings. Each action net is generated from a downward enclosure of capacity. Its coverage is at most $1/(8K) + 2^{-48}$ under the implemented binary64 construction. This last conservative allowance covers capacity enclosure, multiplication, division and the final downward displacement on the bounded action domain. Fixed spacing and valid interval arithmetic are checked; a negative action is clipped to zero. Downward quantization on deployment preserves feasibility because the capacity itself is enclosed from below over the complete acquisition cell.

2. NUMERICAL LABELS AND THE SEPARATED ACCOUNT

An objective query has lower and upper endpoints for its midpoint-sum expectation, plus the deterministic continuous-law integration remainder. Labels are rounded on the inherited dyadic lattice, and the largest distance to the objective endpoints supplies the query allowance e_t . Selecting the least rounded label and retaining its original action costs one allowance in the label comparison and another in the complete selected-policy account. It does not require a second copy of the action-cover term in main equation (7).

For a uniform scalar bin of width w , the mean absolute distance to its midpoint is $w/4$. Here $w = 1/(16M)$ and the transition's shock modulus is d . Therefore the numerical account decomposes into $\beta d L_{t+1}/(64M)$ and the remaining arithmetic width. The recorded primitive coefficients in main equation (29) reconstruct each witness bound as $a/N + b/K + q/M + \eta$ with a nonnegative numerical remainder. The release checks this decomposition at all witness rungs, as well as the full signed formula for every conventional rung.

The continuous allocation in main Proposition 15 minimizes a leading product, not a full finite-precision program. With positive coefficient c_i and exponent p_i , changing variables to error contribution $x_i = c_i/r_i$ gives the objective $\sum_i p_i \log x_i$. Its constrained first-order condition is $x_i = \min(\bar{x}_i, p_i \lambda)$. The multiplier exists uniquely until every cap binds. A zero coefficient has no benefit from refinement, so its coordinate stays at the resource lower bound. Upward dyadic rounding keeps every

error term weakly smaller. Compiler setup, integer counts, coefficient bit lengths, adaptive pilots, memory and durable output are not removed by that relaxation.

3. WHY THE COMPILED ACTOR IS THE ORIGINAL ACTOR

At a tensor node the distance transform minimizes over original sites, not merely neighboring transformed nodes. Each forward relaxation along a coordinate line compares the current value–owner pair with the preceding pair plus the weighted coordinate distance; the backward pass does the same from the opposite direction. The invariant is the lexicographic minimum over all processed original sites in the processed coordinates. Separability proves the invariant after the final coordinate. Keeping only the winning value would lose the actor identity.

For an off-grid point, choose a cell corner coordinatewise between the point and its lexicographically first minimizing site. Distances add exactly. At that corner an owner giving a smaller value, or a tied value and smaller original index, contradicts the minimizer at the original point. This proves the owner identity even for inconsistent labels, zero slope, boundary cells and ties. Nonuniform coordinate spacings enter only the exact distances.

In interval execution, value expressions are enclosed outward. Actor candidates whose lower objective exceeds another candidate’s upper objective can be discarded; the remaining possibilities must be retained. An exact point tie is resolved by rational comparison and the original index rule. A genuine uncertain state box is not an exact point: the hull of its surviving actions is propagated. Boxes crossing cells use the union of all relevant corners. These operations may cost more than one point query, and the direct records retain actor and measurement ambiguity counts.

4. ACQUISITION FOR WITNESS AND CONVENTIONAL POLICIES

Let $x \in C$ be the true state and $\hat{x}$ the reported midpoint, with radius r in ℓ^1 . Fix the selected original node x_i and node action a_i . The ideal repair at the true state is feasible and within $K^A \|x - x_i\|_1$ of a_i . Replacing that repair by the cell-wide lower-capacity repair followed by downward spacing Δ changes the action by at most $2K^A r + \Delta$. Thus

$$Q(x, a^{\text{impl}}) \leq y_i + e + L^{\text{gr}} \|x - x_i\|_1 + D(2K^A r + \Delta).$$

For a witness selection at $\hat{x}$, $y_i + L^{gr}\|\hat{x} - x_i\|_1 = f(\hat{x})$, up to a separately certified selector error. The triangle inequality and $L^f = L^{gr}$ yield the allowance in main equation (9).

For conventional nearest-node selection, subtract and add $f(\hat{x})$. The expression $y_i + L^{gr}\|\hat{x} - x_i\|_1 - f(\hat{x})$ is bounded by its complete nearest-cell maximum E_t . The remaining terms are at most $(L^{gr} + L^f + 2DK^A)r + D\Delta$. This proves main equation (39) without a continuity assumption on the actor. It also explains why applying the witness coefficient unchanged to an interpolated conventional critic would be incorrect when the actual critic modulus differs.

For two-state records, $r(b) = 2^{-b}$ and the common spacing is $1/4096$. The all-state bit criterion is therefore $G + K_\Delta + A2^{-b} + 2\lambda b \sum_{t < T} \beta^t$, where A uses the appropriate actual critic modulus and $K_\Delta = \sum_t \beta^t D_t / 4096$. The interval-net criterion uses actual expected costs on the same finite grid instead of replacing $G + K_\Delta + A2^{-b}$ by a claim about true loss.

5. CONTINUOUS PATH LAW AND SIMULTANEOUS INFERENCE

Conditional on all construction records, the studied controllers are fixed. Each simulation row draws independent uniform indices for the initial coordinates and each innovation. The interval simulator encloses the complete continuous cell corresponding to those indices; no bin midpoint is substituted for the true path distribution in the estimand. Uniformly mixing conditional continuous cells reproduces the original uniform initial and innovation laws. Common innovations may couple two policies, but each follows its own endogenous trajectory.

In dimension two, a valid support interval for a raw discounted path-cost difference is $[-H, H]$, where

$$H = \frac{99 + 4p}{64} \sum_{t < T} \beta^t + \frac{37}{16} \beta^T.$$

Indeed, current cost is nonnegative and at most $(99 + 4p)/64$ by separately bounding squared-target, imbalance, shortage and action costs. Terminal cost is at most $37/16$. These conservative bounds apply to every feasible repaired path. Clipping interval endpoints to the support preserves inclusion. Lower endpoint expectations lie below the true cost difference; upper endpoint expectations lie above it.

The stored moments consist of outward sample-mean intervals and upper sample-
variance bounds for each endpoint sample. In (34), the square root is rounded
upward after checking its square against the rational radicand. The linear remain-
der is rational. With $K \leq 300$, $\alpha = 1/100$ and $\ell = 13$, a finite positive Taylor sum
verifies $e^{13} > 4K/\alpha$. The bounded empirical-Bernstein inequalities of Maurer and
Pontil (2009) and a union bound therefore yield the claimed simultaneous event.
Dependence between contrasts through shared economic objects is permitted; in-
dependence within each bin-index sample is the statistical assumption. The fixed
pseudorandom seeds do not prove that assumption.

A first-crossing choice is measurable with respect to construction information.
The conditional coverage assertion consequently remains valid after this choice.
A bit selector or a fee queried after seeing the simultaneous intervals also needs
no additional error allocation: on the one event, each underlying cost difference
already belongs to its interval. This does not validate new initial laws, new trained
policies, or unrecorded contrasts. Old and new study families have separate error
accounts; combining them incurs the corresponding union bound.

6. EXACT FRONTIERS AND DECISION SEMANTICS

For a fixed construction ladder, the first-crossing function can change only at a
recorded certificate. A sorted union of all such values, together with zero, partitions
all positive tolerances into left-closed, right-open intervals. At an attained endpoint
the weak inequality in the stopping rule applies. Later nonmonotone or dominated
certificates need not change the function, but remain in the raw record. Adjacent
intervals with identical returned rungs may be merged for display; the exact rational
partition is deposited.

For a direct interval $[l, u]$, the gain from replacing witness by FVI is in $[l, u]$;
the reverse gain is in $[-u, -l]$. The fee $\max(0, u, -l)$ suffices to certify that neither
switch is strictly profitable. The smaller $\max(0, l, -u)$ only says that neither switch
has an interval lying wholly in its strictly profitable region. When zero lies inside
a wide interval, this latter threshold is zero and is not evidence that a free switch
cannot pay. The release reports both objects.

For information price λ , each bit choice supplies lower and upper affine net-cost lines. Enumerating all their nonnegative intersections partitions the price half-line. On an open interval, the active lower and upper lines are fixed. At a boundary all lines are compared exactly with smallest-bit ties. The difference between the active upper and lower lines is the selected implementation's valid regret upper bound. The identity line at 16 bits is exactly zero before information charges. No simulation count or time is assigned to an unperformed identity experiment; its arithmetic identity is recorded explicitly.

7. REFERENCE EVALUATION AND SAFE IMPROVEMENT

We give details of the reference-policy argument to separate a true improvement theorem from an approximate-greedy heuristic. All comparisons are on the same invariant domain and common conditional-evaluation domain as the main article. Feasible measurable policies include acquisition, capacity repair and numerical action realization.

Let $e_t = J_t^\pi - h_t$. At the terminal date $e_T \in [a_T, b_T]$. If $e_{t+1} \in [a_{t+1}, b_{t+1}]$, cash invariance and monotonicity yield

$$\beta_t a_{t+1} \leq \mathcal{T}_t^\pi J_{t+1}^\pi - \mathcal{T}_t^\pi h_{t+1} \leq \beta_t b_{t+1}.$$

Adding the signed own-policy residual proves the backward enclosure in Proposition 4. Applying the same statement with either feasible action proves the difference allowance. No independence or differentiability of the fitted critic is required. The domain hypothesis matters: a certainty equivalent need not satisfy the argument for an inadmissible translated continuation.

If $\tilde{h}_t = h_t + k_t$, then $\tilde{e}_t = e_t - k_t$ and the residual shifts by $\beta_t k_{t+1} - k_t$. The propagated intervals become $[a_t - k_t, b_t - k_t]$, so their widths are unchanged. The two action evaluations of $\tilde{h}_{t+1}$ each shift by $\beta_t k_{t+1}$, leaving the contrast unchanged. This is the centered invariance of the improvement test.

For the full expectation identity, define $A_t^\pi(x, a) = Q_t(J_{t+1}^\pi; x, a) - J_t^\pi(x)$. Along any feasible μ trajectory,

$$\mathbb{E}_x^\mu \sum_{t < T} B_t A_t^\pi(X_t, \mu_t(X_t)) = \mathbb{E}_x^\mu \sum_{t < T} \{B_t c_t(X_t, \mu_t(X_t)) + B_{t+1} J_{t+1}^\pi(X_{t+1}) - B_t J_t^\pi(X_t)\}$$

$$= J_0^\mu(x) - J_0^\pi(x).$$

Boundedness and finite horizon justify expectation and summation. Rejected actions give exactly zero reference advantage, while accepted ones give at most $-\kappa_t$. This proves Theorem 5. Under a nonlinear conditional recursion, use backward monotonicity instead of this telescoping expectation identity. A nonlinear evaluation does not justify the occupancy formula by changing notation alone.

The state-cell version fixes an action and verifies its inequality uniformly on the whole cell. Testing a cell midpoint alone is insufficient. Every implemented true state belongs to a cell whose gate is valid, and boundary cells use a declared deterministic report rule. In interval simulation, boxes straddling report boundaries retain all eligible actions, independently of whether their point-state selection is discontinuous. The analytic nonincrease may tighten a numerical advantage enclosure by intersection with $(-\infty, 0]$, because the support is established independently of the simulated sample. This is not truncation of an unfavorable sample estimate.

8. EXACT INTEGRATION AND ACTION OPTIMIZATION

Write $Z \sim U[-1/32, 1/32]$. The deterministic part of each next coordinate is y_j , and its random part is $s_j Z$. Hence the expectation of $(y_j + s_j Z - c)^2$ is $(y_j - c)^2 + 1/3072$. For the cyclic difference use coefficient $s_j - s_{j+1}$. Summing yields the quadratic and variance terms in equation (15).

For the shortage term, the affine random component is uniform on $[-r, r]$, where $r = |\sum_j s_j| / (16d)$. Direct antiderivatives give, for $r > 0$,

$$\mathbb{E}(b + U)_+^2 = \frac{(b + r)_+^3 - (b - r)_+^3}{6r}, \quad \mathbb{E}(b + U)_+ = \frac{(b + r)_+^2 - (b - r)_+^2}{4r}.$$

For $r = 0$ take b_+^2 and b_+ . These formulas hold at the two boundaries as well as inside the crossing region. The implementation encloses cancellation outward. Independent regression checks split the innovation interval at the exact shortage root and integrate the resulting quadratic pieces by exact rational Simpson identities; the checks are not used to generate the study's continuation labels.

At fixed x , the transition is affine in a . The terminal objective is a sum of convex quadratics and squared positive parts of affine functions. Its expectation is convex.

The action cost $pa^2 + 4a^4$ has second derivative $2p + 48a^2 \geq 2p$. Thus final conditional cost has a unique continuous minimizer, possibly on the capacity boundary. Its lattice minimizer lies at the first lattice point with nonnegative derivative or the preceding point, with boundary truncation. The implementation searches at most the fixed 4096 denominator's range, compares the two costs, and uses exact rational comparison when outward point intervals fail to decide a tie. The incumbent need not be one of these two actions: safety is established by the subsequent whole-cell comparison.

For bits b , let integer cell indices be $k_1, \dots, k_d$. The smallest capacity on the cell is $1/8 + \sum_j k_j / (8d2^b)$. Its largest lattice index is exactly

$$\left\lfloor \frac{4096(d2^b + \sum_j k_j)}{8d2^b} \right\rfloor.$$

Integer arithmetic avoids an upward feasibility error, including in dimension three. The original action is clipped and rounded downward by this same rule. Feasibility is therefore not inferred from an interval midpoint. The final gate keeps the same earlier policies; its true improvement is relative to that acquired incumbent, not to a different exact-state policy.

9. SIMULTANEOUS ACTUAL-COST INFERENCE

The R50 primary family contains 25 pairs of baseline generators. Each group contains four policies—the two incumbents and their final repairs—and produces four absolute costs and six pairwise differences. Thus there are 250 sampled estimands. Their selection uses frozen construction information only. Within each group the continuous initial law and the first $T - 1$ innovations are represented by forty-bit bins with outward propagation. The last innovation is integrated analytically. Conditional expectation over this last innovation preserves each policy's expected total cost. It reduces simulation variance without substituting a new innovation law.

The path-cost support derived in the retained inference section applies in dimensions two through four: the target and imbalance terms are coordinate averages with the same bounds, the shortage term is bounded by $1/2$, and feasible actions

do not exceed $1/4$. Consequently $0 \leq J\text{-score} \leq H$, with H as in Section 5; a paired score lies in $[-H, H]$. An incumbent-minus-own-repair contrast is nonnegative by the independently proved gate and is bounded by H . Because the earlier trajectory is common, its numerical enclosure uses the centered final contrast instead of subtracting two complete total-cost intervals.

For endpoint observations $X_i \in [A, B]$, the retained empirical-Bernstein bound uses

$$R_n = \sqrt{2\text{Var}(X)\ell/n + 7(B - A)\ell/[3(n - 1)]},$$

with outward moment intervals, an upper sample variance, and a rationally checked upward square root. Lower endpoints and upper endpoints each receive a one-sided bound. Set $n = 131072$, $\ell = 13$ and $\alpha = 1/100$. The family cap is 512; an exact finite Taylor sum proves $e^{13} > 4(512)/\alpha$. A union bound therefore covers all 250 actual-cost estimands under the independent-bin model. The cap leaves room but does not certify unrecorded models or initial laws. The pseudorandom stream and its hash establish reproducibility, not independence of ideal observations. The confidence event for the retained R49 family is separate; combining old and new statistical assertions incurs the sum of their failure probabilities.

10. MECHANISM AND ECONOMIC FRONTIERS

Denote witness and FVI by W, F and their final repairs by W^+, F^+ . Pure algebra yields

$$J_W - J_F = (J_W - J_{W^+}) + (J_{W^+} - J_{F^+}) - (J_F - J_{F^+}). \quad (1)$$

All three terms concern actual costs. The first and last are direct measures of removable final-action loss; the middle retains differences from earlier actions, acquired states, continuation approximation and the gate's conservatism. It is not identified as a single causal contribution of neural representation. The experiment reports each term, accepted and blocked cell counts, final action means, final state means and earlier action means by date. This exposes how much of the original ordering can be removed without retraining the continuation. It does not claim that the residual has been exhaustively decomposed into mutually independent mechanisms.

For finite intervals $[L_j, U_j]$, the upper-net-cost choice's true regret is bounded by the selected upper line minus the minimum lower line. To see why this is conservative, consider two overlapping cost intervals: their midpoint ordering may reverse within the same event. The upper-envelope decision remains valid but cannot identify the true minimizer. Pairwise centered intervals can certify individual replacements more sharply than the absolute frontier. For any fixed installation fee, transmission conversion factor and nonnegative resource price, add their declared costs before applying the comparison. A new price does not require new sampling on the same finite event. A new sensing policy does.

11. PROOFS FOR FINITE-SWEEP ACCURACY

PROOF OF THEOREM 7: Fix a pass, date, and state, and suppress their indices. Write J for the incumbent continuation, h for its approximator, π for the incumbent action, and v for the proposal. By the signed evaluation band, for every feasible action a ,

$$\beta a_{t+1} \leq Q(J; x, a) - Q(h; x, a) \leq \beta b_{t+1}.$$

Consequently, the incumbent-relative advantage of the proposal is at most $\bar{d} + \beta w_{t+1}$. An accepted proposal therefore does not raise the incumbent-continuation Bellman cost, while rejection retains exactly that cost. Backward induction gives $J^{\pi^{k+1}} \leq J^{\pi^k}$ at every date. This induction uses the new continuation for the implemented new policy; the comparison itself uses the old continuation.

For an accepted proposal, approximate greediness and the band imply

$$Q(J; x, v) \leq (T_t h)(x) + \alpha + \beta b_{t+1} \leq (T_t J)(x) + \alpha + \beta w_{t+1}.$$

For a rejected proposal, $\bar{d} + \beta w_{t+1} > 0$ and $\bar{d} \leq d + \zeta$. Thus

$$Q(h; x, \pi) < Q(h; x, v) + \zeta + \beta w_{t+1} \leq (T_t h)(x) + \alpha + \zeta + \beta w_{t+1}.$$

Transferring this inequality from h to J adds at most one further βw_{t+1} . Both cases therefore yield

$$T_t^{\pi^{k+1}} J_{t+1}^{\pi^k} \leq T_t J_{t+1}^{\pi^k} + \epsilon_t^k. \quad (2)$$

The already proved policy nonincrease, monotonicity of $T_t^{\pi^{k+1}}$, and (2) give

$$J_t^{\pi^{k+1}} \leq T_t^{\pi^{k+1}} J_{t+1}^{\pi^k} \leq T_t J_{t+1}^{\pi^k} + \epsilon_t^k.$$

The Bellman operator is β_t -Lipschitz in the supremum norm. Subtracting $V_t^* = T_t V_{t+1}^*$ and using feasibility proves (19). Repeated substitution proves (20); at $m = T - t$ its terminal term vanishes. Nonincrease of E_t^k in further passes then gives (21).

The exact case has zero error at every date.

Q.E.D.

PROOF OF PROPOSITION 8: Fix $x \in C$ and any feasible $a \in A_t(x)$. Choose $m \in M_C$ with $\|a - m\| \leq \delta_{A,C}$. Then

$$\begin{aligned} Q_t(h; x, v_C) &\leq Q_t(h; x_C, v_C) + L_t r_C \\ &\leq Q_t(h; x_C, m) + \eta_C + L_t r_C \\ &\leq Q_t(h; x, a) + \eta_C + 2L_t r_C + D_t \delta_{A,C}. \end{aligned}$$

Taking an infimum over a proves the assertion without assuming that the infimum is attained. Menu feasibility is uniform on C by hypothesis.

Q.E.D.

PROOF OF PROPOSITION 9: Take $T = 1$, zero stage cost, $\beta_0 = 1$, and two deterministic actions leading to different terminal states y_0, y_1 . Let $w > 0$ and $0 < \delta < w$. Set

$$h_1(y_0) = w, \quad h_1(y_1) = \delta, \quad g(y_0) = 2w, \quad g(y_1) = \delta.$$

The exact terminal error lies in $[0, w]$. The incumbent chooses y_0 and the exact h_1 -greedy proposal chooses y_1 . Its exact contrast is $d = \delta - w$, with $\alpha = \zeta = 0$. The safe upper comparison is $d + w = \delta > 0$, so the gate retains the incumbent. Its actual optimality gap is $2w - \delta$. Sending δ down to zero establishes sharpness. This example also shows why rejecting an uncertified proposal is not evidence that the proposal lacks a true economic benefit.

Q.E.D.

11.0.0.1. *Computed verification and logical scope.* The source-bound exact-rational tests use finite transition matrices, signed residual propagation, and independently evaluated policy and optimal costs. They verify policy nonincrease, both gate cases,

the one-pass recurrence, constant-shift invariance, finite-horizon exact termination, and the two-action sharpness construction. They are regression tests for the implementation of the displayed formulas; the preceding arguments, rather than enumeration, prove the theorems for the stated model class. When bands are statistical, all passes and proposed comparisons require a common simultaneous coverage event or a valid sequential error allocation. Reusing a confidence interval outside its stated family does not satisfy the hypotheses.

12. PROOFS FOR POLICY-RELEVANT CONTINUATION ERRORS

PROOF OF THEOREM 10: Fix a pass and suppress its index. For any feasible a, b , subtraction of the two Bellman expressions gives

$$Q_t(J_{t+1}^\pi; x, a) - Q_t(J_{t+1}^\pi; x, b) = Q_t(h_{t+1}; x, a) - Q_t(h_{t+1}; x, b) + \beta_t(P_t^a - P_t^b)e_{t+1}(x).$$

Thus the accepted proposal has nonpositive true advantage relative to the incumbent. At a rejected state the implemented action is exactly the incumbent, whose advantage is zero. Backward induction gives $J^{\pi^+} \leq J^\pi$. This proves safety even when only the proposal–incumbent contrast is certified.

For accuracy, suppose first that the proposal is accepted. For every feasible a , its approximate greediness and the uniform pair certificate imply

$$Q_t(J_{t+1}^\pi; x, v) - Q_t(J_{t+1}^\pi; x, a) \leq \alpha_t + \beta_t \chi_t.$$

Taking the infimum over a requires neither existence of a minimizer nor a new selection assumption. If the proposal is rejected, then $\bar{d}_t + \beta_t R_t(x; v, \pi_t) > 0$ and $\bar{d}_t \leq d_t + \zeta_t$. Hence

$$Q_t(h_{t+1}; x, \pi_t) < Q_t(h_{t+1}; x, v) + \zeta_t + \beta_t R_t(x; v, \pi_t).$$

Comparison with each feasible a and another use of the action certificate yield an excess over $T_t J_{t+1}^\pi$ of at most $\alpha_t + \zeta_t + 2\beta_t \chi_t$. This common upper bound covers acceptance as well. Since future costs weakly decrease,

$$J_t^{\pi^+} = \mathcal{T}_t^{\pi^+} J_{t+1}^{\pi^+} \leq \mathcal{T}_t^{\pi^+} J_{t+1}^\pi \leq T_t J_{t+1}^\pi + \tilde{\epsilon}_t.$$

Monotonicity and the β_t supremum-norm Lipschitz property of T_t give the asserted recursion. The terminal gap is zero, and repeated substitution along successive passes gives the stated finite-horizon unrolling. Every retained policy is feasible for the original optimum, so a zero upper bound implies equality with that optimum. A fixed information contract may preclude zero greedy-search error; the theorem does not assume it away.

For sharpness take one period, two actions leading to distinct deterministic terminal states, zero current cost, and $\beta = 1$. For $w > 0$ and $0 < \delta < w$, let the terminal critic be (w, δ) and the terminal cost be $(2w, \delta)$. The incumbent selects the first state and the exact greedy proposal the second. The exact action-error contrast is w , so $\chi = w$. The gate rejects because the critic contrast plus its allowance is $\delta > 0$. The retained policy's gap is $2w - \delta$, whereas the terminal optimality gap and both search and arithmetic errors are zero. Letting δ decrease to zero excludes every universal coefficient below two. *Q.E.D.*

PROOF OF PROPOSITION 11: The terminal assertion follows from $e_T = r_T$. At an earlier date, the policy-evaluation identity is $e_t(x) = r_t(x) + \beta_t P_t^{\pi_t(x)} e_{t+1}(x)$. The coupling's two marginals allow subtraction at states x, y inside one integral. The triangle inequality and the inductive pair bound give

$$|e_t(x) - e_t(y)| \leq H_t(x, y) + \beta_t \int D_{t+1}(u, v) d\Lambda_t^\pi(x, y)(u, v).$$

The signed range supplies the separate bound w_t , so the minimum is valid. Coupling two action kernels at the same state gives the identical argument without the residual term and establishes the action certificate. Replacing an integral by an upper enclosure can only enlarge the bound before its intersection with the separately valid scalar width. This argument uses the marginals, not independence or optimality of the coupling. *Q.E.D.*

PROOF OF COROLLARY 12: The action difference annihilates n . Each of the two conditional means of u lies in its verified interval, hence their difference in absolute value is at most its width. Further, $J^\pi - (h + n) = u$, so the existing signed-residual recursion applied to the corrected critic yields the required interval without

using an unknown true value. Adding n to the continuation changes every feasible action objective by the same state-dependent amount; all action contrasts and approximate-greedy inequalities are therefore unchanged. The conclusion applies separately at each date and pass for which the membership and residual certificates are supplied. Q.E.D.

PROOF OF PROPOSITION 13: In the original dynamics the coefficients of a in the first two coordinates are $1/2$ and $1/4$. For each common innovation z , the coefficient in $F_1(x, a, z) - 2F_2(x, a, z)$ is consequently zero. Every function of that difference has identical realized values for two feasible actions with the same z , and thus identical conditional means under the original uniform innovation law. On the cube $y_1 - 2y_2 + 1$ ranges from -1 to 2 ; its positive part ranges from zero to two. The global terminal error width is exactly $2M$. Its action contrast is nevertheless zero. The corrected critic is the original terminal cost g , for which the evaluation error vanishes. Proposal contrasts and their symbolic, outward-enclosed implementation are unchanged. Keeping the same proposals, tie conventions and cellwise gate therefore gives exactly the same terminal policy for every amplitude, not merely a similar observed cost. Q.E.D.

12.1. Finite-state reference and limitations

The exact reference implementation constructs a common-uniform coupling by exhausting ordered probability masses. It verifies both marginals, propagates pairwise residual bounds backward, and forms every same-state action contrast. Its regression suite independently evaluates the true finite-state policy values to test the certificates; those true values are not used by the certificate constructor. Tests cover one through five full improvement passes, a nonconstant action-null error with amplitudes zero, one, sixteen and 4096, non-null errors, constant shifts, exact feasibility, acceptance and rejection, and the sharp two-action example. These finite-state programs validate executable identities and counterexamples; they do not discretize the investment benchmark or establish full-horizon empirical convergence in that continuous economy.

13. COMPLETE CONSTRUCTION RECORDS

The next table reports all distinct method, economy and resource rungs. Each row has three isolated repetitions with identical policy and certificate checkpoint hashes. Times are the median complete prefix, followed by its minimum and maximum; they do not omit unsuccessful earlier rungs. Counts and storage at full precision are in the machine-readable records. The table's decimal rounding is descriptive: exact rational bounds, not printed rounding, determine attainment.

TABLE I: All distinct construction rungs and complete-prefix times

$d; T; p$	Method	N, K, M	Bound	Median sec.	Range sec.
2;2;1	W	4,2,1	10.0042	0.014	[0.014,0.017]
2;2;1	W	8,2,1	5.591673	0.034	[0.034,0.036]
2;2;1	W	16,4,2	2.795836	0.092	[0.091,0.093]
2;2;1	W	32,4,2	1.692705	0.290	[0.290,0.291]
2;2;1	W	64,8,4	0.8463524	1.458	[1.449,1.459]
2;2;1	W	128,16,8	0.4231762	10.658	[10.612,10.696]
2;2;1	A	4,2,1	10.68755	0.042	[0.042,0.043]
2;2;1	A	8,2,1	6.132349	0.090	[0.090,0.091]
2;2;1	A	16,4,2	3.216146	0.176	[0.176,0.178]
2;2;1	A	32,4,2	1.906506	0.399	[0.398,0.402]
2;2;1	A	64,8,4	0.9622566	1.514	[1.509,1.521]
2;2;1	A	128,16,8	0.4833928	9.817	[9.748,9.900]
2;2;1	F	4,2,1	10.68755	0.029	[0.029,0.029]
2;2;1	F	8,2,1	6.132349	0.061	[0.061,0.063]
2;2;1	F	16,4,2	3.216146	0.119	[0.118,0.122]
2;2;1	F	32,4,2	1.906506	0.269	[0.268,0.274]
2;2;1	F	64,8,4	0.9622566	1.134	[1.130,1.143]
2;2;1	F	128,16,8	0.4833928	8.458	[8.455,8.491]
2;2;4	W	4,2,1	10.31855	0.014	[0.014,0.014]
2;2;4	W	8,2,1	5.844473	0.034	[0.034,0.035]
2;2;4	W	16,4,2	2.922236	0.092	[0.092,0.096]
2;2;4	W	32,4,2	1.803718	0.290	[0.287,0.303]

	$d; T; p$	Method	N, K, M	Bound	Median sec.	Range sec.	
1							1
2							2
3	2;2;4	W	64,8,4	0.9018591	1.452	[1.452,1.510]	3
4	2;2;4	W	128,16,8	0.4509295	10.689	[10.584,10.884]	4
5	2;2;4	A	4,2,1	10.92323	0.043	[0.042,0.043]	5
6	2;2;4	A	8,2,1	6.330362	0.091	[0.090,0.092]	6
7	2;2;4	A	16,4,2	3.31506	0.177	[0.176,0.179]	7
8	2;2;4	A	32,4,2	2.000228	0.397	[0.397,0.403]	8
9	2;2;4	A	64,8,4	1.009136	1.509	[1.509,1.524]	9
10	2;2;4	A	128,16,8	0.5068371	9.797	[9.763,9.822]	10
11	2;2;4	F	4,2,1	10.92323	0.029	[0.028,0.033]	11
12	2;2;4	F	8,2,1	6.330362	0.061	[0.060,0.065]	12
13	2;2;4	F	16,4,2	3.31506	0.118	[0.118,0.123]	13
14	2;2;4	F	32,4,2	2.000228	0.268	[0.268,0.273]	14
15	2;2;4	F	64,8,4	1.009136	1.134	[1.131,1.145]	15
16	2;2;4	F	128,16,8	0.5068371	8.453	[8.373,8.520]	16
17	2;3;1	W	4,2,1	14.5143	0.019	[0.019,0.019]	17
18	2;3;1	W	8,2,1	8.228071	0.046	[0.046,0.047]	18
19	2;3;1	W	16,4,2	4.114036	0.126	[0.126,0.129]	19
20	2;3;1	W	32,4,2	2.542479	0.401	[0.398,0.408]	20
21	2;3;1	W	64,8,4	1.271239	2.070	[2.062,2.110]	21
22	2;3;1	W	128,16,8	0.6356197	15.635	[15.607,15.924]	22
23	2;3;1	A	4,2,1	14.97615	0.061	[0.060,0.062]	23
24	2;3;1	A	8,2,1	8.615403	0.130	[0.129,0.131]	24
25	2;3;1	A	16,4,2	4.533221	0.252	[0.251,0.255]	25
26	2;3;1	A	32,4,2	2.723572	0.568	[0.565,0.574]	26
27	2;3;1	A	64,8,4	1.374878	2.148	[2.145,2.184]	27
28	2;3;1	A	128,16,8	0.6908084	14.176	[14.130,14.444]	28
29	2;3;1	F	4,2,1	14.97615	0.041	[0.041,0.042]	29
30	2;3;1	F	8,2,1	8.615403	0.088	[0.087,0.088]	30
31	2;3;1	F	16,4,2	4.533221	0.171	[0.170,0.192]	31
32	2;3;1	F	32,4,2	2.723572	0.388	[0.388,0.412]	32
	2;3;1	F	64,8,4	1.374878	1.651	[1.647,1.677]	
	2;3;1	F	128,16,8	0.6908084	12.420	[12.409,12.456]	

	$d; T; p$	Method	N, K, M	Bound	Median sec.	Range sec.	
1							1
2	2;3;4	W	4,2,1	15.02035	0.019	[0.019,0.019]	2
3	2;3;4	W	8,2,1	8.625736	0.046	[0.046,0.048]	3
4	2;3;4	W	16,4,2	4.312868	0.127	[0.125,0.129]	4
5	2;3;4	W	32,4,2	2.714215	0.402	[0.397,0.408]	5
6	2;3;4	W	64,8,4	1.357108	2.085	[2.053,2.103]	6
7	2;3;4	W	128,16,8	0.6785539	15.815	[15.506,15.955]	7
8	2;3;4	A	4,2,1	15.30603	0.061	[0.061,0.061]	8
9	2;3;4	A	8,2,1	8.884068	0.131	[0.130,0.131]	9
10	2;3;4	A	16,4,2	4.667275	0.253	[0.252,0.254]	10
11	2;3;4	A	32,4,2	2.853489	0.569	[0.569,0.569]	11
12	2;3;4	A	64,8,4	1.440006	2.169	[2.165,2.170]	12
13	2;3;4	A	128,16,8	0.723386	14.257	[14.181,14.260]	13
14	2;3;4	F	4,2,1	15.30603	0.042	[0.041,0.042]	14
15	2;3;4	F	8,2,1	8.884068	0.088	[0.087,0.088]	15
16	2;3;4	F	16,4,2	4.667275	0.170	[0.170,0.171]	16
17	2;3;4	F	32,4,2	2.853489	0.390	[0.387,0.391]	17
18	2;3;4	F	64,8,4	1.440006	1.643	[1.637,1.647]	18
19	2;3;4	F	128,16,8	0.723386	12.435	[12.393,12.446]	19
20	3;2;1	W	4,2,1	10.09191	0.033	[0.033,0.033]	20
21	3;2;1	W	8,4,2	5.045957	0.225	[0.224,0.225]	21
22	3;2;1	W	16,8,4	2.522979	2.424	[2.422,2.453]	22
23	3;2;1	W	32,8,4	1.415656	16.615	[16.590,16.644]	23
24	3;2;1	F	4,2,1	10.91291	0.096	[0.095,0.096]	24
25	3;2;1	F	8,4,2	5.756259	0.318	[0.318,0.322]	25
26	3;2;1	F	16,8,4	2.983083	2.074	[2.059,2.097]	26
27	3;2;1	F	32,8,4	1.654898	13.687	[13.539,13.776]	27
28	3;3;1	W	4,2,1	14.67402	0.045	[0.044,0.046]	28
29	3;3;1	W	8,4,2	7.337012	0.317	[0.313,0.322]	29
30	3;3;1	W	16,8,4	3.668506	3.508	[3.476,3.527]	30
31	3;3;1	W	32,8,4	2.088657	23.987	[23.952,24.055]	31
32	3;3;1	F	4,2,1	15.28673	0.140	[0.140,0.141]	32
	3;3;1	F	8,4,2	8.038961	0.467	[0.463,0.468]	

$d;T;p$	Method	N,K,M	Bound	Median sec.	Range sec.
3;3;1	F	16,8,4	4.173215	3.032	[3.027,3.059]
3;3;1	F	32,8,4	2.334703	20.040	[19.984,20.139]
4;2;1	W	4,2,1	10.0042	0.167	[0.164,0.168]
4;2;1	W	8,4,2	5.002099	2.588	[2.561,2.635]
4;2;1	W	16,8,4	2.50105	58.569	[58.203,59.507]
4;2;1	F	4,2,1	10.98489	0.523	[0.520,0.526]
4;2;1	F	8,4,2	5.772966	4.388	[4.386,4.449]
4;2;1	F	16,8,4	2.981482	60.809	[60.637,61.583]
4;3;1	W	4,2,1	14.5143	0.230	[0.230,0.231]
4;3;1	W	8,4,2	7.257149	3.663	[3.649,3.688]
4;3;1	W	16,8,4	3.628575	82.156	[81.795,82.676]
4;3;1	F	4,2,1	15.40485	0.782	[0.776,0.784]
4;3;1	F	8,4,2	8.075833	6.457	[6.444,6.547]
4;3;1	F	16,8,4	4.176837	90.099	[89.833,90.155]

14. ALL DIRECT RETURNED-POLICY COMPARISONS

The labels U, L, C and H denote the uniform initial law and point laws at $(1/8, 1/8)$, $(1/2, 1/2)$ and $(7/8, 7/8)$. Sensor E denotes full information; sensor 8 uses the eight-bit cell contract and downward action spacing. The historical favorable pair is marked R48; other pairs are the actual R49 first crossings. Every interval concerns expected witness cost minus expected FVI cost. All sampled intervals in this table and the next belong to the same new 99 percent family under the independent-bin model.

TABLE II: Every actual first-crossing policy-cost interval

Pair	$T;p$	ϵ	Law	Bits	Lower	Upper
R49	2;1	4	U	E	0.00543396	0.00798729
R49	2;1	4	U	8	0.00541635	0.00796936
R49	2;1	4	L	E	-0.00156041	0.000833084
R49	2;1	4	L	8	-0.00156513	0.000828396

	Pair	$T; p$	ε	Law	Bits	Lower	Upper	
1								1
2								2
3	R49	2;1	4	C	E	0.00372573	0.0061508	3
4	R49	2;1	4	C	8	0.00375513	0.00618077	4
5	R49	2;1	4	H	E	0.00609378	0.00853627	5
6	R49	2;1	4	H	8	0.00589939	0.00833643	6
7	R49	2;1	2	U	E	0.0143531	0.0170811	7
8	R49	2;1	2	U	8	0.0143519	0.0170783	8
9	R49	2;1	2	L	E	0.0547607	0.0574082	9
10	R49	2;1	2	L	8	0.0562672	0.0589226	10
11	R49	2;1	2	C	E	0.00754534	0.0100938	11
12	R49	2;1	2	C	8	0.00764868	0.0101989	12
13	R49	2;1	2	H	E	0.00545776	0.00790326	13
14	R49	2;1	2	H	8	0.00540822	0.00785334	14
15	R49	2;1	1	U	E	0.00608323	0.00862331	15
16	R49	2;1	1	U	8	0.00608821	0.00862733	16
17	R49	2;1	1	L	E	0.0241465	0.0266462	17
18	R49	2;1	1	L	8	0.0243754	0.0268759	18
19	R49	2;1	1	C	E	0.0101329	0.0126139	19
20	R49	2;1	1	C	8	0.0101188	0.012601	20
21	R49	2;1	1	H	E	0.00787923	0.0103208	21
22	R49	2;1	1	H	8	0.00773077	0.0101721	22
23	R49	2;4	4	U	E	0.0048609	0.00758426	23
24	R49	2;4	4	U	8	0.00488276	0.00760722	24
25	R49	2;4	4	L	E	0.0185747	0.0211388	25
26	R49	2;4	4	L	8	0.0186476	0.0212113	26
27	R49	2;4	4	C	E	0.0347841	0.0374079	27
28	R49	2;4	4	C	8	0.0346533	0.0372768	28
29	R49	2;4	4	H	E	-8.33958e-05	0.00253601	29
30	R49	2;4	4	H	8	0.000139912	0.00276397	30
31	R49	2;4	2	U	E	0.0126061	0.0154244	31
32	R49	2;4	2	U	8	0.0124777	0.0152934	32
	R49	2;4	2	L	E	0.0213281	0.0239062	
	R49	2;4	2	L	8	0.0216307	0.0242254	

	Pair	$T;p$	ε	Law	Bits	Lower	Upper	
1								1
2								2
3	R49	2;4	2	C	E	0.0363241	0.0389543	3
4	R49	2;4	2	C	8	0.0365806	0.0392119	4
5	R49	2;4	2	H	E	0.0408571	0.0435165	5
6	R49	2;4	2	H	8	0.0405602	0.0432247	6
7	R49	2;4	1	U	E	0.00493422	0.0076087	7
8	R49	2;4	1	U	8	0.00498356	0.00765916	8
9	R49	2;4	1	L	E	0.00791584	0.0104887	9
10	R49	2;4	1	L	8	0.00799778	0.010571	10
11	R49	2;4	1	C	E	0.016087	0.018698	11
12	R49	2;4	1	C	8	0.0157071	0.0183196	12
13	R49	2;4	1	H	E	0.00782793	0.0104847	13
14	R49	2;4	1	H	8	0.00787666	0.0105306	14
15	R49	3;1	4	U	E	0.0253656	0.0288147	15
16	R49	3;1	4	U	8	0.0252662	0.0287151	16
17	R49	3;1	4	L	E	0.0788767	0.0824397	17
18	R49	3;1	4	L	8	0.0778317	0.0813824	18
19	R49	3;1	4	C	E	0.100968	0.104201	19
20	R49	3;1	4	C	8	0.101486	0.104716	20
21	R49	3;1	4	H	E	0.0197496	0.0229893	21
22	R49	3;1	4	H	8	0.019754	0.0229886	22
23	R49	3;1	2	U	E	0.0109993	0.0141923	23
24	R49	3;1	2	U	8	0.0110585	0.0142512	24
25	R49	3;1	2	L	E	0.0282946	0.0314077	25
26	R49	3;1	2	L	8	0.0279109	0.0310247	26
27	R49	3;1	2	C	E	0.0176355	0.0207641	27
28	R49	3;1	2	C	8	0.0171906	0.0203209	28
29	R49	3;1	2	H	E	0.0126606	0.0156975	29
30	R49	3;1	2	H	8	0.0126999	0.0157435	30
31	R49	3;1	1	U	E	0.00423544	0.00731756	31
32	R49	3;1	1	U	8	0.00451493	0.0075994	32
	R49	3;1	1	L	E	0.00514129	0.008227	
	R49	3;1	1	L	8	0.00545945	0.00854446	

	Pair	$T; p$	ε	Law	Bits	Lower	Upper	
1								1
2								2
3	R49	3;1	1	C	E	0.00460682	0.00763251	3
4	R49	3;1	1	C	8	0.00492024	0.00794768	4
5	R49	3;1	1	H	E	0.00035797	0.00337421	5
6	R49	3;1	1	H	8	0.00036318	0.00337929	6
7	R49	3;4	4	U	E	0.0186753	0.022252	7
8	R49	3;4	4	U	8	0.0186419	0.0222187	8
9	R49	3;4	4	L	E	0.0276014	0.0309773	9
10	R49	3;4	4	L	8	0.0279277	0.0313061	10
11	R49	3;4	4	C	E	0.0549145	0.058394	11
12	R49	3;4	4	C	8	0.0535423	0.0569789	12
13	R49	3;4	4	H	E	0.0500905	0.0536733	13
14	R49	3;4	4	H	8	0.0501068	0.0536738	14
15	R49	3;4	2	U	E	0.00722022	0.0105987	15
16	R49	3;4	2	U	8	0.00727216	0.0106525	16
17	R49	3;4	2	L	E	0.0111161	0.0144007	17
18	R49	3;4	2	L	8	0.0111398	0.0144261	18
19	R49	3;4	2	C	E	0.0119992	0.0152703	19
20	R49	3;4	2	C	8	0.0120479	0.0153198	20
21	R49	3;4	2	H	E	0.00896933	0.0122714	21
22	R49	3;4	2	H	8	0.00896107	0.0122625	22
23	R49	3;4	1	U	E	0.00231571	0.00560954	23
24	R49	3;4	1	U	8	0.00249689	0.00579256	24
25	R49	3;4	1	L	E	0.00405598	0.00731121	25
26	R49	3;4	1	L	8	0.000239139	0.00350007	26
27	R49	3;4	1	C	E	0.00285917	0.00611809	27
28	R49	3;4	1	C	8	0.00270615	0.00596212	28
29	R49	3;4	1	H	E	0.000774402	0.00403881	29
30	R49	3;4	1	H	8	0.000787911	0.0040506	30
31	R48	3;4	2	U	E	-0.00139342	0.00183546	31
32	R48	3;4	2	U	8	-0.00138819	0.00184069	32
	R48	3;4	2	L	E	-0.00148104	0.00174625	
	R48	3;4	2	L	8	-0.00148102	0.00174626	

Pair	$T;p$	ε	Law	Bits	Lower	Upper
R48	3;4	2	C	E	-0.00135341	0.0018749
R48	3;4	2	C	8	-0.00134267	0.00188569
R48	3;4	2	H	E	-0.00139997	0.00182783
R48	3;4	2	H	8	-0.00141355	0.00181414

Endpoints are displayed to six significant digits; exact rational endpoints and policy hashes govern every sign and fee conclusion. R48 rows evaluate the old favorable N=32 witness versus N=64 FVI pair under fresh independent interval paths.

15. ALL SENSOR-POLICY CONTRASTS

Each row compares the actual b -bit implementation with the same returned controller at 16 bits, under the uniform initial law. The 16-bit self-rows are identities. The corresponding price selectors and exact continuous-price envelopes use these rows without additional sampling. Upper-net-cost regret is relative to the best bit in this catalogue, not an unobserved optimum over continuous precision or arbitrary sensors.

TABLE III: Every actual sensor-cost difference relative to 16 bits

$T;p$	Method	Bits	Lower	Upper
2;1	W	4	0.000261375	0.00285711
2;1	W	5	-0.000427494	0.00215671
2;1	W	6	-0.00204196	0.000521085
2;1	W	7	-0.00088098	0.00160987
2;1	W	8	-0.00122806	0.00124059
2;1	W	9	-0.00121323	0.00123098
2;1	W	10	-0.00120642	0.00122091
2;1	W	11	-0.00119893	0.00121541
2;1	W	12	-0.00120501	0.00120022
2;1	W	13	-0.0011989	0.00119995
2;1	W	14	-0.00119712	0.00119717

	$T;p$	Method	Bits	Lower	Upper	
1						1
2						2
3	2;1	W	15	-0.00119517	0.00119587	3
4	2;1	W	16	0	0	4
5	2;1	F	4	0.000199127	0.0026252	5
6	2;1	F	5	-0.000584413	0.00181963	6
7	2;1	F	6	-0.00085593	0.00153971	7
8	2;1	F	7	-0.00111845	0.00126841	8
9	2;1	F	8	-0.00117522	0.00120999	9
10	2;1	F	9	-0.00118398	0.00120093	10
11	2;1	F	10	-0.00118806	0.00119669	11
12	2;1	F	11	-0.00119023	0.00119442	12
13	2;1	F	12	-0.00119128	0.00119331	13
14	2;1	F	13	-0.00119182	0.00119274	14
15	2;1	F	14	-0.00119207	0.00119247	15
16	2;1	F	15	-0.00119219	0.00119235	16
17	2;1	F	16	0	0	17
18	2;4	W	4	-4.77011e-05	0.00267196	18
19	2;4	W	5	-0.000905067	0.00180125	19
20	2;4	W	6	-0.00220586	0.000485462	20
21	2;4	W	7	-0.00108854	0.00153925	21
22	2;4	W	8	-0.00124312	0.00137376	22
23	2;4	W	9	-0.00131086	0.00128822	23
24	2;4	W	10	-0.00128939	0.00129611	24
25	2;4	W	11	-0.00128416	0.00129219	25
26	2;4	W	12	-0.00128539	0.00128378	26
27	2;4	W	13	-0.00128173	0.0012827	27
28	2;4	W	14	-0.00128018	0.00128022	28
29	2;4	W	15	-0.00127809	0.00128043	29
30	2;4	W	16	0	0	30
31	2;4	F	4	-0.00112704	0.00143668	31
32	2;4	F	5	-0.00121844	0.00133951	32
	2;4	F	6	-0.00125571	0.00129926	
	2;4	F	7	-0.00126208	0.00129244	

	$T;p$	Method	Bits	Lower	Upper	
1						1
2						2
3	2;4	F	8	-0.00127554	0.00127722	3
4	2;4	F	9	-0.00127593	0.00127681	4
5	2;4	F	10	-0.00127615	0.00127658	5
6	2;4	F	11	-0.00127626	0.00127646	6
7	2;4	F	12	-0.0012763	0.00127642	7
8	2;4	F	13	-0.00127634	0.00127638	8
9	2;4	F	14	-0.00127635	0.00127637	9
10	2;4	F	15	-0.00127636	0.00127636	10
11	2;4	F	16	0	0	11
12	3;1	W	4	-0.000101036	0.00300605	12
13	3;1	W	5	-0.00041666	0.00269816	13
14	3;1	W	6	-0.000850866	0.00225551	14
15	3;1	W	7	-0.0023459	0.000745795	15
16	3;1	W	8	-0.00124523	0.00180352	16
17	3;1	W	9	-0.00147051	0.00156613	17
18	3;1	W	10	-0.00150886	0.00151075	18
19	3;1	W	11	-0.00150001	0.00150822	19
20	3;1	W	12	-0.00150165	0.00149869	20
21	3;1	W	13	-0.00149858	0.00149581	21
22	3;1	W	14	-0.00149663	0.00149349	22
23	3;1	W	15	-0.00149339	0.00149403	23
24	3;1	W	16	0	0	24
25	3;1	F	4	0.000691523	0.00372718	25
26	3;1	F	5	-0.000505628	0.00250065	26
27	3;1	F	6	-0.0010836	0.00190806	27
28	3;1	F	7	-0.00122457	0.00176312	28
29	3;1	F	8	-0.001473	0.00150813	29
30	3;1	F	9	-0.0014817	0.00149918	30
31	3;1	F	10	-0.0014861	0.00149463	31
32	3;1	F	11	-0.00148819	0.00149247	32
	3;1	F	12	-0.00148929	0.00149132	
	3;1	F	13	-0.00148981	0.00149079	

$T; p$	Method	Bits	Lower	Upper
3;1	F	14	-0.00149008	0.0014905
3;1	F	15	-0.00149022	0.00149036
3;1	F	16	0	0
3;4	W	4	-0.00115463	0.00216779
3;4	W	5	-0.00128854	0.00202944
3;4	W	6	-0.0012672	0.00204406
3;4	W	7	-0.00203778	0.00126435
3;4	W	8	-0.00147323	0.00179482
3;4	W	9	-0.00162558	0.00163607
3;4	W	10	-0.00162825	0.00162325
3;4	W	11	-0.00162181	0.00162209
3;4	W	12	-0.00161759	0.00162064
3;4	W	13	-0.00161723	0.00161692
3;4	W	14	-0.00161637	0.00161497
3;4	W	15	-0.00161356	0.00161547
3;4	W	16	0	0
3;4	F	4	-0.00143754	0.00179918
3;4	F	5	-0.0015455	0.00168516
3;4	F	6	-0.0015881	0.00163939
3;4	F	7	-0.00159646	0.0016305
3;4	F	8	-0.00161162	0.00161347
3;4	F	9	-0.00161206	0.00161302
3;4	F	10	-0.00161229	0.00161278
3;4	F	11	-0.00161241	0.00161265
3;4	F	12	-0.00161247	0.00161258
3;4	F	13	-0.0016125	0.00161255
3;4	F	14	-0.00161251	0.00161254
3;4	F	15	-0.00161252	0.00161253
3;4	F	16	0	0

All rows use the uniform initial law and the actual first-target-one controller. Self-comparisons are exact identities. Both policies use the declared robust repair and action quantum.

16. RECONSTRUCTION AND PRESERVATION

The release verifies frozen science-source identities, every recorded checkpoint, all signed policy formulas, every first crossing, complete-prefix counts, repeated policy identities and the confidence intervals reconstructed from endpoint moments. Additional exact tests check the primitive regions, resource allocation, original-owner identity, fee semantics and net-choice bound. The complete development article and supplement retain all baseline labeled results; the original paths and adverse results are unchanged. A clean Git-archive rebuild removes generated PDFs and derived tables, then rebuilds from ordinary committed sources and frozen records without network or new scientific execution. Compilation, finite tests and source identities do not constitute independent mathematical peer approval.

17. EVERY R50 ACTUAL-COST INTERVAL AND MECHANISM RECORD

The following tables use the corrected outward-subtraction replay. C denotes the separate common-accuracy block, P the primary target-five plan, Q the primary target-two plan, O the original R49 target-two policies, A residual-driven FVI, and I the isotropic block. U is the uniform initial law; L, M and H denote point laws at $1/8, 1/2$ and $7/8$ in every coordinate. Each group has four absolute costs and six contrasts; the table lists all 280 estimands. Printed endpoints are rounded for display. Exact rational endpoints and source-bound moments govern inference.

TABLE IV: Every new absolute expected policy-cost interval

Case	Policy	Lower	Upper
C2;2;1;U	left	0.6242	0.6378
C2;2;1;U	left-repaired	0.61117	0.62482
C2;2;1;U	right	0.59821	0.61177
C2;2;1;U	right-repaired	0.59628	0.60988
C3;2;1;U	left	0.58992	0.60068
C3;2;1;U	left-repaired	0.58062	0.59146
C3;2;1;U	right	0.56904	0.57982
C3;2;1;U	right-repaired	0.56768	0.57849

	Case	Policy	Lower	Upper	
1					1
2					2
3	C4;2;1;U	left	0.62188	0.63199	3
4	C4;2;1;U	left-repaired	0.60399	0.61391	4
5	C4;2;1;U	right	0.5855	0.59525	5
6	C4;2;1;U	right-repaired	0.5854	0.59515	6
7	I2;2;1;U	left	0.63959	0.65386	7
8	I2;2;1;U	left-repaired	0.61456	0.6285	8
9	I2;2;1;U	right	0.59407	0.60781	9
10	I2;2;1;U	right-repaired	0.59363	0.60737	10
11	O2;2;1;M	left	0.30128	0.30382	11
12	O2;2;1;M	left-repaired	0.29236	0.29488	12
13	O2;2;1;M	right	0.29238	0.29489	13
14	O2;2;1;M	right-repaired	0.29236	0.29488	14
15	O2;2;1;L	left	1.5737	1.5766	15
16	O2;2;1;L	left-repaired	1.5626	1.565	16
17	O2;2;1;L	right	1.5163	1.5188	17
18	O2;2;1;L	right-repaired	1.5162	1.5186	18
19	O2;2;1;H	left	0.19157	0.19409	19
20	O2;2;1;H	left-repaired	0.18888	0.19135	20
21	O2;2;1;H	right	0.18497	0.18741	21
22	O2;2;1;H	right-repaired	0.18423	0.18668	22
23	O2;2;1;U	left	0.61089	0.62464	23
24	O2;2;1;U	left-repaired	0.60392	0.61765	24
25	O2;2;1;U	right	0.59513	0.60882	25
26	O2;2;1;U	right-repaired	0.59491	0.6086	26
27	O2;2;4;M	left	0.42746	0.43017	27
28	O2;2;4;M	left-repaired	0.42249	0.42507	28
29	O2;2;4;M	right	0.38962	0.39224	29
30	O2;2;4;M	right-repaired	0.38952	0.39214	30
31	O2;2;4;L	left	1.6588	1.6614	31
32	O2;2;4;L	left-repaired	1.6564	1.659	32
	O2;2;4;L	right	1.6358	1.6385	
	O2;2;4;L	right-repaired	1.6358	1.6385	

1	Case	Policy	Lower	Upper	1
2	O2;2;4;H	left	0.2474	0.2501	2
3	O2;2;4;H	left-repaired	0.24264	0.24526	3
4	O2;2;4;H	right	0.20559	0.20818	4
5	O2;2;4;H	right-repaired	0.20554	0.20813	5
6	O2;2;4;U	left	0.69261	0.7071	6
7	O2;2;4;U	left-repaired	0.68704	0.70155	7
8	O2;2;4;U	right	0.67867	0.69319	8
9	O2;2;4;U	right-repaired	0.67849	0.69301	9
10	O2;3;1;M	left	0.42649	0.42982	10
11	O2;3;1;M	left-repaired	0.42326	0.42657	11
12	O2;3;1;M	right	0.40778	0.41096	12
13	O2;3;1;M	right-repaired	0.40776	0.41095	13
14	O2;3;1;L	left	1.6968	1.7	14
15	O2;3;1;L	left-repaired	1.6932	1.6964	15
16	O2;3;1;L	right	1.6673	1.6705	16
17	O2;3;1;L	right-repaired	1.6672	1.6704	17
18	O2;3;1;H	left	0.29136	0.29449	18
19	O2;3;1;H	left-repaired	0.28954	0.29265	19
20	O2;3;1;H	right	0.27712	0.28025	20
21	O2;3;1;H	right-repaired	0.27696	0.28009	21
22	O2;3;1;U	left	0.71942	0.73411	22
23	O2;3;1;U	left-repaired	0.71638	0.73106	23
24	O2;3;1;U	right	0.70681	0.72143	24
25	O2;3;1;U	right-repaired	0.70676	0.72139	25
26	O2;3;4;M	left	0.58099	0.58436	26
27	O2;3;4;M	left-repaired	0.57925	0.58262	27
28	O2;3;4;M	right	0.56732	0.57065	28
29	O2;3;4;M	right-repaired	0.56709	0.57042	29
30	O2;3;4;L	left	1.8582	1.8616	30
31	O2;3;4;L	left-repaired	1.856	1.8594	31
32	O2;3;4;L	right	1.8454	1.8487	32
	O2;3;4;L	right-repaired	1.8454	1.8487	

Case	Policy	Lower	Upper
O2;3;4;H	left	0.35451	0.35788
O2;3;4;H	left-repaired	0.35176	0.35509
O2;3;4;H	right	0.34392	0.34723
O2;3;4;H	right-repaired	0.34391	0.34721
O2;3;4;U	left	0.86235	0.87799
O2;3;4;U	left-repaired	0.86048	0.87613
O2;3;4;U	right	0.85339	0.86906
O2;3;4;U	right-repaired	0.85323	0.86891
Q2;2;1;U	left	0.60972	0.62332
Q2;2;1;U	left-repaired	0.60276	0.61638
Q2;2;1;U	right	0.59518	0.60882
Q2;2;1;U	right-repaired	0.59444	0.6081
P2;2;1;U	left	0.6222	0.63577
P2;2;1;U	left-repaired	0.60912	0.62274
P2;2;1;U	right	0.59639	0.60993
P2;2;1;U	right-repaired	0.59445	0.60803
Q2;2;4;U	left	0.69243	0.70702
Q2;2;4;U	left-repaired	0.68754	0.70213
Q2;2;4;U	right	0.68106	0.69562
Q2;2;4;U	right-repaired	0.68086	0.69542
Q2;3;1;U	left	0.72237	0.73696
Q2;3;1;U	left-repaired	0.71906	0.73365
Q2;3;1;U	right	0.70782	0.7224
Q2;3;1;U	right-repaired	0.70769	0.72228
Q2;3;4;U	left	0.86908	0.88468
Q2;3;4;U	left-repaired	0.86539	0.881
Q2;3;4;U	right	0.85511	0.87074
Q2;3;4;U	right-repaired	0.85451	0.87015
P3;2;1;U	left	0.58981	0.60055
P3;2;1;U	left-repaired	0.58046	0.59128
P3;2;1;U	right	0.56902	0.57978
P3;2;1;U	right-repaired	0.56764	0.57844

Case	Policy	Lower	Upper
P4;2;1;U	left	0.61951	0.62957
P4;2;1;U	left-repaired	0.60168	0.61155
P4;2;1;U	right	0.58357	0.59328
P4;2;1;U	right-repaired	0.58332	0.59303
A2;2;1;U	left	0.59772	0.61129
A2;2;1;U	left-repaired	0.59585	0.60945
A2;2;1;U	right	0.59777	0.61134
A2;2;1;U	right-repaired	0.59585	0.60946

TABLE V: Every new direct expected policy-cost contrast

Case	Contrast	Lower	Upper
C2;2;1;U	L minus L+	0.011448	0.014567
C2;2;1;U	L minus R	0.023033	0.028988
C2;2;1;U	L minus R+	0.024948	0.030894
C2;2;1;U	L+ minus R	0.010133	0.015872
C2;2;1;U	L+ minus R+	0.012051	0.017775
C2;2;1;U	R minus R+	0.00067113	0.0031495
C3;2;1;U	L minus L+	0.0077535	0.010757
C3;2;1;U	L minus R	0.01796	0.023776
C3;2;1;U	L minus R+	0.019309	0.025125
C3;2;1;U	L+ minus R	0.0087758	0.014449
C3;2;1;U	L+ minus R+	0.010129	0.015794
C3;2;1;U	R minus R+	0.0001224	0.0025755
C4;2;1;U	L minus L+	0.016432	0.019542
C4;2;1;U	L minus R	0.033636	0.039473
C4;2;1;U	L minus R+	0.033741	0.039578
C4;2;1;U	L+ minus R	0.015807	0.021327
C4;2;1;U	L+ minus R+	0.015912	0.021433
C4;2;1;U	R minus R+	0	0.0012997

	Case	Contrast	Lower	Upper	
1					1
2					2
3	I2;2;1;U	L minus L+	0.023541	0.026849	3
4	I2;2;1;U	L minus R	0.042713	0.048868	4
5	I2;2;1;U	L minus R+	0.043151	0.049305	5
6	I2;2;1;U	L+ minus R	0.017772	0.023418	6
7	I2;2;1;U	L+ minus R+	0.018209	0.023856	7
8	I2;2;1;U	R minus R+	0	0.00164	8
9	O2;2;1;M	L minus L+	0.007622	0.010239	9
10	O2;2;1;M	L minus R	0.0064146	0.011415	10
11	O2;2;1;M	L minus R+	0.00643	0.011431	11
12	O2;2;1;M	L+ minus R	-0.0023997	0.002369	12
13	O2;2;1;M	L+ minus R+	-0.0023843	0.0023843	13
14	O2;2;1;M	R minus R+	0	0.0012077	14
15	O2;2;1;L	L minus L+	0.0099411	0.012722	15
16	O2;2;1;L	L minus R	0.054972	0.060123	16
17	O2;2;1;L	L minus R+	0.055155	0.060307	17
18	O2;2;1;L	L+ minus R	0.043822	0.048609	18
19	O2;2;1;L	L+ minus R+	0.044007	0.048792	19
20	O2;2;1;L	R minus R+	0	0.001381	20
21	O2;2;1;H	L minus L+	0.0014934	0.003946	21
22	O2;2;1;H	L minus R	0.0042173	0.0090667	22
23	O2;2;1;H	L minus R+	0.0049502	0.0097948	23
24	O2;2;1;H	L+ minus R	0.001523	0.0063216	24
25	O2;2;1;H	L+ minus R+	0.0022567	0.007049	25
26	O2;2;1;H	R minus R+	0	0.0019272	26
27	O2;2;1;U	L minus L+	0.0056474	0.0083165	27
28	O2;2;1;U	L minus R	0.013161	0.018416	28
29	O2;2;1;U	L minus R+	0.013385	0.01864	29
30	O2;2;1;U	L+ minus R	0.0062318	0.011381	30
31	O2;2;1;U	L+ minus R+	0.0064562	0.011605	31
32	O2;2;1;U	R minus R+	0	0.0014206	32
	O2;2;4;M	L minus L+	0.0036933	0.0063836	
	O2;2;4;M	L minus R	0.035287	0.040496	

1	Case	Contrast	Lower	Upper	1
2					2
3	O2;2;4;M	L minus R+	0.035387	0.040597	3
4	O2;2;4;M	L+ minus R	0.03028	0.035426	4
5	O2;2;4;M	L+ minus R+	0.030381	0.035526	5
6	O2;2;4;M	R minus R+	0	0.0013773	6
7	O2;2;4;L	L minus L+	0.0010828	0.0036974	7
8	O2;2;4;L	L minus R	0.020345	0.025506	8
9	O2;2;4;L	L minus R+	0.020345	0.025506	9
10	O2;2;4;L	L+ minus R	0.017976	0.023095	10
11	O2;2;4;L	L+ minus R+	0.017976	0.023095	11
12	O2;2;4;L	R minus R+	0	0.0012764	12
13	O2;2;4;H	L minus L+	0.0034416	0.006155	13
14	O2;2;4;H	L minus R	0.039236	0.044497	14
15	O2;2;4;H	L minus R+	0.039288	0.044549	15
16	O2;2;4;H	L+ minus R	0.034497	0.039639	16
17	O2;2;4;H	L+ minus R+	0.034549	0.039692	17
18	O2;2;4;H	R minus R+	0	0.0013293	18
19	O2;2;4;U	L minus L+	0.004188	0.0069254	19
20	O2;2;4;U	L minus R	0.011181	0.016658	20
21	O2;2;4;U	L minus R+	0.011361	0.016838	21
22	O2;2;4;U	L+ minus R	0.0056495	0.011076	22
23	O2;2;4;U	L+ minus R+	0.0058295	0.011256	23
24	O2;2;4;U	R minus R+	0	0.0014585	24
25	O2;3;1;M	L minus L+	0.0016956	0.0047777	25
26	O2;3;1;M	L minus R	0.015697	0.021868	26
27	O2;3;1;M	L minus R+	0.015714	0.021886	27
28	O2;3;1;M	L+ minus R	0.012467	0.018624	28
29	O2;3;1;M	L+ minus R+	0.012485	0.018641	29
30	O2;3;1;M	R minus R+	0	0.0015083	30
31	O2;3;1;L	L minus L+	0.0020031	0.005116	31
32	O2;3;1;L	L minus R	0.026367	0.032516	32
	O2;3;1;L	L minus R+	0.026477	0.032626	
	O2;3;1;L	L+ minus R	0.022819	0.028945	

	Case	Contrast	Lower	Upper	
1					1
2					2
3	O2;3;1;L	L+ minus R+	0.022928	0.029055	3
4	O2;3;1;L	R minus R+	0	0.0016012	4
5	O2;3;1;H	L minus L+	0.00030976	0.0033545	5
6	O2;3;1;H	L minus R	0.011221	0.017268	6
7	O2;3;1;H	L minus R+	0.011378	0.017424	7
8	O2;3;1;H	L+ minus R	0.0093942	0.01543	8
9	O2;3;1;H	L+ minus R+	0.0095515	0.015586	9
10	O2;3;1;H	R minus R+	0	0.0016481	10
11	O2;3;1;U	L minus L+	0.0014967	0.0045926	11
12	O2;3;1;U	L minus R	0.0095127	0.015773	12
13	O2;3;1;U	L minus R+	0.0095603	0.01582	13
14	O2;3;1;U	L+ minus R	0.0064826	0.012713	14
15	O2;3;1;U	L+ minus R+	0.0065302	0.012761	15
16	O2;3;1;U	R minus R+	0	0.0015385	16
17	O2;3;4;M	L minus L+	9.4671e-05	0.0033779	17
18	O2;3;4;M	L minus R	0.010433	0.016948	18
19	O2;3;4;M	L minus R+	0.01066	0.017175	19
20	O2;3;4;M	L+ minus R	0.0087064	0.015202	20
21	O2;3;4;M	L+ minus R+	0.0089337	0.015429	21
22	O2;3;4;M	R minus R+	0	0.00184	22
23	O2;3;4;L	L minus L+	0.0005048	0.0037993	23
24	O2;3;4;L	L minus R	0.0095446	0.01608	24
25	O2;3;4;L	L minus R+	0.0095504	0.016086	25
26	O2;3;4;L	L+ minus R	0.0074107	0.01391	26
27	O2;3;4;L	L+ minus R+	0.0074164	0.013916	27
28	O2;3;4;L	R minus R+	0	0.0016183	28
29	O2;3;4;H	L minus L+	0.0011154	0.0044219	29
30	O2;3;4;H	L minus R	0.0073415	0.013898	30
31	O2;3;4;H	L minus R+	0.0073538	0.013911	31
32	O2;3;4;H	L+ minus R	0.004596	0.011107	32
	O2;3;4;H	L+ minus R+	0.0046083	0.011119	
	O2;3;4;H	R minus R+	0	0.0016249	

1	Case	Contrast	Lower	Upper	1
2					2
3	O2;3;4;U	L minus L+	0.00021625	0.0035063	3
4	O2;3;4;U	L minus R	0.0056055	0.012273	4
5	O2;3;4;U	L minus R+	0.0057651	0.012433	5
6	O2;3;4;U	L+ minus R	0.0037509	0.010406	6
7	O2;3;4;U	L+ minus R+	0.0039105	0.010565	7
8	O2;3;4;U	R minus R+	0	0.001774	8
9	Q2;2;1;U	L minus L+	0.0055893	0.0083122	9
10	Q2;2;1;U	L minus R	0.01186	0.017187	10
11	Q2;2;1;U	L minus R+	0.01259	0.017917	11
12	Q2;2;1;U	L+ minus R	0.0049684	0.010177	12
13	Q2;2;1;U	L+ minus R+	0.0056983	0.010907	13
14	Q2;2;1;U	R minus R+	0	0.0019382	14
15	P2;2;1;U	L minus L+	0.011497	0.014615	15
16	P2;2;1;U	L minus R	0.022852	0.028801	16
17	P2;2;1;U	L minus R+	0.024778	0.030719	17
18	P2;2;1;U	L+ minus R	0.0099052	0.015635	18
19	P2;2;1;U	L+ minus R+	0.011835	0.01755	19
20	P2;2;1;U	R minus R+	0.00068331	0.0031614	20
21	Q2;2;4;U	L minus L+	0.003535	0.0062382	21
22	Q2;2;4;U	L minus R	0.0086864	0.014074	22
23	Q2;2;4;U	L minus R+	0.0088869	0.014274	23
24	Q2;2;4;U	L+ minus R	0.0038216	0.0091655	24
25	Q2;2;4;U	L+ minus R+	0.004022	0.0093656	25
26	Q2;2;4;U	R minus R+	0	0.0014794	26
27	Q2;3;1;U	L minus L+	0.0017403	0.0048791	27
28	Q2;3;1;U	L minus R	0.01136	0.017753	28
29	Q2;3;1;U	L minus R+	0.011488	0.01788	29
30	Q2;3;1;U	L+ minus R	0.0080678	0.014426	30
31	Q2;3;1;U	L+ minus R+	0.0081953	0.014553	31
32	Q2;3;1;U	R minus R+	0	0.0016207	32
	Q2;3;4;U	L minus L+	0.0020091	0.0053568	
	Q2;3;4;U	L minus R	0.010559	0.017349	

Case	Contrast	Lower	Upper
Q2;3;4;U	L minus R+	0.011154	0.017943
Q2;3;4;U	L+ minus R	0.006888	0.013654
Q2;3;4;U	L+ minus R+	0.0074835	0.014248
Q2;3;4;U	R minus R+	0	0.0022148
P3;2;1;U	L minus L+	0.0078066	0.010814
P3;2;1;U	L minus R	0.017874	0.023687
P3;2;1;U	L minus R+	0.019232	0.025044
P3;2;1;U	L+ minus R	0.008637	0.014304
P3;2;1;U	L+ minus R+	0.0099988	0.015657
P3;2;1;U	R minus R+	0.00013073	0.0025845
P4;2;1;U	L minus L+	0.016374	0.019482
P4;2;1;U	L minus R	0.033196	0.039029
P4;2;1;U	L minus R+	0.033446	0.039279
P4;2;1;U	L+ minus R	0.015426	0.020943
P4;2;1;U	L+ minus R+	0.015676	0.021193
P4;2;1;U	R minus R+	0	0.0014477
A2;2;1;U	L minus L+	0.00062241	0.0030972
A2;2;1;U	L minus R	-0.0024517	0.0023493
A2;2;1;U	L minus R+	-0.00057956	0.0042851
A2;2;1;U	L+ minus R	-0.0043435	0.00052149
A2;2;1;U	L+ minus R+	-0.0024125	0.0023985
A2;2;1;U	R minus R+	0.00066516	0.0031428

Both tables are reconstructed from stored outward means, variance bounds and deterministic supports. Numerical replay uses the same original samples. Statistical interpretation requires the independent-bin model.

TABLE VI: Final-action mechanism diagnostics

Case	Policy	Accepted	Blocked	Old action	New action	Derivative calls
C2;2;1;U	L	81251	1686	0.13805	0.16199	1216761
C2;2;1;U	R	92005	2261	0.17813	0.16288	1223163

Case	Policy	Accepted	Blocked	Old action	New action	Derivative calls
1						
2						
3						
4						
5						
6						
7						
8						
9						
10						
11						
12						
13						
14						
15						
16						
17						
18						
19						
20						
21						
22						
23						
24						
25						
26						
27						
28						
29						
30						
31						
32						

Case	Policy	Accepted	Blocked	Old action	New action	Derivative calls
O2;3;4;L	L	129450	1622	0.11835	0.11804	1234478
O2;3;4;L	R	75986	44091	0.11664	0.11708	1237417
O2;3;4;H	L	130535	487	0.06486	0.07197	1266116
O2;3;4;H	R	81893	46520	0.06993	0.07110	1270467
O2;3;4;U	L	127548	3104	0.09220	0.09283	1251214
O2;3;4;U	R	119926	9604	0.09243	0.09264	1251454
Q2;2;1;U	L	84626	1862	0.14266	0.16266	1217576
Q2;2;1;U	R	89341	2780	0.16443	0.16248	1222725
P2;2;1;U	L	81414	1734	0.13768	0.16190	1217185
P2;2;1;U	R	92131	2223	0.17824	0.16278	1223408
Q2;2;4;U	L	127314	3044	0.08473	0.08526	1255543
Q2;2;4;U	R	116513	12198	0.08462	0.08509	1255620
Q2;3;1;U	L	78872	1217	0.15697	0.17211	1200463
Q2;3;1;U	R	72138	3059	0.17400	0.17287	1207783
Q2;3;4;U	L	127944	2619	0.09086	0.09284	1251053
Q2;3;4;U	R	124704	5413	0.09262	0.09261	1251454
P3;2;1;U	L	71967	1425	0.15260	0.16790	1213011
P3;2;1;U	R	86489	1881	0.18143	0.16824	1220010
P4;2;1;U	L	106376	1130	0.11948	0.16893	1210149
P4;2;1;U	R	86994	7077	0.16745	0.16930	1218786
A2;2;1;U	L	90517	2162	0.17906	0.16290	1223395
A2;2;1;U	R	92064	2277	0.17821	0.16286	1223276

Means are descriptive over the recorded paths, not confidence intervals for separate mechanism parameters. Complete date-wise earlier actions, terminal state vectors, capacity and quantum repair counts, and exact fallbacks are deposited.

TABLE VII: New-construction operation and storage account

Case	Method	Target eval.	Actor scalars	KiB	Coeff. bits	MiB
C2;2;1;U	W	1,156	578	41.8	36	41.4
C2;2;1;U	F	1,156	578	26.1	42	41.7

Case	Method	Target eval.	Actor scalars	KiB	Coeff. bits	MiB
C3;2;1;U	W	19,652	9,826	851.1	42	44.3
C3;2;1;U	F	19,652	9,826	434.4	42	42.3
C4;2;1;U	W	236,196	13,122	1024.5	42	50.5
C4;2;1;U	F	3,242,952	167,042	7464.3	42	169.8
I2;2;1;U	W	11,664	162	14.2	41	42.4
I2;2;1;U	F	11,664	162	9.3	41	42.0
Q2;2;1;U	W	13,068	2,178	171.9	41	41.6
Q2;2;1;U	F	13,068	2,178	98.6	42	42.1
P2;2;1;U	W	1,156	578	41.8	36	42.0
P2;2;1;U	F	1,156	578	26.1	42	42.0
Q2;2;4;U	W	19,602	2,178	178.4	42	41.6
Q2;2;4;U	F	19,602	2,178	99.4	42	42.0
Q2;3;1;U	W	126,750	12,675	1005.0	42	45.8
Q2;3;1;U	F	126,750	12,675	550.0	42	41.9
Q2;3;4;U	W	126,750	12,675	983.8	42	45.8
Q2;3;4;U	F	126,750	12,675	539.4	42	41.8
P3;2;1;U	W	19,652	9,826	851.1	42	44.5
P3;2;1;U	F	19,652	9,826	434.4	42	42.5
P4;2;1;U	W	236,196	13,122	1024.5	42	51.3
P4;2;1;U	F	236,196	13,122	575.2	42	48.3
A2;2;1;U	A	4,472	578	39.5	42	41.9
A2;2;1;U	F	1,156	578	26.1	42	42.0

Target evaluations include every failed common-accuracy attempt. Actor scalars and checkpoint KiB describe the returned model. Coefficient bits are the true maximum, not the additive descriptor in the raw prefix map; MiB is process peak memory. Full operation categories, including terminal gates and exact fallbacks, remain in JSON.

18. NUMERICAL CORRECTION AND SEQUENTIAL COMMON-ACCURACY DESIGN

The primary shared allocation is sufficient for the witness bound, not automatically for conventional FVI's actual interpolated modulus. Its failed certificates are retained. The common-accuracy amendment was specified after that outcome and

frozen before its own execution; it charges every failed construction before doubling the state quota. It is not a retrospective recoding of the primary study.

During publication review, nearest-rounded subtraction of different policies' already outward path endpoints was replaced by directed outward subtraction. The same bin streams, policies and sample counts were replayed. Original sources and results remain unchanged; a separate correction manifest binds the new evaluator, and the audit checks identical streams and unchanged sign classifications. Replaying the same observations adds no statistical sample size. The additive raw prefix field for coefficient-bit descriptors is not interpreted as a maximum; maximum bit length and live storage are reconstructed separately. The correction and development logs are part of the release.

19. EXHAUSTIVE ROBUSTNESS-SERVICE ACCOUNTING

TABLE VIII
COMPLETE ROBUSTNESS-SERVICE WORK AND MEMORY

Incumbent	T	p	Seconds	Peak MiB
Witness	2	1	3.73	50.6
Witness	2	4	3.72	50.6
Witness	3	1	4.37	56.5
Witness	3	4	4.32	56.5
FVI	2	1	3.63	50.7
FVI	2	4	3.76	51.0
FVI	3	1	3.91	52.5
FVI	3	4	3.86	52.3

Each isolated service loads a frozen incumbent, computes all proposals and centered intervals, independently replays the inherited terminal gate, evaluates every amplitude gate, and durably serializes the cell records. Process startup is excluded; inherited construction time is not added. These are verification-service clocks, not a work-to-policy-cost superiority claim.

REFERENCES

MAURER, ANDREAS AND MASSIMILIANO PONTIL (2009): “Empirical Bernstein Bounds and Sample Variance Penalization,” in *Proceedings of the 22nd Annual Conference on Learning Theory*, arXiv:0907.3740. [5]