

June 2026 LILUG Meeting

June 9th, 2026 @ [Digital Ballpark](#) Pace-notes by [Chris Trimble](#)

News & Small Talk

VMWare Business Decisions:

- BMC Hardware built for VMWare
- profitability of VMWare

What is the purpose of raising prices of VMWare after Broadcom's acquisition? Is it a matter of profitability, lack of growth, or possibly getting returns on hardware previously built but under-appreciated?

Main Discussion: Proxmox 9.2 by Matthew Newhall and Lee Wilbur

Proxmox: A KVM/QEMU hypervisor for virtual machines, based on Debian

- Debian 13.5 based on Linux Kernel 7.0
- KVM (Kernel-based virtual machine) provides type 1 hypervisor capabilities
- QEMU user-space virtual machine manager that provides the virtual hardware stack, using KVM for acceleration.
- LXC (Linux Containers)
 - Much low overhead than full VMs with QEMU
 - Share host kernel
 - Cannot run Windows or non-Linux systems

Management Portal

- Initial login prompt is on port 8006
- users can be in PAM or only in Proxmox

Features

- Views: server, folder, pool, tag
- Datacenter frame: bulk actions, columns
- Tasks/logs frame
- Create VM
- Create Containerccccdebrjvkhnhvnfretfftggglhercrderkfbdkhii

Licensing

- Enterprise: More Stable, slower updates
- no-subscription: faster updates at a slight stability cost
- pricing is per CPU

Install

- Uses LVM on top of ext4 or xfs by default
- ZFS option makes entire root file system a ZFS pool

ZFS Pros:

- snapshots
- vm replication
- self healing

ZFS Cons:

- higher ram use
- higher write volume/greater wear on consumer grade SSDs

Creating a Virtual Machine

Node: Cluster node host to create on *VM ID:* Numeric ID which is unique for ID, and can be used to manage where the VM goes. *Name of the VM:* What the name of the virtual machine should be. *Add to HA:* Configure high-availability of the virtual machines across different hosts. *Resource Pool:* Allows groups of virtual machines to be assigned data, users, and permissions. This doesn't touch hardware like CPU or RAM.

Advanced Settings

Start at Boot: Should the virtual machine turn on when the host boots? *Start/Shutdown Order:* If set, use value 1 through 99; 1 is high priority. *Startup Delay:* Startup is considered complete when console says "running" - delay clock starts then. Longest delay is used if there is a conflict. *Shutdown Timeout:* default timeout is 180 seconds, 0 can be indefinite. *vCPU Architecture:* x86 or emulated ARM *Tags:* Used for organization and searching, no effect on VM.

Guest OS Types

- Linux, Microsoft Windows, Solaris, Other
- Use of ISO file, CD/DVD, or no ISO is possible

System Tab

Graphics Card Firmware SCSI Controller Machine: the chipset used by virtual machine *QEMU Agent:* Provides communication path to the host, needs to have installation done inside the guest

Disks

- Features such as replication, disk location, and SSD emulation are present.

CPU

- Defines parameters for the CPU of the guest
- Includes emulation for several platforms such as 386
- Features memory/CPU sharing across hosts with NUMA

Memory

- RAM size
- KSM feature to de-duplicate paging
- Ballooning/Dynamic RAM

Network

These settings can define a virtual or real NIC, as well as connectivity to other VMs. The NIC can be assigned a certain MAC address or emulated hardware as well.

Confirm

Shows a final tab in VM creation where all of the values can be shown.

Docker

- kernel conflicts with LXC prevents Docker from being run natively.
- it is possible/recommended to run Docker on a virtual machine
- OCI images can be run using LXC application containers by converting it to compatible code.

Some Alternatives

TrueNAS SCALE

- KVM-based virtualization with Kubernetes on top

Harvester (SUSE/Rancher)

- KVM/Kubernetes-native HCI platform built on KubeVirt

Unraid

- KVM based virtualization

XCG-NG

- Based on Citrix XenServer on Xen hypervisor
- no containers