Loves Superbundle Release

Release Summary

Server: OKCDOCP04

Application	Release Path
AP Portal	\\okcdocd03\icgrelease\git\APPortal
HUDE	\\okcdocd03\icgrelease\git\ClickOnce\HUDE
AP Exception	\\okcdocd03\icgrelease\git\ClickOnce\APExcept
FA Exception	\\okcdocd03\icgrelease\git\ClickOnce\FAExcept
Maddenco Exception	\\okcdocd03\icgrelease\git\ClickOnce\MDNExcept
RM Exception	\\okcdocd03\icgrelease\git\ClickOnce\RMExcept
Spread Exception	\\okcdocd03\icgrelease\git\ClickOnce\SpreadExcept
Store Audit	\\okcdocd03\icgrelease\git\ClickOnce\StoreAudit

Database Scripts

The following scripts will need to be executed prior to the release of application code

Deployment Instructions

- ICG recommends a full dtabase backup prior to release
- The file execution order is preserved. Scripts should be executed in order
- Once all files have been deployed the rest of the release may continue.

Database Information

Server	PROD_DATABASE_SERVER
Database	ICG_RPM_PROD
Scripts	51

Files

release/scripts/SB 2 Data.txt
release/scripts/schema/SuperBundle Schema JH.txt
release/scripts/data/206.txt
release/scripts/data/SuperBundle Data JH.txt
release/scripts/data/SB 2 Data.txt
release/scripts/data/SB 2 Data.sql
release/scripts/data/SuperBundle Data JH.sql
release/scripts/schema/SuperBundle Schema JH.sql
release/scripts/data/RPM.Reports.WorkitemCompletion.sql
release/scripts/data/SuperBundle Data JH.sql
release/scripts/data/SB 2 Data.sql
release/scripts/schema/RPM.Reports.ApprovalHierarchy.sql
release/scripts/DM_Update.txt
release/scripts/schema/RPM.Reports.WorkitemCompletionSchema.sql
release/scripts/data/RPM.Reports.FA.Upload.sql
release/scripts/data/RPM.Reports.Aging.sql
release/scripts/data/RPM.Reports.WorkflowDuplicate.sql
release/scripts/data/SuperBundle Data JH 1.sql
release/scripts/data/206.sql
release/scripts/data/Maddenco Data.sql
release/scripts/schema/Maddenco Schema.sql
release/scripts/schema/SuperBundle Schema JH.sql
release/scripts/data/SYC_DOC_TYPES_TAX_FRT.sql
release/scripts/schema/APD_INVOICE Schema.sql
release/scripts/data/SYC_DOC_TYPE.sql
release/scripts/data/UAT R2 Fixes.sql
release/scripts/schema/UAT R2 JH Alter.sql
release/scripts/data/SYC_QUEUE_RULE.sql
release/scripts/data/RULE_3026.sql
release/scripts/data/UAT R2 Fixes 3.sql
release/scripts/data/UAT R2 Fixes 2.sql
release/scripts/data/ReportsReadme.md
release/scripts/data/MV Updates.sql
release/scripts/data/RPM.Reports.Accrual.sql
release/scripts/data/RPM.Reports.StoreAudit.sql
release/scripts/data/RPM.Reports.ApprovalHierarchy.sql
release/scripts/data/RPM.Reports.PointToPoint.sql
release/scripts/schema/APD_INVOICE.RM_PROJECT.sql
release/scripts/data/RPM.Reports.StoreAuditMatching.sql
release/scripts/data/RPM.Reports.UserProductivity.sql
release/scripts/data/UAT R2 Fixes 4.sql

release/scripts/data/RPM.Reports.MaddencoMatching.sql
release/scripts/data/RPM.Reports.ProcessManagement.sql
release/scripts/release.md
release/scripts/data/RPM.Reports.UserAudit.sql
release/scripts/data/RPM.Reports.Upload.sql
release/scripts/data/RPM.Reports.Schema.WorkItemCompletion.sql
release/scripts/data/RPM.Reports.RM.sql
release/scripts/data/UAT R3 StoreAudit.sql
release/scripts/data/UAT R3 Maddenco.sql
release/scripts/schema/RPM.Reports.Schema.WorkItemCompletion.sql

AP Portal

The AP Portal Web Application

Deployment Instructions

- Stop IIS on Production Server
- For backup copy existing folder to safe backup location
- Copy files from release location to production location
- Once all files have been deployed, restart IIS

Deployment Target(s)

OKCDOCP04   c:\Program Files\ICGConsulting\APPortal

Files

release/apportal/web.config
release/apportal/com/icgconsulting/modules/module.xml
release/apportal/com/icgconsulting/modules/ReportManager.swf
release/apportal/com/icgconsulting/modules/RetrievalInquiry.swf
release/apportal/com/icgconsulting/modules/ViewDetail.swf
release/apportal/com/icgconsulting/modules/about.swf
release/apportal/com/icgconsulting/modules/RPMUserEditWindow.swf
release/apportal/com/icgconsulting/modules/APInvoice.swf
release/apportal/com/icgconsulting/modules/RetrievalResults.swf
release/apportal/com/icgconsulting/modules/UserSettings.swf
release/apportal/com/icgconsulting/modules/viewlist.swf
release/apportal/release.md

HUDE

Provides basic data entry functionality

Deployment Instructions

- Stop IIS on Production Server
- For backup copy existing folder to safe backup location
- Copy files from release location to production location
- Once all files have been deployed, restart IIS
- The applicaiton will be installed for individual users when the application is restarted.

Deployment Target(s)

OKCDOCP04   c:\Program Files\ICGConsulting\HUDE

AP Exception

Provides exception functionality for AP

Deployment Instructions

- Stop IIS on Production Server
- For backup copy existing folder to safe backup location
- Copy files from release location to production location
- Once all files have been deployed, restart IIS
- The applicaiton will be installed for individual users when the application is restarted.

Deployment Target(s)

OKCDOCP04   c:\Program Files\ICGConsulting\APExcept

FA Exception

Provides exception functionality for FA

Deployment Instructions

- Stop IIS on Production Server
- For backup copy existing folder to safe backup location
- Copy files from release location to production location
- Once all files have been deployed, restart IIS
- The applicaiton will be installed for individual users when the application is restarted.

Deployment Target(s)

OKCDOCP04   c:\Program Files\ICGConsulting\FAExcept

Maddenco Exception

Provides exception functionality for Maddenco

Deployment Instructions

- Stop IIS on Production Server
- For backup copy existing folder to safe backup location
- Copy files from release location to production location
- Once all files have been deployed, restart IIS
- The applicaiton will be installed for individual users when the application is restarted.

Deployment Target(s)

OKCDOCP04   c:\Program Files\ICGConsulting\MDNExcept

RM Exception

Provides exception functionality for RM

Deployment Instructions

- Stop IIS on Production Server
- For backup copy existing folder to safe backup location
- Copy files from release location to production location
- Once all files have been deployed, restart IIS
- The applicaiton will be installed for individual users when the application is restarted.

Deployment Target(s)

OKCDOCP04   c:\Program Files\ICGConsulting\RMExcept

Spread Exception

Provides spread exception functionality

Deployment Instructions

- Stop IIS on Production Server
- For backup copy existing folder to safe backup location
- Copy files from release location to production location
- Once all files have been deployed, restart IIS
- The applicaiton will be installed for individual users when the application is restarted.

Deployment Target(s)

OKCDOCP04   c:\Program Files\ICGConsulting\SpreadExcept

Store Audit

Provides the store audit user interface

Deployment Instructions

- Stop IIS on Production Server
- For backup copy existing folder to safe backup location
- Copy files from release location to production location
- Once all files have been deployed, restart IIS
- The applicaiton will be installed for individual users when the application is restarted.

Deployment Target(s)

OKCDOCP04   c:\Program Files\ICGConsulting\StoreAudit