

■ NetApp® Knowledge Base

Unable to access cifs shares with FQDN, error "access is denied" although its accessible via ip



 $https://kb.netapp.com/Advice_and_Troubleshooting/Data_Storage_Software/ONTAP_OS/Unable_to_a...$

Updated: Wed, 31 Aug 2022 14:31:33 GMT


Applies to

- ONTAP 9
- Kerberos
- · CIFS/SMB

Issue

 Not able to access cifs share using FQDN, it pops up for credentials and then getting error as "access is denied". Below is error screenshot:

'NetApp provides no representations or warranties regarding the accuracy or reliability or serviceability of any information or recommendations provided in this publication or with respect to any results that may be obtained by the use of the information or observance of any recommendations provided herein. The information in this document is distributed AS IS and the use of this information or the implementation of any recommendations or techniques herein is a customers responsibility and depends on the customers ability to evaluate and integrate them into the customers operational environment. This document and the information contained herein may be used solely in connection with the NetApp products discussed in this document.'



- When try to access the same share at the same time using lif ip address, it is accessible with no issues.
- Issue persists for few hours with FQDN access and gets auto corrected with no change from storage or client end. Able to access the same share using FQDN after few hours.
- Issue is only faced by users whose group membership recently updated in AD to allow access to the cifs share.

Cause

cause_text

Solution

Flush Kerberos ticket from client end using below command:

C:\Users\user1>klist purge

Additional Information

Why FQDN fail and ip access work?

- · Accessing cifs with FQDN will use Kerberos and ip access will always use NTLM.
- · NTLM use LSA calls to fetch user's group membership whereas Kerberos use different calls if required.

