




[CR] 4. User Dashboard

Target release	Integrate with 1.9. User Dashboard
Jira task	
Document status	DONE
Document owner	Trang Nguyen

Objective	Allow user to view dashboard
Actor	User
Trigger	User navigates Dashboard from the menu
Pre-condition	User has logged in system successfully
Post-condition	User can view dashboard
List screen	

		
S1.9a: Dashboard	S1.9b: Dashboard_no data	S1.9c: Dashboard_transaction

Components	Type	Description
Transaction History Section	Section	Display Rules: Display section title "Transaction History". Behavior Rules: Container for Transaction History table or empty state.
NFT Activities Empty State	Empty State	Display Rules: Display icon and text "No transactions yet" when no activities exist. Behavior Rules: Shown only when transaction list is empty.

NFT Activities Table	Data Table	Display Rules: Display columns: - Time - Transaction ID - Number of activations - Amount (Price) - Status Behavior Rules: Rows sorted from newest to oldest by default.
Sort	Sort	Displaying rules - Default: Enable, Check all - Display the sort icon: - Arrow up: Ascending - Arrow down: Descending Behavior rules: - On clicking on the icon or the field name to choose the display order show results in Ascending order show results in Descending order if user clicks one more time Validation Rules: - If no option is selected Display Origin data - If the response from system is longer than 1s Show MSG-17
Transaction Time	Table Cell	Display Rules: Display date-time in standard format. MM/DD/YYYY HH:MM:SS Hour display: 00h-24h Switzerland uses Central European Time (CET) during the winter as standard time, which is one hour ahead of Coordinated Universal Time (UTC+01:00), and Central European Summer Time (CEST) during the summer as daylight saving time, which is two hours ahead of Coordinated Universal Time (UTC+02:00) Behavior Rules: Static value. CMR 09
Transaction ID	Text	Display Rules: Display shortened hash . Format : TXN-000000X. X starts from 1 Display copy icon Behavior Rules: On click copy icon, copy wallet address to clipboard + MSG 29.

Number of activations	Number	Display Rules: Display Number of activations/distinctions per package <table> <tr> <th>class</th><th>price of one activation</th><th>number of distinctions</th></tr> <tr> <td>0</td><td>...</td><td>10</td></tr> <tr> <td>1</td><td>35000</td><td>7</td></tr> <tr> <td>2</td><td>17000</td><td>6</td></tr> <tr> <td>3</td><td>7000</td><td>5</td></tr> <tr> <td>4</td><td>2500</td><td>4</td></tr> <tr> <td>5</td><td>990</td><td>3</td></tr> <tr> <td>6</td><td>500</td><td>2</td></tr> <tr> <td>7</td><td>190</td><td>1</td></tr> </table> CMR 01	class	price of one activation	number of distinctions	0	...	10	1	35000	7	2	17000	6	3	7000	5	4	2500	4	5	990	3	6	500	2	7	190	1
class	price of one activation	number of distinctions																											
0	...	10																											
1	35000	7																											
2	17000	6																											
3	7000	5																											
4	2500	4																											
5	990	3																											
6	500	2																											
7	190	1																											
Amount (Price)	Number	Display Rules: Display package's price Behavior Rules: • Display price per company classes • CMR 01																											
Status	Status Tag	Display Rules: Display transaction status with color coding (Completed, Pending, Failed). Completed: Transaction is completed Pending: Transaction is not completed due to technical issue Failed: Transaction is not completed due to technical issue Behavior Rules: Determined by transaction state.																											

Transaction Details	Pop-up	Display Rules: Display title "Transaction Details" Display state: "Payment" + [status] Display transaction with below information: <table><thead><tr><th>Components</th><th>Type</th><th>Description</th></tr></thead><tbody><tr><td>Transaction Time</td><td>Table Cell</td><td>as defined in this page</td></tr><tr><td>Transaction ID</td><td>Text</td><td>as defined in this page</td></tr><tr><td>Stripe Payment ID</td><td>Text</td><td>Display Stripe Payment ID which is generated when user proceed payment transaction with Stripe For e.g., pi_3NxB7H2eZvKYlo2C0qP4f8Zk</td></tr><tr><td>Package Class</td><td>Text</td><td>Display User's class as defined in this page</td></tr><tr><td>Activation Purchased</td><td>Integer</td><td>Display Number of activations as defined in this page</td></tr><tr><td>Activation Used</td><td>Integer</td><td>Display the number of Activation Used CMR 01</td></tr><tr><td>Activation Remaining</td><td>Integer</td><td>Display the number of Activation Remaining = Number of activations purchased - Activation Used CMR 01</td></tr><tr><td>Amount (Price)</td><td>Number</td><td>Display "Total Amount Paid" [price] as defined in this page</td></tr><tr><td>Payment Status</td><td>Status Tag</td><td>as defined in this page</td></tr><tr><td>Close</td><td>Button</td><td>Enable Click close pop-up + back to previous screen</td></tr><tr><td>Exit</td><td>Icon button</td><td>Enable Click close pop-up + back to previous screen</td></tr></tbody></table>	Components	Type	Description	Transaction Time	Table Cell	as defined in this page	Transaction ID	Text	as defined in this page	Stripe Payment ID	Text	Display Stripe Payment ID which is generated when user proceed payment transaction with Stripe For e.g., pi_3NxB7H2eZvKYlo2C0qP4f8Zk	Package Class	Text	Display User's class as defined in this page	Activation Purchased	Integer	Display Number of activations as defined in this page	Activation Used	Integer	Display the number of Activation Used CMR 01	Activation Remaining	Integer	Display the number of Activation Remaining = Number of activations purchased - Activation Used CMR 01	Amount (Price)	Number	Display "Total Amount Paid" [price] as defined in this page	Payment Status	Status Tag	as defined in this page	Close	Button	Enable Click close pop-up + back to previous screen	Exit	Icon button	Enable Click close pop-up + back to previous screen
Components	Type	Description																																				
Transaction Time	Table Cell	as defined in this page																																				
Transaction ID	Text	as defined in this page																																				
Stripe Payment ID	Text	Display Stripe Payment ID which is generated when user proceed payment transaction with Stripe For e.g., pi_3NxB7H2eZvKYlo2C0qP4f8Zk																																				
Package Class	Text	Display User's class as defined in this page																																				
Activation Purchased	Integer	Display Number of activations as defined in this page																																				
Activation Used	Integer	Display the number of Activation Used CMR 01																																				
Activation Remaining	Integer	Display the number of Activation Remaining = Number of activations purchased - Activation Used CMR 01																																				
Amount (Price)	Number	Display "Total Amount Paid" [price] as defined in this page																																				
Payment Status	Status Tag	as defined in this page																																				
Close	Button	Enable Click close pop-up + back to previous screen																																				
Exit	Icon button	Enable Click close pop-up + back to previous screen																																				
Transaction Pagination	Pagination Control	Display Rules: Display pagination controls at bottom of table. Behavior Rules: On click, load corresponding page of transactions. CMR 10																																				