


PartnersWeek - Common rules

		Function	Content
1	CMR-01	Format of number	Use apostrophe to separate after every 3 digits of positive integer (ex: 5'000'898); Use comma as a separator of decimal number (ex: 1'234,78) Only accept number & one character ".", " " inputting block other characters Format: \${number} + Numbers: millions, billions, trillions will be displayed as K, M, B, T. When hover on, show tooltip full value. For example: 1,244 1,24K 1,244,233 1,24M 1,244,233,123 1,24B 1,244,233,123,123 1,24T
2	CMR-02	Password rules	Password rules Password must be between 8 and 20 characters One number One lowercase character One special character One uppercase letter Whitespace not allowed Password * Enter password ✓ A minium of 8 character ✓ One number ✓ One lowercase character ✓ One special character ✓ One uppercase letter ✓ Whitespace not allowed Confirm password * Enter confirm password The rule that has been met, a green tick will be displayed beside it, otherwise gray out the tick. If user click in and click out, and input nothing, system will verify this is the wrong password. Validation Rules* Prevent if password exceeds 20 characters

3	CMR-03	Email format	1. Format of email: example@domain.com A valid email address consists of an email prefix and an email domain, both in acceptable formats. The prefix appears to the left of the @ symbol. The domain appears to the right of the @ symbol. For example, in the address example@mail.com, "example" is the email prefix, and "mail.com" is the email domain. 1.1 Acceptable email prefix formats (The prefix appears to the left of the @ symbol) - Allowed characters: letters (a-z), numbers, underscores, periods, and dashes. - An underscore, period, or dash must be followed by one or more letters or numbers and preceded letter or number Ex: Invalid email prefixes: Valid email prefixes: abc@mail.com abc-d@mail.com abc..def@mail.com abc.def@mail.com .abc@mail.com abc@mail.com abc#def@mail.com abc_def@mail.com 1.2 Acceptable email domain formats (The domain appears to the right of the @ symbol) - Allowed characters: letters, numbers, dashes, dots. - The last portion of the domain must be at least two characters, for example, .com, .org, .cc Ex: Invalid email domains: Valid email domains: abc.def@mail.c abc.def@mail.cc abc.def@mail#archive.com abc.def@mail-archive.com abc.def@mail abc.def@mail.org abc.def@mail..com abc.def@mail.com Max length CMR-17 Email does not meet required format show MSG 03
4	CMR-04	Reload data	The data is expected to be updated every time the screen is opened (go to, next, back)
5	CMR-05	Selection with default value	Selection on the screen that has default value: If user selects the other option that is different from default value, system should remember the selected option when user keep staying on the same screen. However, when user escapes the screen, system should back to the default value
6	CMR-06	Monetary Input	Input and Formatting Rules: Swiss Formatting Description: The system allows users to enter numbers with the following formatting and validation rules: - Display numbers with a maximum of 2 decimal places, hover to see full digit with 6 decimal places - Users can use a period (.) to indicate decimal places. - The system automatically separates thousands, millions, etc., with apostrophe (') CHF 35'000. Primary currency in the MVP is CHF - Monetary is a positive number Examples: - Input: 1234.56 Display: 1'234,56. - Input: 1234567.89 Display: 1'234'567,89. Validation Rules Rule : If the decimal portion contains more than 6 characters, the system will prevent the input from being accepted. Example: Input 123.4567891 The system prevent the 7th number after the period - Only accept number & character ".", inputting block other characters - If input number exceeds max price = 999999999999, show MSG 09 Round to the nearest, for e.g: 2,834 rounded to the nearest two decimal places is 2,83. 2,836 rounded to the nearest two decimal places is 2,84. User Interaction - The system will: - Automatically format numbers with commas for thousands when the user finishes input. - Immediately block invalid input (e.g., warn when more than 6 decimal places are entered). - Display a clear error message (MSG-12) when validation fails.
7	CMR-07	Percentage	- Always rounded to 2 decimal places. - Allow input 0100 & maximum of 2 decimal places, otherwise prevent
8	CMR-08	Monetary display	- Always display rounded to 2 decimal places - Default display: CHF 1'234,56

9		Fee display	- Always rounded to 2 decimal places - Display in cryptocurrency
10	CMR-09	Time display	Display Format: YYYY/MM/DD for the single date and YYYY/MM/DD - YYYY/MM/DD with an icon button Calendar for a time range Behavior Rules: User clicks on an icon button Calendar to select date
11	CMR-10	Web - List view	1. System default to display 10 records in one page, user can scroll within the table to view all results. 2. If the data is too long to display full content in the cell area. The data should be displayed with [...], and when user hovers over it full content should be exposed.
12	CMR-11	Web - Pagination	1. Displaying Rules - The pagination component shows a series of numbered pages allowing users to navigate large sets of data. - The currently active page is visually highlighted - The "Previous" button is disabled if the user is on the first page. - The "Next" button is disabled if the user is on the last page. - Always displays the first and last page numbers. - If there are more than a few pages between the current page and the first/last page, an ellipsis (. . .) is displayed to indicate skipped pages.
13			2. Behavior Rules - Clicking on a page number loads that specific page. - Clicking the "Previous" button moves one page backward unless the user is already on the first page. - Clicking the "Next" button moves one page forward unless the user is already on the last page. - Clicking a visible page number directly loads that page. - The currently active page remains highlighted.
14			3. The current page: It should not be clickable. The current page should be significantly different in style from the other pages, so that a user can easily keep track of where he or she is.
15			4. Number of records per page: 10 rows /list and 12/grid view
16	CMR 12	Deposit address	Display in full text string, allow copy
17	CMR 13	Display Alert message	■ Displaying Rules: - Change input field's border into red - The alert message will be displayed under the input field - Hide message + change border into green once User bypass the input validation
18	CMR 15	Upload file	Behaviour Rule On click, Open device storage or Drag file into the area Show image(s) + file name selected + button Click on button to remove image Validation Rule - Image format: PNG, JPG & max 5MB - If file size exceed maximum file capacity show MSG-06 Prevent uploading all files if there is at least 1 file invalid (exceed maximum file capacity, invalid file type) - If file type is different from accepted file type list show message "<File name>'s type is not supported" + prevent uploading all files if there is at least 1 file invalid - If users upload more than 5 files show error MSG 27 - Allow to upload one file per resource type - Maximum file size is 5MB Allow uploading 5 files/each time

19	CMR 16	Field Name & Placeholder	- Field Name: The first letter is written uppercase. For e.g: Full address - Default Placeholder of: Input fields: Enter +<field name> Short text: Enter + <field name> Long text: Type + <field name> Dropdown: Select + <field name> Field name in the placeholder is written in lowercase
20	CMR 17	Max Length	Short Text: Maximum 255 characters - Name (all kinds), email address Long Text: Maximum 1000 characters - Address, description If user input characters exceeds max length, does not allow user to input more characters + show MSG 18
21	CMR 20	Search	Displaying Rules - Placeholder - Default: Enable if there is information in the list Behavior Rules: - On entering text in the search bar Show results that contained the characters that user has input - The result will be arranged due to the following rules: (1) Exact results as input (2) Results that contain the character string as input - Delete all the input Show default list Validation Rules: - Minimum character: 1 - Maximum character: Unlimited - Allow User to input: Text, number, special characters (No restrictions) - Enable suggestions when user click some first characters - If there is no data matching Show MSG-11
22	CMR 21	View document content	Displaying Rules - Documents shall be presented as hyperlinked text, clearly labeled with the document name or relevant metadata. - Hyperlinks shall be styled to indicate interactivity (e.g., underlined text or distinct color) and adhere to accessibility standards (e.g., sufficient color contrast). Behavior Rules Open Document: Upon clicking the hyperlinked text, the system shall open the document content in a new browser tab for viewing. Consistent Experience: The new tab shall display the document in its native format if supported by the browser, maintaining the original layout and content fidelity. Validation Rules Supported File Formats: If the document format is natively supported by the browser (e.g., PDF), the system shall render the document directly in the new tab. Unsupported File Formats: If the document format is not supported for direct viewing in the browser (e.g., .docx, .xlsx, .pptx), the system shall automatically initiate a download of the file to the user's device. File Accessibility: The system shall verify that the document is accessible (e.g., not corrupted or restricted) before attempting to open or download it. Error Handling: If the document is inaccessible (e.g., file not found, corrupted, or permission denied), the system shall display a user-friendly error message "Unable to access the document. Please try again or contact support." Browser Compatibility: The feature shall support major browsers, including Chrome, Firefox, Edge, and Safari (latest versions). File Size Limits: The system shall support documents up to 50 MB to ensure performance stability. Larger files may trigger a warning as "download only". Security: Documents shall be served over a secure connection (HTTPS) to protect user data. Localization: Error messages and labels shall support localization based on the user's language settings in the Liberty app.

23	CMR 22	Display long name	Displaying Rules - Display name as last saved and "..." if text exceeds frame Validation Rules: - Display the full name when hover
24	CMR 23	Range Date Picker	Display Rule: - Display "YYYY/MM/DD-YYYY/MM/DD" as placeholder Behavior Rule: - When click display calendar for user to choose  - Display current month + the month after, highlight current date as default - Earlier selected date is considered as Start Date and later one is considered as End Date - Date is displayed once user select date on calendar - Click < OR > to move to previous month or next month - Click << OR >> to move to previous year or next year - When the user clicks a quick filter option (e.g <i>Yesterday</i>, <i>7 days ago</i>), the system will: - Automatically update the start and end dates in the calendar panel. - Highlight the corresponding date range on the calendar. - Display the date range in the input fields below (Start Date – End Date). - When the user switches between quick filter options, the previous highlight will be cleared, and the new one will be applied. Validation Rule - For Required field. If user click out without select dates or only select one date show inline error message "You can't leave this blank" - End Date > Start Date. If the user selects an End Date that is equal or earlier than the Start Date, the field should reset and display an inline error message: "End date must be later than Start date"
25	CMR 24	Dropdown	Display Rule: - Display placeholder Behavior Rule - When clicked, a list of available values will be displayed. - Selected values will appear in the field and be highlighted in the dropdown list. - If the field is mandatory and allows only one selection, choosing a new value will replace the previous one. - If the field allows multiple selections, or is optional with a single selection, users can remove a selected value by clicking the X icon next to it.

26	CMR 25	Required field	Display Rule: • Display input field Behavior Rule: • User inputs in the field to proceed next steps Validation Rule: • Disable submit (or any kind of button to proceed next step) button • User clicks on the field then leave it empty Show error MSG-02 + button disable
27	CMR 26	Country Dropdown/Search	• Country ◦ Behavior Rules: ▪ On click - > Display the dropdown list of first 10 options ▪ Type search input • Display matching results • If no match result show empty list ▪ Choose value • Display chosen value. Replace previously chosen value (if any) • Close dropdown
28	CMR 27	Data table	Show data from the newest to the oldest
29	CMR 28	Filter	Displaying rules • Display the Filter with the relative placeholder • Default: Enable, Check all Behavior rules: • On clicking on the filter Show dropdown User selects selection(s) to view show results Validation Rules: • If no option is selected Display Origin data • If there is no data matching with filter Show MSG-11 + S.01.4.1b: No data • If the response from system is longer than 1s Show MSG-17 • Deselect an option when double click • Clarification: "User selects selection(s) to view show results" allow multiple selections
30	CMR 29	Sort	Displaying rules • Default: Enable, Check all • Display the sort icon: ◦ Arrow up: Ascending ◦ Arrow down: Descending Behavior rules: • On clicking on the icon or the field name to choose the display order show results in Ascending order show results in Descending order if user clicks one more time Validation Rules: • If no option is selected Display Origin data • If the response from system is longer than 1s Show MSG-17 • Data will be back to original display/remove all sorting when click F5/reload page • Sort on the latest data. For e.g, 1st time sort on original data from next sort, check on the latest data (current on display)
31	CMR 30	Transaction Hash	Display tx hash : 6 first characters and last 4 characters of txn Example: 0xjh2h...hg6t
32	CMR 31	Wallet Address /Contract Address	• Display with 6 first characters of the wallet address and 4 final characters of the wallet address • Starts with 0x • Exactly 42 characters • Not case-sensitive • Example: 0x742d35Cc6634C0532925a3b844Bc454e4438f44e

33	CMR 32	ID	NFT Token ID - Generated by: Smart contract (ERC-1155) - Data type: uint256 - Generation method: Auto-increment - Business reference: Separate NFT code mapped to tokenId
34	CMR 33	Network, Wallet supported	- The supported network is Ethereum (Base) - The supported wallet: WalletConnect
35	CMR 34	Data Display	Show data from the newest to the oldest If there is no data show MSG-11
36	CMR 35	Transaction Hash	- Display with 6 first characters of the hash and 4 final characters of the wallet address - Starts with 0x - Exactly 66 characters - Not case-sensitive - Example: 0x742d35Cc6634C0532925a3b844Bc454e4438f44e - On click redirect to https://basescan.org/

37	CMR 36	NFT	Display Rules: NFT thumbnail (NFT image set as default and can be edit by admin in Admin Distinction management) Title: NFT Name NFT type. Tag • Distinction • PartnerS Award Token ID. CMR 32 • Display explore icon & clickable text. Default: Enable Contract Address. CMR 31 • Display explore icon & clickable text. Default: Enable From To: • NFT Distinctions: From <Buyer/Awarder> to <Recipient name> • NFT PartnerS Award: From To: From "Partners Week" to <Recipient name> Class. BR 01. Class is set when sign up. • NFT Distinctions: Display Buyer Class: <Buyer Class> • NFT PartnerS Award: Display Recipient Class: <Recipient Class> Country: Text. CMR 22 • NFT Distinctions: Display Country: <Buyer Country> • NFT PartnerS Award: Display Country: <Recipient Country> • User: Country is set when sign up • Non-user recipient: Country is provided by buyer Mint Date. CMR 09 Issued by: Partners Week. Text Behavior Rules: Click on explore icon & Token ID's clickable text redirect to IPFS page Click on explore icon & Contract Address's clickable text redirect to BaseScan page Validation Rules: CMR 32, 09, 34 Scroll: CMR 10 Buyer/Recipient name Company's profile: Display company name Individual's profile: Display user name (first + last name) Public figures' profile: • Display user name (first + last name) if there's no artist name • Display Artist name (Stage name) if user provides artist name
----	-----------	-----	--